View NSN Online: https://aerobasegroup.co.il/nsn/3040-01-377-3129

EASTMAN KODAK COMPANY -- KODAK CINEFLURE DEVELOPER AND REPLENISHER, WORKING SOLUTION -- 6750-01-377-3129

Product ID:KODAK CINEFLURE DEVELOPER AND REPLENISHER, WORKING SOLUTION MSDS Date:03/03/1993 FSC:6750 NIIN:01-377-3129 MSDS Number: BWQFG === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US Info Phone Num:716-477-3194 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 85-90% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM SUL

FITE CAS:10117-38-1 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM ACETATE CAS:127-08-2 RTECS #:AJ3325000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROQUINONE (SARA III) CAS:123-31-9 RTECS #:MX3500000 Fraction by Wt: 1% Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9394 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION-EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. EYE-CAUSES IRRITATION. SKIN-CAUSES IRRITATION. INGESTION-EXPECTED TO BE A LOW INGESTION HAZARD. Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO KNOWN CARCINOGENS OR SUSPECT CARCINOGEN. Effects of Overexposure:SKIN-MAY CAUSE ALLERGIC SKIN REACTION. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALE-MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. EYE-IMMEDIATELY FLUSH WITH WATER FOR 15 MIN. GET MEDICAL ATTENTION. SKIN-IMMEDIATELY REMOVE CONTAMINATED CLOTH ING/SHOES & WASH WITH SOAP & WATER. GETMEDICAL ATTENTION FOR SKIN REACTIONS. INGES

TION-DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL	
ATTENTION.	

======================================
Flash Point:NONE Extinguishing Media:USE APPROPIATE AGENT FOR ADJACENT FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS. Unusual Fire/Explosion Hazard:NONE.
======================================
Spill Release Proc edures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.
======================================
<ul> <li>Handling and Storage Precautions:KEEP CONTAINER CLOSED. KEEP AWAY FROM INCOMPATIBLE SUBSTANCES.</li> <li>Other Precautions:AVOID CONTACT WITH EYES, SKIN &amp; CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. THE ROUTINE USE OF A NONALKALINE TYPE OF HAND CLEANER &amp; REGULAR CLEANING OF WORKING SURFACES, G LOVES, ETC. IS ADVISED.</li> </ul>
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection:NONE SHOULD BE NEEDED. Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED. Protective Gloves:WEAR IMPERVIOUS GLOVES Eye Protection:WEAR SAFETY GLASSES WITH SIDE SHIELD Other Protective Equipment:EYE BATH, SAFETY SHOWER, WASHING FACILITIES. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Sup plemental Safety and Health NONE
======================================
HCC:B3 Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:24 MBAR Vapor Density:0.6 Spec Gravity:1.289 pH:10.8 Solubility in Water:COMPLETE Appearance and Odor:LIQUID. COLORLESS. ODORLESS. Percent Volatiles by Volume:90
======================================
Stability Indicator/Materials to Avoid:YES

STRONG ACIDS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTU

## RER. Hazardous Decomposition Products:SULFUR DIOXIDE.

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, express

ly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.