

DOW CORNING CORP -- 33 EXTREME LOW TEMPERATURE BEARING GREASE, LIGHT --
9150-00-145-0161

===== Product Identification =====

Product ID:33 EXTREME LOW TEMPERATURE BEARING GREASE, LIGHT

MSDS Date:03/12/1990

FSC:9150

NIIN:00-145-0161

MSDS Number: BWZKY

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48640

Country:US

Info Phone

Num:517-496-6000

Emergency Phone Num:517-496-5900

Preparer's Name:JACK L. SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:INLAND PACKAGING

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701

Coun

try:US
Phone:502-737-6758
CAGE:6U655

=====
===== Composition/Information on Ingredients =====

Ingred Name:2,6-CIS-DIPHENYLHEXAMETHYLCYCLOTETRASILOXANE
CAS:33204-76-1
RTECS #:GZ4390000
Fraction by Wt: 121C
Extinguishing Media:WATER FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING
CHEMICALS.
Unusual Fire/Explosion Hazard:NONE KNOWN TO DOW CORNING.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PRODUCT AND USE ABSORBENT MATERIAL TO
TAKE CARE OF ANY OIL-LIKE RESIDUES.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE REASONABLE CARE.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE
NEEDED.
Ventilation:MECHANICAL (GENERAL) VENTILATION: RECOMMENDED.
Protective Gloves:WASHING SHOULD BE ADEQUATE
Eye Protection:SAFETY GLASSES, AS A MINIMUM.
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT
AND BEFORE EATING DRINKING OR SMOKING.
Supplemental Safety and Health
TRACESS OF BENZENE AND FORMALDEHYDE (CARCINOGENS) MAY FORM IF HEATED IN
AIR ABOVE 300F. THE CYCLOTETRASILOXANES CONTAINED IN PRODUCT

ARE

ESTROGEN-LIKE CHEMICALS. ANIMAL STUDIES INDICATE ESTROGENS MAY CAUSE CANCER AND ADVERSE REPRODUCTIVE EFFECTS AFTER PROLONGED EXPOSURE. NO INJURY SHOULD OCCUR DURING REASONABLE USE.

===== Physical/Chemical Properties =====

HCC:V6

Vapor Pres:< 5

Spec Gravity:1.05

Solubility in Water:NEGLIGIBLE

Appearance and Odor:VERY LITTLE ODOR, GREASE, LIGHT BEIGE-TAN.

Percent Volatiles by Volume: