View NSN Online: https://aerobasegroup.co.il/nsn/6840-01-309-3890

AMERICAN INDUSTRIAL -- OFF -- 6840-01-309-3890

Product ID:OFF MSDS Date:08/16/1993 FSC:6840 NIIN:01-309-3890 MSDS Number: BWZRS === Responsible Party === Company Name: AMERICAN INDUSTRIAL Box:10996 **City:BURBANK** State:CA ZIP:91510-0996 Country:US Info Phone Num:818-841-7788 Emergency Phone Num:818-841-7788 CAGE:0WE73 === Contractor Identification === **Company Nam** e:AMERICAN INDUSTRIAL SUPPLY INC Address:4514 VANOWEN ST. Box:10996 City:BURBANK State:CA ZIP:91506-0996 Country:US Phone:800-366-0961/818-841-7788 CAGE:0WE73 Ingred Name:D-LIMONENE CAS:5989-27-5 RTECS #:GW6360000 Other REC Limits:NONE RECOMMENDED

Ingred Name:DIPROPYLENE GLYCOL METHYL ETHER CAS:34590-94-8 RTECS #:JM1575000 Other REC Limits:NONE RECOMMENDED OSHA PEL:S,100PPM/150STEL ACGIH TLV:S,100PPM/150STEL9192

Ingred Name

:LPG (LIQUEFIED PETROLEUM GAS) CAS:68476-85-7 RTECS #:SE7545000 Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192

Ingred Name:PROPYLENE GLYCOL MONOMETHYL ETHER CAS:107-98-2 RTECS #:UB7700000 Other REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192

Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Other REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:10 00 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION-WILL CAUSE DIZZINESS IF INHALED DIRECTLY. EYES-MAY CAUSE TEMPORARY CORNEAL OPACITY. WILL CAUSE SEVERE IRRITATION. SKIN-MAY CAUSE LOCALIZED DEFATTING OF SKIN AND IRRITATION. INGESTION-SEE BE LOW. Explanation of Carcinogenicity:NOT CARCINOGENIC. Effects of O verexposure:INGESTION-MAY CAUSE NAUSEA, VOMITING, DIARRHEA AND RESTLESSNESS. ASPIRATION INTO THE LUNGS CAN CAUSE SEVERE CHEMICAL PNEUMONITIS OR PULMONARY HEMORRHAGE, WHICH CAN BE FATAL. Medical Cond Aggravated by Exposure:NONE

First Aid:INHALATION-REMOVE TO FRESH AIR. EYES-FLUSH WITH WATER FOR 15 MINUTES & CONTACT PHYSICIAN. SKIN-WASH WITH SOAP & WATER. TREAT AFFECTED AREAS WITH SKIN MOISTURIZER & CONTACT PHYS

ICIAN. INGESTION-DO NOT INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY.

Flash Point Method:TCC Flash Point:100F,38C Extinguishing Media:STANDARD CHEMICAL FIRE EXTINGUISHER. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:FLAMMABLE. CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURE >120F MAY CAUSE BURSTING. MAY DEVELOP A FLAMMABLE ATMOSPHERE IN CONFINED SPACES.

========== Accidental Release Me

Spill Release Procedures: WIPE UP WITH RAGS OR USE AN ABSORBENT CLAY MATERIAL OR TOWEL. DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:DO NOT USE OR STORE NEAR HEAT, SPARK, FIRE OR OPEN FLAMES.

Other Precautions: EXPOSURE TO TEMPERATURES ABOVE 120F MAY CAUSE BURSTING. DO NOT

PUNCTURE OR INCINERATE CONTAINERS. VAPORS MAY COLLECT IN LOW LYING AREAS.

Respiratory Protection:USE ONLY IN A WELL VENTILATED AREA. Supplemental Safety and Health NONE

HCC:T5 Boiling Pt:B.P. Text:165 Vapor Pres:100 Vapor Density:1 Spec Gravity:1.00 Evaporation Rate & amp; Reference:2 (N-BUTYL ACETATE=1) Solubility in Water:0% Appearance and Odor:VISCOUS SPRAY, CHLORINATED SOLVENT SCENT.

Stability Indicator/Materials to Avoid:YES PLASTICS, PRE-TEST TO BE SPRAYED BEFORE USING. Stability Condition to Avoid:TEMPERATURES ABOVE 120F, HOT SURFACES. Hazardous Decomposition Products:EXPOSURE TO RED HOT SURFACES MAY PRODUCE CARBON MONOXIDE AND HYDROGEN CHLORIDE GASES.

Waste Disposal Methods:WRAP CONTAINER IN OLD NEWSPAPER AND PLACE IN TRASH COLLECTION. DO NOT REUSE EMPTY CONTAINER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respon sibility for the suitability of this information to their particular situation.