

GRIGGS PAINT -- TT-V-119D SPAR VARNISH, 700C47 -- 8010-00-251-6980

=====
Product Identification
=====

Product ID:TT-V-119D SPAR VARNISH, 700C47

MSDS Date:01/01/1994

FSC:8010

NIIN:00-251-6980

MSDS Number: BXCFF

=== Responsible Party ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

City:PHOENIX

State:AZ

ZIP:85040

Country:US

Info Phone Num:602-243-3293

Emergency Phone Num:800-424-9300 CHEMTRE

C

Preparer's Name:ROBERT COMMISSO

CAGE:DO312

=== Contractor Identification ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

Box:City:PHOENIX

State:AZ

ZIP:85040

Country:US

Phone:602-243-3293

CAGE:58963

Company Name:GRIGGS PAINT

Address:3602 S 16TH PL

City:PHOENIX

State:AZ

ZIP:85040-1319

Phone:602-243-3293

CAGE:DO312

=====
Composition/Information on Ingredients
=====

Ingred Name:ALIPHATIC HYDROCARBONS (STODDARD TYPE) (SARA III) (VAPOR
PRESSURE 2.0 MM HG @ 68F)

CAS:80

52-41-3
RTECS #:WJ8925000
Fraction by Wt: 39%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingred Name:VOC: 2.92 LB/GL (350 G/L)
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:DIRECT CONTACT TO EYE MAY CAUSE
IRRITATION. PROLONGED/REPEATED CONTACT MAY CAUSE
AUSE SKIN IRRITATION.
INHALATION MAY LEAD TO LUNG CHANGES,NAUSEA,VOMITING,COUGH,PULMONARY
IRRITATION,CENTRAL NERVOUS SYSTEM DEPRESSION. INGESTION MAY CAUSE
GI DISTURBANCES. ASPIRATION OF PRODUCT MAY CAUSE PNEUMONITIS
PULMONARY EDEMA & HEMORAGE
Effects of Overexposure:INHALATION: DROWSINESS, DIZZINESS, FATIGUE,
COMA. EYE: IRRITATION. SKIN: PROLONGED/REPEATED MAY CAUSE
IRRITATION/DERMATITIS, DEFATTING, ABSORBED THROUGH SKIN. INGESTION:
ASPIRATION OF THIS PRODUCT INT O
THE LUNGS MAY CAUSE PNEUMONITIS,
PULMONARY EDEMA AND HEMORAGE. INGESTION MAY CAUSE GI DISTURBANCES.
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING
DISEASES IN OR HISTORY OF AILMENTS INVOLVING SKIN, CENTRAL NERVOUS
SYSTEM, LIVER AND KIDNEY.

=====
===== First Aid Measures =====
=====

First Aid:EYE CONTACT: IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER
FOR 15 MINTUES. SEEK MEDICAL AID. DO NOT INDUCE VOMITING. DO NOT
ATTEMPT TO GIVE
ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:TCC
Flash Point:100F,38C
Autoignition Temp:Autoignition Temp Text:474 F
Lower Limits:1.0
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG
Fire Fighting Procedures:APPROVED GAS MASK REQUIRED FOR FIRE FIGHTING
PERSONEL. WATER MAY BE INEFFECTIVE. WATER MAY BE USED TO COOL
CONTAINERS. IF WATER IS USED, FOG NOZZLES PREFERRED.
Unusual Fire/Explosion Hazard

:KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:STOP LEAK IF NO RISK INVOLVED. REMOVE ALL SOURCES OF IGNITION STAY UPWIND. ABSORB WITH INERT MATERIAL. FLUSH AREA WITH WATER. VENTILATE AREA FOR AT LEAST 24 HOURS OR UNTIL AREA HAS BEEN DECLARED SAFE.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED AND UPRIGHT TO PREVENT LEAKAGE. AVOID FLAMES, WELDING, OPEN LIGHTS, ETC. AVOID BREATHING OF VAPOR AND SPRAY MIST.

Other Precautions:AVOID SKIN AND EYE CONTACT. MAINTAIN GOOD PERSONAL HYGIENE. DO NOT USE IN CONFINED AREAS, TANK OR PIT, WITHOUT ADEQUATE VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENT DOESN'T MAINTAIN INHALATION EXPOSURES