View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-017-6683

XEROX ENGINEERING SYSTEMS -- 4403-1 VERSATEC CLEAR DISPERSANT -- 6850-01-017-6683

Product ID:4403-1 VERSATEC CLEAR DISPERSANT MSDS Date:02/02/1995 FSC:6850 NIIN:01-017-6683 MSDS Number: BXPVN === Responsible Party === Company Name: XEROX ENGINEERING SYSTEMS Address:5853 RUE FERRARI AVE. **City:SAN JOSE** State:CA ZIP:95138 Country:US Info Phone Num:800-828-6571 Eme rgency Phone Num:716-422-2177 OR 716-422-1230(TRANS) CAGE:0UWR2 === Contractor Identification === Company Name: VERSATEC INC (REPLACED BY XES INC, VERSATEC PROD.) Address:2710 WALSH AVE. Box:City:SANTA CLARA State:CA ZIP:95051-0905 Country:US Phone:716-422-2177 (XEROX CORP, NY) CAGE:50804 Company Name: XEROX CORPORATION Address:100 CLINTON AVE SOUTH Box:City:ROCHESTER State:NY ZIP:14644-1877 Country:US Phone:800-828-6571/716-422-2177 CAGE:26921 Company Name: XEROX ENGINEERING SYSTEMS Address:5853 RU

E FERRARI AVENUE Box:City:SAN JOSE State:CA ZIP:95138 Country:US Phone:800-828-6571 CAGE:0UWR2 Ingred Name: ISOPARAFFINIC HYDROCARBON SOLVENT MINERAL SPIRITS CAS:64475-85-0 RTECS #:PY8240000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED LD50 LC50 Mixture:ORAL LD50 (RAT) IS >10000 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: INGESTION MAY CAUSE CNS DEPRESSION; ASPIRATION MAY CAUSE RESPIRATORY DISTRESS. INTENTIONAL INHALATION MAY CAUSE ABNORMAL HEART RHYTMS, RESPIRATORY ARREST, AND/OR CNS TOXICITY. CHRONIC: NONE SPE CIFIED BY MANUFACTURER. Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure: INHALED-ABNORMAL HEART RHYTMS, RESPIRATORY ARREST, CNS EFFECTS (DIZZINESS, WEAKNESS, DROWSINESS, NAUSEA, HEADACHE, VOMITING). INGESTED-CNS EFFECTS (DIZZINESS, DROWSINESS, HEADACHE, NAUSEA, VOMITING). Medical Cond Aggravated by Exposure:NONE WHEN USED A PRESCRIBED BY PRODUCT LITERATURE.

First Aid:INHALED-REMOVE FROM EXPOSURE. OBSERVE FOR ANY DIFFICULTY IN BREATHING. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP & WATER. E YES-FLUSH THOROUGHLY WITH WATER. INGESTED-IF CONSCIOUS, DILUTE STOMACH CONTENTS WITH WATER. GET IMMEDIATE MEDICAL ATTENTION.

Flash Point Method:TCC Flash Point:104F,40C Lower Limits:0.8 Upper Limits:7.0 Extinguishing Media:WATER FOG OR SPRAY, CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fighting Procedures:AVOID BREATHING VAPORS OR FUMES. WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL
FIRE EXPOSED CONTAINERS WITH WATER. Unusual Fire/Explosion Hazard:DO NOT MIX OR STORE WITH STRONG OXIDIZING AGENTS LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.
======================================
Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. RECOVER FREE LIQUID USING AN ABSORBANT MATERIAL (VERMICULITE, SAWDUST, FIRE RETARDANT, ETC.). Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT HANDLE OR STORE NEAR HEAT, SPARKS, FLAME, OR STRONG OXIDANTS. Other Precautions:ADEQUATE VENTILATION REQUIRED.
======================================
Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves:NONE NORMALLY REQUIRED. Eye Protection:SAFETY

GLASSES/CHEMICAL SPLASH GOGGLES. Other Protective Equipment:CHEMICAL RESISTANT APRON OR OTHER CLOTHING IF NEEDED TO AVOID REPEATED OR PROLONGED SKIN CONTACT. Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health USED WITH V-80 SERIES PLOTTERS.

HCC:F4 Boiling Pt:B.P. Text:320F,160C Vapor Pres: