

ECOLINK INC -- SAFE-STRIP ENVIRONMENTALLY PREFERRED PAINT & RESIN SOLVENT --
6850-01-386-8424

===== Product Identification =====

Product ID:SAFE-STRIP ENVIRONMENTALLY PREFERRED PAINT & RESIN SOLVENT

MSDS Date:06/11/1996

FSC:6850

NIIN:01-386-8424

MSDS Number: BXPWS

=== Responsible Party ===

Company Name:ECOLINK INC

Address:1481 ROCK MOUNTAIN BLVD

City:STONE MOUNTAIN

State:GA

ZIP:30083

Country:US

|

Info Phone Num:800-886-8240 OR 770-621-8240

Emergency Phone Num:800-535-5053/800-877-3339

CAGE:0WU71

=== Contractor Identification ===

Company Name:ECOLINK INC

Address:1481 ROCK MOUNTAIN BLVD

Box:City:STONE MOUNTAIN

State:GA

ZIP:30083-1505

Country:US

Phone:800-886-8240/770-621-8240

CAGE:0WU71

Company Name:SENTRY CHEMICAL CO INC

Address:1481 ROCK MOUNTAIN BLVD

Box:748

City:STONE MOUNTAIN

State:GA

ZIP:30086

Country:US

Phone:770-934-4242

CAGE:8S927

===== Composition/Information on Ingredient =====

nts =====

Ingred Name:N-METHYLPYRROLIDONE (NMP)

CAS:872-50-4

RTECS #:UY5790000

Fraction by Wt: 85%

Other REC Limits:TWA 100 PPM (MFR)

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY TRACT. ACUTE- EYES:MAY CAUSE MILD IRRITATION. LIQUID CAN BURN EYES.

SKIN:IRRITATION & RASHES WITH PROLONGED/REPEATED CONTACT.

INHALE:INHALATION OF VAPORS GENERATED AT HIGH TEMPERATURES MAY CAUSE LACK OFCOORDINATION. ORAL:ASPIRATION HAZARD. CHRONIC- EXCESSIVE DRYING/FLAKING OF SKIN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, DRYING AND FLAKING OF SKIN, BURNING OF EYES, HEADACHE, INCOORDINATION, NAUSEA, VOMITING

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING SKIN DISORDERS MAY BE

MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO THIS PRODUCT.

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN.

SKIN:WASH WITH SOAP & WATER. ORAL:IF CONSCIOUS, DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:197

F,92C

Extinguishing Media:CARBON DIOXIDE, ALCOHOL FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard:TOXIC FUMES MAY BE FORMED.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB SPILL WITH INERT MATERIAL SUCH AS VERMICULITE, THEN

PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE MATERIALS. KEEP CONTAINER TIGHTLY CLOSED.
Other Precautions:KEEP OUT OF REACH OF CHILDREN. AVOID EYE CONTACT. USE WITH ADEQUATE VENTILATION. TREAT AS A COMBUSTIBLE LIQUID.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXCESSIVE MISTING IS EXPECTED, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR.
Ventilation:ADEQUATE
Protective Gloves:LATEX FOR REPEATED/PROLONGED CONTACT
Eye Protection:SAFETY GLASSES/GOGGLES RECOMMENDED
Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING, DRINKING/SMOKING.
Supplemental Safety and Health
FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN.

===== Physical/Chemical Properties =====

HCC:V4
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:B.P. Text:396F,202C
Vapor Pres:1
Spec Gravity:1.062
Evaporation Rate & Reference: