View NSN Online: https://aerobasegroup.com/nsn/6850-01-386-8428

SENTRY CHEMICAL CO INC -- SAFE-STRIP ENVIRONMENTALLY PREFERRED PAINT & RESIN SOLVENT -- 6850-01-386-8428

============= Product Identification ========================

Product ID:SAFE-STRIP ENVIRONMENTALLY PREFERRED PAINT & RESIN SOLVENT

MSDS Date:04/12/1994

FSC:6850

NIIN:01-386-8428

MSDS Number: BXPWT === Responsible Party ===

Company Name: SENTRY CHEMICAL CO INC

Address:1481 ROCK MOUNTAIN BLVD

Box:748

City:STONE MOUNTAIN

S

tate:GA ZIP:30086 Country:US

Info Phone Num:404-621-8240/934-4242

Emergency Phone Num:800-886-8240/800-877-3339

CAGE:8S927

=== Contractor Identification === Company Name: ECOLINK INC

Address:1481 ROCK MOUNTAIN BLVD

Box:City:STONE MOUNTAIN

State:GA

ZIP:30083-1505 Country:US

Phone:800-886-8240/770-621-8240

CAGE:0WU71

Company Name: SENTRY CHEMICAL CO INC

Address:1481 ROCK MOUNTAIN BLVD

Box:748

City:STONE MOUNTAIN

State:GA ZIP:30086 Country:US

Phone:770-934-4242

CAGE:8S927

====== Composition/

Information on Ingredients ========
Ingred Name:BUTYROLACTONE, GAMMA-CAS:96-48-0 RTECS #:LU3500000 Other REC Limits:NONE RECOMMENDED
Ingred Name:N-METHYLPYRROLIDONE CAS:872-50-4 RTECS #:UY5790000 Other REC Limits:NONE RECOMMENDED
========= Hazards Identification ===========
LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS:EYE, SKIN, RESPIRATORY TRACT. ACUTE- EYES:MAY CAUSE MILD IRRITATION. LIQUID CAN BURN EYES. SKIN:IRRITATION & RASHES WITH PROLONGED/REPEATED CONTACT. INHALE:INHALATION OF VAPORS GENERATED AT HIGH TEMPERATURES MAY CAUSE LACK OFCOORDINATION. ORAL:ASPIRATION HAZARD. CHRONIC-EXCESSIVE DRYING/FLAKING OF SKIN. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, DRYING AND FLAKING OF SKIN, BURNING OF EYES, HEADACHE, INCOORDINATION, NAUSEA, VOMI
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO THIS PRODUCT.
======================================
First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:IF CONSCIOUS, DRINK 1-2 GLASSES OF WATE R. SEEK MEDICAL ATTENTION.

==========

====== Fire Fighting Measures ===================
Flash Point Method:PMCC Flash Point:197F,92C Extinguishing Media:CARBON DIOXIDE, ALCOHOL FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED. Unusual Fire/Explosion Hazard:TOXIC FUMES MAY BE FORMED.
======================================
Spill Release Procedures:ABSORB SPILL WITH INERT MATERIAL SUCH AS VERMICULITE, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION. Neutralizing Agent:NOT RELEVANT
======================================
Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE MATERIALS. KEEP CONTAINER TIGHTLY CLOSED. Other Precautions:KEEP OUT OF REACH OF CHILDREN. AVOID EYE CONTACT. USE WITH ADEQUATE VENTILATION. TREAT AS A COMBUSTIBLE LIQUID.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:IF EXCESSIVE MISTING IS EXPECTED, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR. Ventilation:ADEQUATE Protective Gloves:LATEX FOR REPEATED/PROLONGED CONTACT Eye Protection:SAFETY GLASSES/GOGGLES RECOMMENDED Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMM ENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING,
DRINKING/SMOKING. Supplemental Safety and Health FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN.
========= Physical/Chemical Properties ============
HCC:V4 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:396F,202C Vapor Pres:1 Spec Gravity:1.062 Solubility in Water:COMPLETE Appearance and Odor:CLER, COLORLESS LIQUID - MILD ODOR
========= Stability and Reactivity Data ===========
Stabilit

Stabilit

y Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG REDUCING AGENTS Stability Condition to Avoid:HEATING ABOVE FLASH POINT Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN MAY BE FORMED.

======= Disposal Considerations ===========

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL REGULATIONS. RECYCLE IF POSSIBLE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.