

MET-L-CHEK COMPANY -- E-57 EMULSIFIER -- 6850-01-268-6708

=====
Product Identification
=====

Product ID:E-57 EMULSIFIER
MSDS Date:01/01/1995
FSC:6850
NIIN:01-268-6708
MSDS Number: BXTKG
=== Responsible Party ===
Company Name:MET-L-CHEK COMPANY
Address:1639 EUCLID ST
City:SANTA MONICA
State:CA
ZIP:90404-3770
Country:US
Info Phone Num:310-450-1111
Emergency Phone Num:310-450-1111
CAGE:98733
=== C
Contractor Identification ===
Company Name:MET-L-CHEK COMPANY
Address:1639 EUCLID ST
Box:00000
City:SANTA MONICA
State:CA
ZIP:90404
Country:US
Phone:310-450-1111/FAX 310452-4046
CAGE:98733

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM HYDROCARBON
CAS:64741-96-4
RTECS #:PY8040000
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of C

arcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONTACT-PRESUMED NONIRRITATING.
SKIN CONTACT-SLIGHTLY IRRITATING. INHALATION-VAPORS OR OIL MIST MAY
CAUSE MILD IRRITATION OF UPPER RESPIRATORY TRACT. INGESTION-MAY
RESULT IN VOMITING. ASPIRATION MUST BE AVOIDED.

Explanation of Carcinogenicity:NA

Effects of Overexposure:SKIN CONTACT-IRRITATION. INGESTION-POSSIBLE
VOMITING.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND RESPIRATORY
DISORDE

RS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:EYE CONTACT-FLUSH WITH WATER. SKIN CONTACT-FLUSH WITH WATER,
WASH WITH SOAP AND WATER. INHALATION-REMOVE TO FRESH AIR, PROVIDE
OXYGEN IF BREATHING IS DIFFICULT. INGESTION-DO NOT INDUCE VOMITING.
GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:>200F,>93C

Autoignition Temp:Aut

Autoignition Temp Text:NA

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:USE WATER FOG, DRY CHEMICAL OR CARBON DIOXIDE. DO
NOT USE DIRECT STREAM OF WATER.

Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. DO
NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNKER GEAR, INCLUDING A
POSITIVE PRESSURE NIOSH APPROVED SCBA.

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH AN ABSORBENT
SUCH AS CLAY, SAND

OR OTHER SUITABLE MATERIAL. DISPOSE OF IN ACCORDANCE WITH FEDERAL
AND STATE REGULATIONS FOR OIL RESIDUE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, OPEN FLAMES AND
OXIDIZING MATERIALS.

Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE EXCEEDS TLV, USE NIOSH APPROVED
RESPIRATOR TO PREVENT OVEREXPOSURE.

V

entilation:LOCAL EXHAUST AND MECHANICAL VENTILATION TO MAINTAIN TLV.
Protective Gloves:CHEMICAL RESISTANT TO MINIMIZE CONTACT.
Eye Protection:NO SPECIAL PROTECTION REQUIRED.
Other Protective Equipment:AS REQUIRED TO MINIMIZE SKIN CONTACT.
Work Hygienic Practices:MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER
BEFORE EATING, DRINKING, SMOKING OR USING TOILET.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:
>400F,>204C
Melt/Freeze Pt:M.P/F.P Text:NA
Decomp Temp:Decomp Text:NA
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:0.92
pH:NA
Viscosity:NA
Evaporation Rate & Reference:NA
Solubility in Water:EMULSIFIABLE
Appearance and Odor:INK OILY LIQUID. SLIGHT HYDROCARBON ODOR.
Percent Volatiles by Volume:NA
Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING MATERIALS.
Stability Condition to Avoid:HEAT, OPEN FLAMES AND
OXIDIZING MATERIALS.
Hazardous Decomposition Products:CAN PRODUCE CARBON MONOXIDE AND OTHER
UNIDENTIFIED ORGANIC COMPOUNDS.
Conditions to Avoid Polymerization:HEAT, OPEN FLAMES AND OXIDIZING
MATERIALS.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE IN APPROPRIATE DISPOSAL FACILITY IN
COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use b

y elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.