ELDORADO CHEMICAL COMPANY, INC. -- ELDORADO LD-4 LEAK DETECTOR -- 6850-01-417-4455

Product ID: ELDORADO LD-4 LEAK DETECTOR MSDS Date:03/23/1999 FSC:6850 NIIN:01-417-4455 MSDS Number: BXXNX === Responsible Party === Company Name: ELDORADO CHEMICAL COMPANY, INC. Address:14350 LOOKOUT ROAD Box:34837 **City:SAN ANTONIO** State:TX ZIP:78265 Country:US Info Phone Num:210-65 3-9323/FAX 210-653-0825 Emergency Phone Num:1-800-256-3924 Preparer's Name:BOB E FLYNT CAGE:55208 === Contractor Identification === Company Name: DISPATCH TECHNOLOGY INC Address:2533 N CARSON ST SUITE 2791 Box:City:CARSON CITY State:NV ZIP:89706 Country:US Phone:561-697-4818 Contract Num:SP0450-99-M-ND13 CAGE:1JAE1 Company Name: DISPATCH TECHNOLOGY INC Address:2533 N CARSON ST SUITE 2791 Box:City:CARSON CITY State:NV ZIP:89706 Country:US Phone:561-697-4818 Contract Num:SP0450-99-M-NE30 CAGE:1JAE1

Company Name:ELDORADO CHEMICAL COMPANY, INC. Address:14350 LOOKOUT ROAD Box:34837 City:SAN ANTONIO State:TX ZIP:78265-4837 Country:US Phone:800-531-1088/ 210-653-2060 Contract Num:SP0450-00-M-D246 CAGE:55208

Ingred Name:TALC (NON-ASBESTIFORM) CAS:14807-96-6 RTECS #:MW2700000 = Wt:99. Other REC Limits:NONE RECOMMENDED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:0.2 FIBER/CC,A1;9596

======= Hazards Identification =======

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: INHALATION-IRRITATING TO LUNGS. SKIN-MAY TEMPORARILY STAN SKIN PINK. EYE-IRRITATING TO EYES. CHRONIC: INHALATION-PROLONGED EXPOSURE MAY LEAD TO FIBROTIC PNEUMONIOSIS OR FIBROUS. SKIN-NO CHRONIC EFFECTS EXPECTED. EYE-NO CHRONIC EFFECTS EXPECTED.

Effects of Overexposure: EYES: IRRITATION. SKIN: NO CUMULATIVE EFFECT.

INHALATION: PROLONGED EXPOSURE MAY LEAD TO FIBROTIC PNEUMOCONIOSIS OR FIBROUS.

First Aid:EYE-FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN-WASH WITH SOAP AND WATER. INHALATION-REMOVE TO FRESH AIR. GIVE OXYGEN IF NEEDED. INGESTION-DO NOT INDUCE VOMITING, CONSULT PHYSICIAN IMMEDIATELY.

Flash Point:NONE Autoignition Temp:Autoignition Temp Text :NA Lower Limits:NA Upper Limits:NA Extinguishing Media:WATER. Fire Fighting Procedures:NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED. Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: SWEEP UP AND CONTAINERIZE SPILLS. U.S. EPA HAZARDOUS WASTE NO.S: AS IS, THIS PRODUCT IS NOT CONSIDERED A HAZARDOUS WASTE BY USEPA GUIDELINES.CONSULT FEDERAL, STATE, AND LOCAL REGULATORY AGENCIES FOR P ROPER DISPOSAL.A

====

Handling and Storage Precautions: AVOID SKIN CONTACT. WASH WITH SOAP AND WATER AFTER USE. STORE AWAY FROM STRONG OXIDIZERS.

Respiratory Protection:OSHA/NIOSH APPROVED RESPIRATORY PROTECTION. Ventilation:ENOUGH VENTILATION TO KEEP DUST LEVEL BELOW TLV. 100 FEET PER MINUTE VENTILATION RECOMMENDED.

Protective Gloves: CHEMICAL RESISTANT GLOVES RECOMMENDED. Eye

Protection: GOGGLES AND FACE SHIELD RECOMMENDED.

Other Protective Equipment:NONE

Work Hygienic Practices: AVOID SKIN CONTACT, WASH WITH SOAP AND WATER AFTER USE.

Supplemental Safety and Health

MSDS PRESENTED BY CAGE 55208 FOR CONTRACT NUMBERS SP0411-96-M-E256, SP0450-97-MM930, AND SP0450-00-M-D246.

HCC:N1 Vapor Pres:10MMHG @20C Spec Gravity:0.6 Evaporation Rate & amp; Reference:NON-VOLATILE. Solubility in Water:INSOLUBLE Appearance and Odor:PINK POWDER Percent Volatiles by Volume:0 Corrosion Rate:NA

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Hazardous Decomposition Products:NITROGEN OXIDES MAY BE PRODUCED DURING COMBUSTION.

Waste Disposal Methods:AS IS THIS PRODUCT IS NOT CONSIDERED A HAZARDOUS WSTE BY EPA GUIDELINES. CONSULT FEDERAL, STATE AND LOC AL REGULATORY AGENCIES FOR PROPER DISPOSAL.

Federal Regulatory Information:ALL MATERIALS USED IN THE MANUFACTURING HAVE BEEN CERTIFIED BY THEIR MANUFACTURER AS BEING ON OR EXEMPT FROM THE CURRENT TSCA INVENTORY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatso ever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.