View NSN Online: https://aerobasegroup.com/nsn/6850-01-247-4753

Product ID: VERSATEC CLEAR DISPERSANT FOR V-80 MSDS Date:03/08/1995 FSC:6850 NIIN:01-247-4753 MSDS Number: BXXYR === Responsible Party === Company Name:XEROX CORP Address:100 CLINTON AVE S. City:ROCHESTER State:NY ZIP:14644-1877 Country:US Info Phone Num:800-828-6571 Emergency Phone Num:716-422-2177/716-422-1230 (TRANS) CAGE:0E6G9 === Contractor Identification === Company Name: VERSATEC INC (REPLACED BY XES INC, VERSATEC PROD.) Address:2710 WALSH AVE. Box:City:SANTA CLARA State:CA ZIP:95051-0905 Country:US Phone:716-422-2177 (XEROX CORP, NY) CAGE:50804 Company Name:XEROX CORP Address:300 MAIN ST NO 27C City:EAST ROCHESTER State:NY ZIP:14645 Country:US Phone:800-828-6571; 800-351-2024 CAGE:0E6G9 Company Name: XEROX CORPORATION Address:100 CLINTON AVE SOUTH Box:City:ROCHESTER State:NY ZIP:1

4644-1877 Country:US Phone:800-828-6571/716-422-2177 CAGE:26921

Ingred Name:MINERAL SPIRITS CAS:64475-85-0 RTECS #:PY8240000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >10 G/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE IRRITATION AND DERMATITIS WITH PROLONGED OR REPEATED CONTACT. Explanation of Carcinogenicity:NOT CARCINOGENIC. Effects of Overexposure:INGESTION POSES MAXIMUM RISK OF SEVERE RESPIRATORY DISTRESS BY ASPIRATION, AS WELL AS CENTRAL NERVOUS DEPRESSION. INTENTIONAL INHALATION MAY RESULT IN ABNORMAL RHYTHMS, RESPIRATORY ARREST, AND/OR CENT RAL NERVOUS SYSTEM TOXICITY. Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE.

First Aid:EYES-FLUSH THOROUGHLY WITH WATER. SKIN-REMOVE CONTAMINATED CLOTHING. WASH SKIN THOROUGHLY WITH SOAP AND WARM WATER INHALATION-REMOVE FROM EXPOSURE. OBSERVE FOR ANY DIFFICULTY IN BREATHING. INGESTION-D ILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF WATER. DO NOT INDUCE VOMITING.

Flash Point Method:TCC Flash Point:104F,40C Lower Limits:0.8 U pper Limits:7.0 Extinguishing Media: FOAM, DRY CHEMICAL, CARBON DIOXIDE, WATER FOG OR SPRAY. Fire Fighting Procedures: USE AIR-SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED AREAS. COOL EXPOSED CONTAINERS WITH WATER SPRAY. AVOID BREATHING VAPOR OR FUMES. Unusual Fire/Explosion Hazard: DO NOT MISX OR STORE WITH STRONG OXIDANTS LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN. Spill Release Procedures: REMOVE IGNITION SOURCES. **RECOVER FREE LIQUID,** USING AN ABSORBENT MATERIAL (VERMICULITE, FIRE RETARDANT, SAWDUST, ETC.). Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT HANDLE OR STORE NEAR HEAT, SPARKS, FLAMES OR STRONG OXIDANTS. Other Precautions: ADEQUATE VENTILATION REQUIRED (EQUIVALENT TO OUTDOORS). ======= Exposure Controls/Personal Prot ection ========== Respiratory Protection: NONE WHEN USED AS INTENDED IN VERSATEC (XEROX) PRODUCTS. Ventilation: NONE SPECIFIED BY MANUFACTURER. Protective Gloves: NONE WHEN USED AS INTENDED. Eye Protection: SPLASH GOGGLES OR AFCE SHIELD. Other Protective Equipment: CHEMICAL RESISTANT APRON OR OTHER CLOTHING IF NEEDED TO AVOID REPEATED OR PROLONGED SKIN CONTACT. Work Hygienic Practices: WASH AFTER HANDLING. Supplemental Safety and Health

============== Physical/Chemical Properti

NONE

HCC:F4 Boiling Pt:B.P. Text:160-180C Vapor Pres: