

IRIS GRAPHICS, INC. -- YELLOW WRITING FLUID -- 6750-01-400-2869

=====
Product Identification
=====

Product ID:YELLOW WRITING FLUID

MSDS Date:10/20/1993

FSC:6750

NIIN:01-400-2869

MSDS Number: BYCYB

=== Responsible Party ===

Company Name:IRIS GRAPHICS, INC.

Address:SIX CROSBY DRIVE

City:BEDFORD

State:MA

ZIP:01730

Country:US

Info Phone Num:617-275-8777

Emergency Phone Num:617-275-8777

CAGE:0RFX6

=

== Contractor Identification ==

Company Name:IRIS GRAPHICS, INC.

Address:SIX CROSBY DRIVE

Box:City:BEDFORD

State:MA

ZIP:01730

Country:US

Phone:617-275-8777

CAGE:0RFX6

=====
Composition/Information on Ingredients
=====

Ingred Name:LIQUID DYE SOLUTION

Fraction by Wt: 1.5-4%

Other REC Limits:NONE RECOMMENDED

Ingred Name:GLYCERIN (GLYCEROL)

CAS:56-81-5

RTECS #:MA8050000

Fraction by Wt: 12-18%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 (MIST)

ACGIH TLV:10 MG/M3 (MIST);

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: BALANCE

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 5 G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE-NONIRRITATING IN ANIMAL STUDIES.

SKIN-NONIRRITATING AND NONTOXIC IN ANIMAL STUDIES. CONTAINS

MATERIALS THAT MAY CAUSE ALLERGIC SK

IN REACTIONS. INGESTION-NONTOXIC

IN ANIMALS STUDIES. INHALATION-INHA LATION OF MIST MAY CAUSE

IRRITATION OF THE RESPIRATORY TRACT.

Explanation of Carcinogenicity:THIS PRODUCT CONTAINS NO INGREDIENT THAT

IS LISTED ON THE IARC, NTP OR OSHA CARCINOGEN LISTS.

Effects of Overexposure:EYE-CONTACT WITH LIQUID MAY CAUSE BURNING &

STINGING SENSATION. SKIN-MAY CAUSE IRRITATION. INGESTION-INGESTION

OF LARGE AMOUNTS MAY CAUSE GASTROINTESTINAL IRRITATION.

INHALATION-CONTAINS MATERIALS

THA T MAY CAUSE ALLERGIC RESPIRATORY

REACTION.

Medical Cond Aggravated by Exposure:ALL DYES MAY CAUSE ALLERGIC

REACTION IN SENSITIVE INDIVIDUALS.

=====
===== First Aid Measures =====

First Aid:EYES-IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER. GET MEDICAL

ATTENTION IF IRRITATION PERSISTS. SKIN-WASH WITH SOAP AND WATER.

GET MEDICAL ATTENTION IF IRRITATION OR RASH DEVELOPS. INGESTION-IF

INGEST ED, DRINK PLENTY OF WATER AND GET MEDICAL ATTENTION

INHALATION-REMOVE TO FRESH AIR. GET IMMEDIATE MEDICAL ATTENTION IF

IRRITATION OR OTHER SYMPTOMS DEVELOP.

=====
===== Fire Fighting Measures =====

Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING
FIRE.,

Fire Fighting Procedures:WEAR A SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:MOP

OR SOAK UP SPILLAGE AND PLACE IN A
DISPOSAL CONTAINER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT WITH EYES, SKIN AND
CLOTHING. AVOID INHALATION OF MISTS. REMOVE CONTAMINATED CLOTHING
AND WASH BEFORE REUSE. STORE ABOVE 0F.

Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR MOST CONDITIONS NO R
ESPIRATORY PROTECTION

SHOULD BE NEEDED. IN CONDITIONS WHERE MIST EXPOSURE GUIDELINES IS
EXCEEDED, WEAR AN APPROVED DUST/MIST RESPIRATOR.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT TO CONTROL
AIRBORNE LEVELS.

Protective Gloves:WEAR RUBBER GLOVES.

Eye Protection:WEAR SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH CONTAMINATED CLOTHING BEFORE RESUE. WASH
THOROUGHLY AFTER HANDLING.

Supplemental Safety
and Health

NOT A DOT HAZARDOUS MATERIAL.

=====
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text: