

MOBIL OIL CORP -- MOBILGREASE 28 -- 9150-01-378-0559

===== Product Identification =====

Product ID:MOBILGREASE 28

MSDS Date:07/31/1995

FSC:9150

NIIN:01-378-0559

MSDS Number: BYDMF

=== Responsible Party ===

Company Name:MOBIL OIL CORP

Address:3225 GALLONS ROAD

City:FAIRFAX

State:VA

ZIP:22037-0001

Country:US

Info Phone Num:800-662-4525/800-227-0707 X3265

Emergency Phone Num:609-737-4411/CHEMTREC

800-424-9300

Preparer's Name:ENVIRONMENTAL HEALTH

CAGE:3U728

=== Contractor Identification ===

Company Name:MOBIL CHEMICAL CO., CHEMICAL COATINGS DIV.

Address:RT 27 AND VINEYARD RD.

Box:250

City:EDISON

State:NJ

ZIP:08818-0250

Country:US

Phone:609-737-4411 OR 800-424-9300

CAGE:77988

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

Company Name:SALATHE OIL CO INC

A

Address:2226 PETERS RD
Box:City:HARVEY
State:LA
ZIP:70058
Country:US
Phone:504-366-4542
CAGE:0T5C6

=====
Composition/Information on Ingredients
=====

Ingred Name:PENTAERYTHRITOL
CAS:115-77-5
RTECS #:RZ2490000
Fraction by Wt: 1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3; 9495

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50 (RATS)> 2000 MG/KG
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NO SIGNIFIGANT EFFECTS EXPECTED.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH THOROUGHLY WITH WATER. IF IRRITATION OCCURS, CALL
A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. HIGH PRESSURE
ACCIDENTAL INJECTION THROUGH THE SKIN REQUIRES IMMEDIATE MEDICAL
ATTENTION. INHALATION: NOT EXPECTED TO BE A PROBLEM. INGESTION:
NOT EXPECTED TO BE A PROBLEM. IF GREATER THAN PINT INGESTED,
IMMEDIATELY GIVE 1-2 GLASSES OF WATER AND CALL PHYSICIAN. DO NOT
INDUCE VOMITING.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flas

h Point:450F,232C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS. COOL TANKS AND CONTAINERS EXPOSED TO FIRE WITH WATER.

Unusual Fire/Explosion Hazard:PREVENT RUNOFF FROM FIRE CONTROL OR DILUTION FROM ENTERING STREAMS, SEWERS OR DRINKING WATER SUPPLY.

===== Accidental Release Measures =====

Spill Release Pr

cedures:SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE WASTE DISPSOAL FACILITY. REPORT SPILLS AS REQUIRED TO APPROPRIATE AUTHORITIES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:HIGH PRESSURE INJECTION UNDER THE SKIN MAY OCCUR DUE TO THE RUPTURE OF PRESSURIZED LINES. ALWAYS SEEK MEDICAL ATTENTION.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Con
trols/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION AS REQUIRED TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:IMPERVIOUS GLOVES FOR REPEATED CONTACT

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS

Other Protective Equipment:AN EYEWASH FOUNTAIN AND SAFETY SHOWER SHOULD BE LOCATED NEARBY WORK AREA AT ALL TIMES.

Work Hygieni

c Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres: