

LPS LABORATORIES,INC. -- CFC-FREE ELECTRO CONTACT CLEANER,03105

=====
MSDS Safety Information
=====

FSC: 6850
NIIN: 01-412-0044
MSDS Date: 11/07/1996
MSDS Num: BYFHG
Product ID: CFC-FREE ELECTRO CONTACT CLEANER,03105
MFN: 01
Responsible Party
Cage: 66724
Name: LPS LABORATORIES,INC.
Address: 4647 HUGH HOWELL ROAD
City: TUCKER GA 30084-5096
Info Phone Number: 770-934-7800
Emergency Phone Number: 770-934-7800/800-424-9300(CHEMTREC)
Resp. Party Other MSDS No.: P/N 03116,03101,03105,03155
=====

Item Description Information
=====

Item Manager: S9G
Item Name: CLEANING COMPOUND,SOLVENT
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: CN
Quantitative Expression: 00000000005GL
UI Container Qty: 0
Type of Container: CAN
=====

Ingredients
=====

Cas: 107-83-5
RTECS #: SA2995000
Name: ISOHEXANE
% low Wt: 70.
% high Wt: 90.
Other REC Limits: 1000 PPM STEL
OSHA PEL: 500 PPM
ACGIH TLV: 500 PPM

Cas: 67-63-0
RTECS #: NT8050000
Name: ISOPROPYL ALCOHOL (SARA 313)
% low Wt: 5.
% high Wt: 20.
Other REC Limits: 500 PPM STEL
OSHA PEL: 400 PPM
ACGIH TLV: 400 PPM/500STEL;9596
-

Cas: 110-54-3
RTECS #: MN9275000
Name: HEXANE (N-HEXANE) (CERCLA)
% low Wt: 2.
% high Wt: 3.
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 50 PPM
ACGIH TLV: 50 PPM; 9596
EPA Rpt Qty: 1 LB
DOT Rpt Qty: 1 LB

=====
Health Hazards Data
=====

LD50 LC50 Mixture: LD50 (ORAL, RAT) IS UNKNOWN.
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: NO
Carcinogenicity Inds -
NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: TARGET ORGANS: EYE, SKIN, CENTRAL NERVOUS SYSTEM,
RESPIRATORY TRACT. ACUTE- VAPOR AND LIQUID MAY CAUSE EYE IRRITATION.
PROLONGED/REPEATED SKIN CONTACT MAY CAUSE DRYNESS. CAN BE ABSORBED THROUGH
SKIN. INHALATION MAY CAUSE HEADACHE, LIGHT HEADEDNESS, CENTRAL NERVOUS
SYSTEM DEPRESSION. MAY IRRITATE MUCOSAL TISSUE AT HIGH CONCENTRATION.
INGESTIOPN IS UNLIKELY ROUTE OF EXPOSURE. HOWEVER, MINUTE AMOUNTS ASPIRATED
INTO LUNGS DURING INGESTION
MAY CAUSE CHEMICAL PNEUMONIA. CHRONIC - UNKNOWN.
Explanation Of Carcinogenicity: NONE
Signs And Symptoms Of Overexposure: IRRITATION, HEADACHE, NAUSEA, VOMITING,
DIZZINESS, SKIN DEFATTING AND DRYNESS, BLURRED VISION, TEARING
Medical Cond Aggravated By Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS,
EYE PROBLEMS OR IMPAIRED CNS OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE
TO THE EFFECTS OF THIS PRODUCT.
First Aid: GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: REMOVE TO FRESH AIR.
PROVIDE OXYGEN IF NEEDED. EYES: FLUSH WITH WATER FOR 15 MINUTES, HOLDING
EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. APPLY MEDICATED CREAM.
INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY. NEVER
GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====
Handling and Disposal
=====

Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF
IGNITION. VE

VENTILATED AREA. CONTAIN AND PICK UP SPILL WITH NON-FLAMMABLE
ABSORBENT SUCH AS SAND OR EXPLOSION-PROOF PUMP. GROUND ALL HANDLING
EQUIPMENTS. PREVENT LIQUID FROM ENTERING SEWERS OR WATERWAYS.

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL
REGULATIONS. RECYCLING OR INCINERATION FOR FUEL RECOVERY IS RECOMMENDED.

HAZARDOUS WASTE NUMBER: D001. CERCLA REPORTABLE QUANTITY: 5000 LBS

Handling And Storage Precautions: STORE IN COOL, V

ENTILATED AREA, AWAY FROM

FLAMES, SPARKS, HOT SURFACES & STRONG OXIDIZING AGENTS. KEEP CONTAINER
TIGHTLY CLOSED.

Other Precautions: EXTREMELY FLAMMABLE. "EMPTY" CONTAINERS RETAIN RESIDUE AND
CAN BE DANGEROUS. FOLLOW ALL LABEL INSTRUCTIONS. AVOID REPEATED/PROLONGED
SKIN CONTACT. KEEP OUT OF REACH OF CHILDREN. DO NOT BREATHE VAPORS.

=====
Fire and Explosion Hazard Information
=====

Flas

h Point Method: TCC

Flash Point: <-17.8C, 0.F

Lower Limits: 1.2

Upper Limits: 7.7

Extinguishing Media: CARBON DIOXIDE, FOAM, SAND/DRY CHEMICAL. AVOID SPREADING
ANY BURNING LIQUID WITH WATER SPRAY. WATER MAY BE INEFFECTIVE.

Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS WITH WATER
SPRAY.

Unusual Fire/Explosion Hazard: VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL
CONSIDERABLE DISTANCE TO A SOURCE OF
IGNITION AND FLASH BACK. CONTAINERS MAY
RUPTURE DUE TO VAPOR PRESSURE BUILDUP.

=====
Control Measures
=====

Respiratory Protection: IF TLV IS EXCEEDED, WEAR NIOSH-APPROVED ORGANIC VAPOR
RESPIRATOR OR AIR-PURIFYING RESPIRATOR. IN EMERGENCY, WEAR A NIOSH-APPROVED
POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS.

Ventilation: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF)
VE

NTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: RUBBER, NEOPRENE

Eye Protection: CHEMICAL SAFETY GOGGLES

Other Protective Equipment: EYE WASH STATION & SAFETY SHOWERS SHOULD BE
AVAILABLE IN THE IMMEDIATE VICINITY OF ANY POTENTIAL EXPOSURE.

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. WASH AFTER HANDLING AND BEFORE EATING OR DRINKING.

=====
Physical/Chemical Properties
=====

=====
HCC: F2

NRC/State LIC No: NOT RELEVANT

Boiling Point: =60.6C, 141.F

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: 352 @ 100F

Vapor Density: 3.0

Spec Gravity: 0.665

Viscosity: UNKNOWN

Appearance and Odor: CLEAR, COLORLESS LIQUID - MILD ALCOHOL ODOR

Percent Volatiles by Volume: 100

Corrosion Rate: UNKNOWN
=====

Reactivity Data
=====

Stability

Indicator: YES

Stability Condition To Avoid: HIGH HEAT, OPEN FLAMES, SPARKS, HOT SURFACES,
ELECTRICAL ARCS, OTHER SOURCES OF IGNITION

Materials To Avoid: STRONG OXIDIZING AGENTS, OXYGEN

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT
=====

Toxicological Information
=====

Ecological Information
=====

MSDS Transport Information
=====

Regulatory Information
=====

Sara Title III Information: YES, CAS # 110-54-3
=====

Ot

her Information

=====
=====
Transportation Information
=====

Responsible Party Cage: 66724
Trans ID NO: 134673
Product ID: CFC-FREE ELECTRO CONTACT CLEANER,03105
MSDS Prepared Date: 11/07/1996
Review Date: 11/06/1998
MFN: 1
Tech Entry NOS Shipping Nm: CONTAINS ISOHEXANE, ISOPROPANOL, N-HEXANE.
Radioactivity: NOT RELEVANT
Net Unit Weight: 27.9 LBS

AF MMAC Code: NR
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: CN
Container QTY: 0
Type Of Container: CAN
Additional Data: PROPER SHIPPING NAME, HAZARD CLASS, UN ID NUMBER AND PACKING
GROUP PER MSDS. MAXIMUM ALLOWED BY CARG O AIR: 60 LITERS.

=====
Detail DOT Information
=====

DOT PSN Code: GJJ
Symbols: G
DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
Hazard Class: 3
UN ID Num: UN199
3
DOT Packaging Group: II
Label: FLAMMABLE LIQUID
Special Provision: T8,T31
Non Bulk Pack: 202
Bulk Pack: 242
Max Qty Pass: 5L
Max Qty Cargo: 60 L
Vessel Stow Req: B

=====
Detail IMO Information
=====

IMO PSN Code: HIN
IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o
IMDG Page Number: 3230
UN Number: 1993
UN Hazard Class: 3.2
IMO Packaging Group: I/II
Subsidiary Risk Label: -
EMS Number: 3-07

MED First Aid Guide NUM: T

=====
Detail IATA Information
=====

IATA PSN BV
IATA UN ID Num: 1993
IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. *
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
UN Packing Group: II
Packing Note Passenger: 305
Max Quant Pass: 5L
Max Quant Cargo: 60L
Packaging Note Cargo: 307
=====

=====
Detail AFI Information
=====

AFI PSN BV
AFI Symbols: *
AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
AFI Hazard Class: 3
AFI UN ID NUM: UN1993
AFI Packing Group: II
Special Provisions: P5
Back Pack Reference: A7.3
=====

=====
HAZCOM Label
=====

Product ID: CFC-FREE ELECTRO CONTACT CLEANER,03105
Cage: 66724
Company Name: LPS LABORATORIES, INC.
Street: 4647 HUGH HOWELL ROAD
City: TUCKER GA
Zipcode: 30085-5052
Health Emergency Phone: 770-934-7800/800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 03/25/1999
Status Code: C
MFG Label NO: UNKNOWN
Year Procured: 1999
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: NO
Health Hazard: Moderate
Contact Hazard: Slight
Fire Hazard: Severe
Reactivity Hazard: None
Hazard And Precautions: TARGET ORGANS: EYE, SKIN, CENTRAL NERVOUS SYSTEM,
RESPIRAT

ORY TRACT. ACUTE- VAPOR AND LIQUID MAY CAUSE EYE IRRITATION.
PROLONGED/REPEATED SKIN CONTACT MAY CAUSE DRYNESS. CAN BE ABSORBED THROUGH
SKIN. INHALATION MAY CAUSE HEADACHE, LIGHT HEADEDNESS, CENTRAL NERVOUS
SYSTEM DEPRESSION. MAY IRRITATE MUCOSAL TISSUE AT HIGH CONCENTRATION.
INGESTIOPN IS UNLIKELY ROUTE OF EXPOSURE. HOWEVER, MINUTE AMOUNTS ASPIRATED
INTO LUNGS DURING INGESTION MAY CAUSE CHEMICAL PNEUMONIA. CHRONIC - UNKNOWN.

=====

Di
sclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims al
l liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.