View NSN Online: https://aerobasegroup.co.il/nsn/8030-00-850-5717

Product ID:THIOKOL MC-236 BASE TYPE II MSDS Date:07/09/1992 FSC:8030 NIIN:00-850-5717 Kit Part:Y MSDS Number: BYRSV === Responsible Party === Company Name:MORTON Address:7341 ANACONDA AVE. **City:GARDEN GROVE** State:CA ZIP:92641 Country:US Info Phone Num:714-373-2837 Emergency Phone Num:714-373-2837 Prepar er's Name: DAVID B.WIENCKOWSKI, DABT CAGE:KO006 === Contractor Identification === **Company Name: MORTON** Address:7341 ANACONDA AVE. **City:GARDEN GROVE** State:CA ZIP:92641 Country:US Phone:714-373-2837 CAGE:KO006 Company Name: MORTON INTERNATIONAL AEROSPACE POLYMER SYSTEMS Address:7341 ANACONDA AVENUE Box:City:GARDEN GROVE State:CA ZIP:92641 Country:US Phone:714-373-2837 CAGE:0U317

Ingred Name:CALCIUM CARBONATE CAS:471-34-1 RTECS #:FF 9335000 Fraction by Wt: 40.2% Other REC Limits:NONE RECOMMENDED

Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 2.5% Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:SILICA, CRYSTALLINE - QUARTZ CAS:14808-60-7 RTECS #:VV7330000 Fraction by Wt: 0.36% Other REC Limits:NONE RECOMMENDED OSHA PEL:SEE TABLE Z-3 ACGIH TLV:0.1 MG/M3 RDUST;9495

Ingred Name:NON-HAZARDOUS INGREDIENTS Fraction by Wt: 55% Other REC Limits:NO NE RECOMMENDED

Ingred Name:FORMALDEHYDE (SARA 302/313) (CERCLA) CAS:50-00-0 RTECS #:LP8925000 Fraction by Wt: 200F,>93C Extinguishing Media:USE AGENTS APPROVED FOR CLASS A HAZARD(HALOGENATED AGENTS,FOAM,STEAM,WATER FOG).

Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

Spill Release Procedures:SHOVEL O R VACUUM;PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIPPERINESS.DO NOT POLLUTE SEWERS,STREAMS OR WATERWAYS. Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions:THIS PRODUCT CONTAINS FORMALDEHYDE,WHICH MAY ACCUMULATE IN THE HEADSPACE OF SEALED CONTA INERS;USE PROPER RESPIRATORY PROTECTIVE EQUIPMENT.EMPTY CONTAINERS MAY CONTAIN HAZARDOUS RESIDUE;DISPOSE OF PROP ERLY.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A SELF-CONTAINED BREATHING APPARATUS. IF THE PEL FOR FORMALDEHYDE(2PPM-STEL) IS EXCEEDED USE A NIOSH/MSHA APPROVED **RESPIRATOR FOR FORM ALDEHYDE.** Ventilation:LOCAL VENTILATION AT THE WORKSITE;MECHANICAL( **GENERAL**) VENTILATION TO MAINTAIN TLV/PEL. Protective Gloves: IMPERVIOUS GLOVES. Eve Protection: CHEMICAL SPLASH GOGGLES Other Protective Equipment: PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices: USE GOOD MANUFACTURING AND HANDLING PRACTICES.WASH AFTER HANDLING PRODUCT AND BEFORE EATING, DRINKING OR SMOKING. Supplemental Safety and Health KEY1:N1. HCC:N1

Spec Gravity:1.61 Viscosity:9000 -14000P Solubility in Water:INSOLUBLE Appearance and Odor:NOT REPORTED. Percent Volatiles by Volume:97

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE,OXIDES OF NITROGEN AND SULFUR,PHENOLICS,HYDROGEN SULFIDE.

Waste Disposal Methods:RECYCLE,INCINERATE OR SURRENDER TO A WASTE TREATMENT FACILITY IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this d

===

ocument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.