View NSN Online: https://aerobasegroup.com/nsn/5330-00-007-0175

Product ID:340, 340BIL (MIL-P-24377A) MSDS Date:01/03/1991 FSC:5330 NIIN:00-007-0175 MSDS Number: BYTJP === Responsible Party === Company Name: AMERICAN BRAIDING AND MFG CORP Address:247 TAVERN RD City:HOWELL State:NJ ZIP:07731 Country:US Info Phone Num:908-938-6333 **Emergency Phone** Num:908-938-6333 CAGE:4R345 === Contractor Identification === Company Name: AMERICAN BRAIDING AND MFG CORP Address:247 OLD TAVERN ROAD Box:City:HOWELL State:NJ ZIP:07731 Country:US Phone:732-938-6333 ...FAX 6377 CAGE:4R345

Ingred Name:ASBESTOS, CHRYSOTILE CAS:12001-29-5 RTECS #:CI6478500 Fraction by Wt: 30% MIN Other REC Limits:NONE RECOMMENDED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC; A1;9293

====== Haz

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic: EXPOSURE TO PTFE FUMES ABOVE 500F CAN CAUSE TEMPORARY FLU LIKE SYSTEMS. Explanation of Carcinogenicity: THIS PRODUCT CONTAINS A [1332-21-4], AN OSHA REGULATED CARCINOGEN. Effects of Overexposure: NONE IMMEDIATE LONG TERM EXPOSURE TO ASBESTOS CAN CAUSE MESOTHELIOMA (A LUNG DISEASE). Medical Co nd Aggravated by Exposure:RESPIRATORY DISEASE. First Aid:REMOVE TO FRESH AIR IF EXPOSED TO PTFE DISEASE. Flash Point:NON FLAMMABLE Extinguishing Media: SOME OIL MAY WEEP FROM FINISHED PRODUCT. Fire Fighting Procedures:NONE REQUIRED. Unusual Fire/Explosion Hazard:NONE. Spill Release Proced ures:NORMAL CLEANUP. Handling and Storage Precautions:NONE. Other Precautions: AVOID CREATING DUST AND FUMES. Respiratory Protection:NONE REQUIRED. Ventilation:NONE REQUIRED. Protective Gloves:NONE REQUIRED. Eye Protection:NONE REQUIRED. Other Protective Equipment:NONE REQUIRED. Work Hygienic Practices: AVOID CREATING DUST AND FUMES. Supplemental Safety and He

alth NONE

HCC:T6 Spec Gravity:1.5 Solubility in Water:INSOLUBLE Appearance and Odor:WHITE TO GREYISH SHINY ROPE.

Stability Indicator/Materials to Avoid:YES STRONG ACIDS AND ALKALIES. Stability Condition to Avoid:TO 600F. Hazardous Decomposition Products:TETRAFLUOROETHYLENE FROM 800F, HEXAFLUOROPRPYLENE FROM 850F AND CARBONYL FLUORIDE (FROM 930F).

=====

Waste Disposal Methods: AS REQUIRED BY STATE, FEDERAL, AND LOCAL AGENCIES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document shou Id seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.