

DEXTER CORP, DEXTER AEROSPACE -- HYSOL EA 9330.3,PART B

=====  
MSDS Safety Information  
=====

FSC: 8040  
NIIN: 01-184-7171  
MSDS Date: 01/01/1995  
MSDS Num: BYVXD  
Product ID: HYSOL EA 9330.3,PART B  
MFN: 04  
Kit Part: Y  
Responsible Party  
Cage: 33564  
Name: DEXTER CORP, DEXTER AEROSPACE MATERIALS DIV  
Address: 2850 WIL  
LOW PASS RD  
City: PITTSBURG CA 94565-3299  
Info Phone Number: 510-458-8000  
Emergency Phone Number: 510-458-8000,800-424-9300(CHEMTREC)  
Preparer's Name: NONE  
Proprietary Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 33564  
Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS  
Address: 2850 WILLOW PASS ROAD  
Box: 312  
City: BAY POINT CA 94565-3299  
Phone: 202-483-7616  
Cage: 3D523  
Name: WATK  
INS AND ASSOCIATES INC  
Address: 5395 WEBB PKY  
City: LILBURN GA 30047  
Phone: 770-279-9200

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: ADHESIVE  
Unit of Issue: KT  
UI Container Qty: 0

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----  
=====

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE: EYES: IRRITATION, CORROSIVE TO EYES. SKIN:  
IRRITATION, CORROSIVE TO SKIN. INHALATION: VAPORS OR MISTS WILL IRRITATE NOSE  
AND THROAT. INGESTION: NOT A LIKELY SOURCE OF EXPOSURE. CHRONIC  
: PROLONG ED  
AND REPEATED CONTACT MAY RESULT IN CHEMICAL BURNS AND POSSIBLE ALLERGIC  
SENSITIZATION.

Explanation Of Carcinogenicity: NEITHER THIS MATERIAL NOR ANY OF ITS COMPONENTS  
IS CONSIDERED A CARCINOGEN.

Signs And Symptoms Of Overexposure: EYES: IRRITATION, CHEMICAL BURNS. SKIN:  
IRRITATION, CHEMICAL BURNS, ALLERGIC SENSITIZATION. INHALATION: NOSE AND  
THROAT IRRITATION, CHEST DISCOMFORT. INGESTION: NOT A LIKELY SOURCE OF  
EXPOSURE.

Medical Cond Aggravated By Exposure: SKIN SENSITI  
ZATION.

First Aid: EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET  
MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP  
AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION . INHALATION: MOVE  
TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION. INGESTION: DRINK  
PLENTY OF WATER. GET MEDICAL ATTENTION.

=====  
Handling and Disposal  
=====

Spil

I Release Procedures: WEAR PROTECTIVE CLOTHING, GLOVES AND SAFETY GLASSES.  
SCRAPE UP AND SHOVEL INTO DOT APPROVED WASTE CONTAINERS.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF AS WASTE. THIS MATERIAL IS NOT CONSIDERED A  
RCRA HAZARDOUS WASTE. HOWEVER, INCINERATION IN AN EPA-APPROVED WASTE  
INCINERATOR IS A PREFERRED DISPOSAL PRACTICE. DISPOSE OFWASTE IN ACCORDANCE  
WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: REFRIG

ERATED STORAGE IS RECOMMENDED TO MAINTAIN PRODUCT QUALITY. THIS PRODUCT MAY BE STORED AT ROOM TEMPERATURE (77F) FOR UP TO 12 MONTHS.

Other Precautions: FOLLOW CURING SCHEDULES AS RECOMMENDED IN PRODUCT LITERATURE. DO NOT CUT, GRIND, WELD, OR DRILL ON OR NEAR CONTAINERS.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Text: UNKNOWN

Lower Limits: UNKNOWN

Upper Limits: UNKNOWN

Ex

Extinguishing Media: DRY CHEMICAL, HALON FIRE EXTINGUISHER, WATER SPRAY, FOAM, FOG.

Fire Fighting Procedures: WEAR SCBA AND FULL PROTECTIVE CLOTHING, SUCH AS TURN-OUT GEAR. CARTRIDGE RESPIRATORS DO NOT PROVIDE ADEQUATE PROTECTION FOR FIRE FIGHTERS OR EXOTHERM MITIGATION.

Unusual Fire/Explosion Hazard: MAY LIBERATE LARGE QUANTITIES OF DENSE FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

=====  
Control Measures  
=====

Respiratory Protection: UNNECESSARY WITH ADEQUATE EXHAUST VENTILATION.

Ventilation: PROVIDE LOCAL EXHAUST VENTILATION AT THE POINT OF USE.

Protective Gloves: BUTYL RUBBER, PVC, NITRILE RUBBER GLOVES.

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS, OR GOGGLES

Other Protective Equipment: AS NEEDED TO PROTECT SKIN AND CLOTHING. PROVIDE AN EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING.

LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health: KEY1:B2. THIS ENTRY DESCRIBES PART B OF A TWO PART KIT. SEE THIS SAME NSN, P/N IND C, FOR PART A DATA.

=====  
Physical/Chemical Properties  
=====

HCC: B2

B.P. Text: DECOMPOSES

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: UNKNOWN

Vapor Density: 8.45

Spec Gravity: 1.13

VOC Grams/Liter: 10

Evaporation Rate & R

Reference: UNKNOWN

Solubility in Water: NEGLIGIBLE

Appearance and Odor: REDISH-ORANGE LIQUID WITH AMMONIACAL ODOR.

Corrosion Rate: UNKNOWN

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: AVOID MIXING RESIN AND CURING AGENT IN BATCHES  
GREATER THAN 1 LB TOTAL UNLESS YOU PLAN TO USE IMMEDIATELY.

Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL  
ACIDS.

Hazardous Decomposition Products: CARBON MONOXIDE, OXIDES OF NITROGEN,  
ALDEHYDES, ACIDS, UNDETERMINED ORGANICS.

Hazardous Polymerization Indicator: YES

Conditions To Avoid Polymerization: MAY OCCUR. DO NOT HEAT MIXED ADHESIVE ABOVE  
75F UNLESS CURING SURFACES TO BE BONDED.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

Other Information: VOLATILE ORGANIC  
CONTENT, V.O.C. < 10 G/L, (ESTIMATE)

=====  
Transportation Information  
=====

Responsible Party Code: 33564

Trans ID NO: 113597

Product ID: HYSOL EA 9330.3, PART B

MSDS Prepared Date: 01/01/1995

Review Date: 01/30/1998

MFN: 4

Tech Entry NOS Shipping Name: DIETHYLENEGLYCOL DIAMINOPROPYL ETHER, UN2735

Net Unit Weight: UNKNOWN

Multiple KIT Number: 0

Kit Part IND: Y

Review IND: Y

Unit Of Issue: KT

Con

tainer QTY: 0

Additional Data: U.S.POSTAL REGULATIONS PROHIBIT THE SHIPMENT OF THIS MATERIAL THROUGH THE MAIL.

=====  
Detail DOT Information  
=====

DOT PSN Code: AJJ

Symbols: G

DOT Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. OR POLYAMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class: 8

UN ID Num: UN2735

DOT Packaging Group: III

Label: CORROSIVE

Special Provision: T8

Non Bulk Pack: 203

B

ulk Pack: 241

Max Qty Pass: 5 L

Max Qty Cargo: 60 L

Vessel Stow Req: A

=====  
Detail IMO Information  
=====

IMO PSN Code: AQA

IMO Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. o

IMDG Page Number: 8109-2

UN Number: 2735

UN Hazard Class: 8

IMO Packaging Group: I/II/III

Subsidiary Risk Label: -

EMS Number: 8-05

MED First Aid Guide NUM: 320

=====  
Detail IATA Information  
=====

IATA PSN Code: BGZ

IATA UN ID Num: 2735

IATA Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. \*

IATA UN Class: 8

IATA Label: CORROSIVE

UN Packing Group: III

Packing Note Passenger: 818

Max Quant Pass: 5L

Max Quant Cargo: 60L

Packaging Note Cargo: 820

=====  
Detail AFI Information  
=====

AFI PSN Code: HLK

AFI

Symbols: \*

AFI Proper Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

AFI Hazard Class: 8

AFI UN ID NUM: UN3267

AFI Packing Group: III

Special Provisions: P5

Back Pack Reference: A12.3

=====  
HAZCOM Label  
=====

Product ID: HYSOL EA 9330.3,PART B

Cage: 33564

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Street: 2850 WILLOW PASS ROAD

PO Box: 312

City: BAY POINT CA

Zipcode:

94565-3299

Health Emergency Phone: 510-458-8000,800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 04/30/1996

Status Code: C

Label Date: 04/30/1996

Origination Code: F

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: DANGER

Respiratory Protection IND: YES

Health Hazard: Moderate

Contact Hazard: Severe

Fire Hazard: Slight

Reactivity Hazard: Moderate

Hazard And Precautions: CORROSIVE TO EYES AND SKIN. VAPORS OR MISTS WILL IRRITATE NOSE AND THRO

AT. REFRIGERATED STORAGE IS RECOMMENDED TO MAINTAIN

PRODUCT QUALITY. THIS PRODUCT MAY BE STORED AT ROOM TEMPERATURE (77F) FOR UP TO 12 MONTHS. FIRST AID: EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION. INGESTION: DRINK PLENTY OF WATER. GET MEDICAL ATTENTION

. TARGET

ORGANS: EYES, SKIN, RESPIRATORY SY STEM, MUCOUS MEMBRANES.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Departmen

t of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.