View NSN Online: https://aerobasegroup.com/nsn/8030-01-025-1692

HERNON MFG INC -- NUTS 'N BOLTS 423, ANAEROBIC -- 8030-01-025-1692

Product ID:NUTS 'N BOLTS 423, ANAEROBIC MSDS Date:08/01/1993 FSC:8030 NIIN:01-025-1692 MSDS Number: BZHWT === Responsible Party === Company Name: HERNON MFG INC Address:121 TECH DR City:SANFORD (FORMALLY IN BROOKLYN, NY) State:FL ZIP:32771 Country:US Info Phone Num:407-322-4000 **Emergency Phone Num** :407-322-4000 Preparer's Name: JOSEF ARNON, TECH. DIR. CAGE:61603 === Contractor Identification === Company Name: HERNON MANUFACTURING Address:121 TECH DRIVE Box:City:SANFORD State:FL ZIP:32771 Country:US Phone:407-322-4000/800-255-3924 CAGE:61603

Ingred Name:POLYGLYCOL DIMETHACRYLATE Fraction by Wt: 59-66% Other REC Limits:NONE SPECIFIED

Ingred Name:SACCHARIN (SARA 313). SACCHARIN HAS BEEN SHOWN TO CAUSE TUMORS IN LAB ANI

MALS WHEN FED IN LG AMTS FOR PROLONGED PERIODS. CAS:81-07-2 RTECS #:DE4200000 Fraction by Wt: 22-30% Other REC Limits:NONE SPECIFIED EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:N,N-DIALKYLTOLUIDINE CAS:99-97-8 Fraction by Wt: 0.1-2.0% Other REC Limits:NONE SPECIFIED

Ingred Name:CUMENE HYDROPEROXIDE (SARA 313) CAS:80-15-9 RTECS #:MX2450000 Fraction by Wt: 1-3% EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:SILICA, AMORPHOUS TREATED Fraction by Wt: 1-3% Other REC Limits:NONE RECOMMEN DED OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 0.1-1.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG/M3 DUST ACGIH TLV:10 MG/M3 DUST

Ingred Name:VOC = 13.3% 146.3 G/L RTECS #:9999999VO Fraction by Wt: NA Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT EST. ACGIH TLV:NOT EST.

Ingred Name:POLYGLYCOL OLEATE CAS:9004-96-0 Fraction by Wt: 22-30% Other REC Limits:NONE RECOMMENDED

================== Hazards Identification

LD50 LC50 Mixture: ORAL LD50 >10000MG/KG/ DERMAL >5000 Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Explanation of Carcinogenicity: IARC 2B Effects of Overexposure: PROLONGED CONTACT WITH SENSITIVE INDIVIDUALS MAY CAUSE DERMATITIS. Medical Cond Aggravated by Exposure: POSSIBLE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE PEOPLE. Fir st Aid: EYE: FLUSH WITH WATER AT LEAST 15 MIN. SKIN: FLUSH WITH WATER. INGESTION: DO NOT INDUCE VOMITING, SEEK MEDICAL ATTENTION. Flash Point Method:TCC Flash Point:200F,93C Lower Limits:6% METHANOL Upper Limits:36% METHANOL Extinguishing Media: FOAM, DRY CHEMICAL, CO2.

Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN WHEN FIGHTING FIRES INVOLVING CHEMICALS.

Spill Release Procedures:SOAK UP IN INERT ABSORBENT. STORE IN PARTLY FILLED CLOSED CONTAINER UNTIL DISPOSAL.

Handling and Storage Precautions: AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM CHILDREN. STORE BELOW 110F TO PRESERVE SHELF LIFE.

======= Exposure Controls/Personal Protection ==========

Ventilation:LOCAL EXHAUST NECESSARY. SPECIAL NORMALL

Y NOT NEEDED. Protective Gloves:SAFETY GLOVES ARE RECOMMENDED. Eye Protection:SAFETY GLASSES ARE RECOMMENDED. Other Protective Equipment:NOT NECESSARY. Supplemental Safety and Health NK

HCC:V4 Boiling Pt:B.P. Text:>300 F Vapor Pres: