View NSN Online: https://aerobasegroup.com/nsn/9150-01-163-1213

FINDETT CORPORATION -- MCS-2080A TRACTION LUBRICANT

MSDS Safety Information

FSC: 9150

NIIN: 01-163-1213 MSDS Date: 02/29/1996 MSDS Num: BZLLY

Product ID: MCS-2080A TRACTION LUBRICANT

MFN: 01

Responsible Party Cage: 4G302

Name: FINDETT CORPORATION Address: 8 GOVERNOR DRIVE City: ST CHARLES MO 6

3301

Info Phone Number: 314-723-0240

Emergency Phone Number: 314-723-0240

Preparer's Name: UNKNOWN

Proprietary Ind: Y Review Ind: Y Published: Y

Contractor Summary

Cage: 4G302

Name: FINDETT CORPORATION Address: 8 GOVERNOR DRIVE City: ST CHARLES MO 63301

Phone: 314-723-0240

Cage: 0PGK2

Name: SDB CONSULTANTS LTD

Address: 401 WHITNEY AVE SUITE 120

City: GRETNA LA 70056 Phone: 504-366-910

5

Item Description Information

Item Manager: S9G

Item Name: LUBRICATING OIL, HYDRAULIC

Specification Number: NONE Type/Grade/Class: NONE

Unit of Issue: QT UI Container Qty: G Type of Container: CAN

Ingredients

Name: *** PROPRIETARY ***

======

Health Hazards Data

LD50 LC50 Mixture: ORAL LD50 (RAT) IS >15,500 MG/KG

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: OCCUPATIONAL EXPOSURE TO THIS MATERIAL HAS NOT BEEN

REPORTED TO CAUSE SIGNIFIGANT ADVERSE HEALTH EFFECTS. HOWEVER, IRRITATION HAS

BEEN REPORTED FOR HUMANS FOLLOWING REPEATED EXPOSURE S

YNTHETIC HYDROCA RBON

COMPONENT IN CONTROLLED SKIN CONTACT. STUDIES. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Signs And Symptions Of Overexposure: SKIN-IRRITATION.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: IMMEDIATELY FLUSH THE AREA WITH PLENTY OF WATER FOR AT LEAST 15

MINUTES. REMOVE CONTAMINATED CLOTHES. GET MEDICAL

ATTENTION IF IRRITATION

PERSISTS.

Handling and Disposal

Spill Release Procedures: ABSORB WITH DRY SAND OR EARTH, THEN PLACE IN A CHEMICAL WASTE CONTAINER FOR DISPOSAL. CERCLA RQ=33 POUNDS (3% OF PRODUCT IS CONSIDERED POLYCYCLIC ORGANIC MATTER; RQ=1 POUND). IF MORE THAN 33 LBS SPILL S, NOTIFY US COAST GUARD AT 800-424-8802.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Wa

ste Disposal Methods: WASTE PRODUCT AND CLEAN-UP RESIDUE SHOULD BE INCINERATED. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL WASTE OIL REGULATIONS.

Handling And Storage Precautions: DLA-: STORE IN A COOL, DRY PLACE AWAY FROM OPEN FLAME AND STRONG OXIDIZING AGENTS.

Other Precautions: EMPTIED CONTAINER RETAINS VAPOR AND PRODUCT RESIDUE. OBSERVE ALL LABELED SAFEGUARDS UNTIL CONTAINER IS CLEANED. AVOID CONTACT WITH EYES, SKIN AND CLOTHING.

Fire and Explosion Hazard Information

Flash Point Method: COC Flash Point Text: 327F,164C Lower Limits: NOT GIVEN Upper Limits: NOT GIVEN

Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL, CARBON DIOXIDE OR ANY

CLASS B EXTINGUISHING AGENT.

Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. FIRE FIGHTING EQUIPMENT SHOULD BE

THOROUGHLY DECONTAMINATED AFTER

USE.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

Control Measures

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR L

OCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: IMPERVIOUS-NITRILE.

Eye Protection: IF SPLASHING-SAFETY GLASSES/FACESHIELD.

Other Protective Equipment: WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT

SKIN CONTACT, EG APRON. DLA-: EYE WASH.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING,

OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health: MSDS PRESENTED BY CAGE 0PGK2 FOR CONTRACT

SP0451-96-QU654 AND/OR S

P0451-96-MP998.

Physical/Chemical Properties

HCC: V6

B.P. Text: 590F,310C M.P/F.P Text: NOT GIVEN Decomp Text: UNKNOWN Vapor Pres: NOT GIVEN Vapor Density: NOT GIVEN

Spec Gravity: .91 Viscosity: 25 CST

Evaporation Rate & Evaporation R

Solubility in Water: VERY LOW

Appearance and Odor: CLEAR TO SLIGHTLY HAZY YELLOW LIQUID, ODOR NOT SPECIFIED

Corrosion Rate: UNKNOWN

=======

Reactivity Data
Stability Indicator: YES Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER. Materials To Avoid: HIGHLY OXIDIZING MATERIALS. Hazardous Decomposition Products: IF BURNED, CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF PHOPHOROUS, LOW MOLECULAR WEIGHT HYDROCARBONS, SOOT & SMOKE. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: WILL NOT OCCUR. ===
Toxicological Information
Ecological Information
MSDS Transport Information
======================================
Other Information
Transportation Information
Responsible Party Cage: 4G302 Trans ID NO: 112271 Product ID: MCS-2080A TRACTION LUBRICANT MSDS Prepared Date: 02/29/1996 Review Date: 06/11/1996 MFN: 1 Net Unit Weight: 1.9 LBS Mul tiple KIT Number: 0 Review IND: Y Unit Of Issue: QT Container QTY: G Type Of Container: CAN
Detail DOT Information
DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail IMO Information
IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT

REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

====

HAZCOM Label

Product ID: MCS-2080A TRACTION LUBRICANT

Cage: 4G302

Company Name: FINDETT CORPORATION

Street: 8 GOVERNOR DRIVE

City: ST CHARLES MO

Zipcode: 63301

Health Emergency Phone: 504-366-9105

Label Required IND: Y

Date Of Label Review: 06/11/1996

Status Code: C

Label Date: 06/11/1996 Year Procured: 1996 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES

Signal Word: CAUTION

Health Hazard: None Contact Hazard: Slight Fire Hazard: Slight Reactivity Hazard: None

Hazard And Precautions: IRRITATION HAS BEEN REPORTED FOR HUMANS FOLLOWING

REPEATED EXPOSURE SYNTHETIC HYDROCARBON COMPONENT IN CONTROLLED SKIN CONTACT

STUDIES. TARGET ORGANS: SKIN, LUNGS. IN CASE OF SPILL: ABSORB WITH DRY SA ND OR EARTH, THEN PLACE IN A CHEMICAL WASTE CONTAINER FOR DISPOSAL. CERCLA RQ=33 POUNDS (3% OF PRODUCT IS CONSIDERED POLYCYCLIC ORGANIC MATTER; RQ=1 POUND). IF MORE THAN

33 LBS SPILLS, NOTIFY US COAST GUARD AT 800-424-8802. FIRST AID: IMMEDIATELY FLUSH THE AREA WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility

for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.