View NSN Online: https://aerobasegroup.com/nsn/6850-01-278-4420

ALLIED ENTERPRISES, INC. -- BILGE CLEANER/SHORT-LIVED DETERGENT,FORMULA P-98,9 A 154 -- 6850-01-278-4420

Product ID:BILGE CLEANER/SHORT-LIVED DETERGENT, FORMULA P-98,9 A 154

MSDS Date:07/01/1997

FSC:6850

NIIN:01-278-4420

MSDS Number: BZLMV === Responsible Party ===

Company Name: ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159 City:NORFOLK

State:VA

ZIP

:23508-2008 Country:US

Info Phone Num:757-489-8282

Emergency Phone Num:757-489-8282/800-535-5053

CAGE:58396

=== Contractor Identification ===

Company Name: ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159

City:NORFOLK

State:VA

ZIP:23508-2008

Country:US

Phone:757-489-8282

CAGE:58396

======= Composition/Information on Ingredients ========

Ingred Name: GLYCOL ETHER/TRIPROPYLENE GLYCOL METHYL ETHER

CAS:10213-77-1

RTECS #:UB8050000 Fraction by Wt: 2 - 8% Other REC Limits:25 P PM (MFR)

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)

CAS:1310-58-3

RTECS #:TT2100000 Fraction by Wt: 0 - 5%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:C 2 MG/M3

ACGIH TLV:C 2 MG/M3; 9596

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: NONIONIC SURFACTANT/NONYLPHENOL POLYETHOXATE

CAS:9016-45-9

RTECS #:MD0900000 Fraction by Wt: 0 - 5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SODIUM METASILICATE

CAS:6834-92-0

RTECS #:VV9275000 Fraction by Wt: 0 - 5%

Other REC Limits: NONE RECOMMENDED

Ing

red Name: SODIUM SALT OF EDTA/TETRASODIUM ETHYLENE DIAMINE

TETRAACETATE

CAS:64-02-8

RTECS #:AH5075000 Fraction by Wt: 0 - 5%

Other REC Limits: NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: TO 100%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of C

arcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYES, SKIN, RESPIRATORY & GI TRACTS. ACUTE- INHALATION OF MISTS/VAPORS MAY CAUSE NOSE, THROAT, LUNG IRRITATION. MAY CAUSE SEVERE EYE IRRITATION & CORNEAL DAMAGE. MAY CAUSE SKIN SWELLING & DAMAGE. INGESTION CAN BE IRRITATING & CORROSIVE TO MOUTH & THROAT. MAY CAUSE HEADACHE, COLLAPSE. CHRONIC- UNKNOWN. **Explanation of Carcinogenicity: NONE** Effects of Overexposure: SEVERE IRRITATION, NAUSEA, PA IN, VOMITING, DIARRHEA, HEADACHE, COLLAPSE, SKIN AND EYE DAMAGE Medical Cond Aggravated by Exposure: INDIVIDUALS WITH PRE-EXISTING SKIN DISORDERS OR EYE PROBLEMS MAY BE MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO THIS PRODUCT. First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:IMMEDIATELY FLUSH WITH PLENTY OF WATER. SEE PHYSICIAN. EYE: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS

OPEN. CALL PHYSICIAN.

INHALED:MO VE TO FRESH AIR. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK LARGE AMOUNT OF WATER. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY.

Flash Point:NONE

Lower Limits: NOT RELEVANT **Upper Limits: NOT RELEVANT**

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedur

es:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. MAY FORM HAZARDOUS DECONPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: ABSORB SPILL WITH INERT MATERIAL SUCH AS VERMICULITE. PLACE IN A CONTAINER FOR DISPOSAL. CLEAN AREA THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.

Neutralizing Agent:WEAK ACID

======== Handling and Storage =======

==========

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS AWAY FROM STRONG ACIDS. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:AVOID CONTACT WITH EYES, SKIN AND CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. FOR INDUSTRIAL USE ONLY.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE SHOULD BE NEEDED.

Ventilation: GOOD GENERAL VENTILATION IS SUFFICIENT FOR MOST CONDITIONS (10 ROOM VOLUMES

PER HOUR).

Protective Gloves: NITRILE RUBBER, NEOPRENE RUBBER

Eye Protection: SAFETY GOGGLES/GLASSES WITH SIDE SHIELDS

Other Protective Equipment:SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY. WEAR APPROPRIATE PROTECTIVE CLOTHING FOR RISK OF EXPOSURE.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN.

HCC:B1

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:210F,99C

Vapor Pres:20 @ 68F Vapor Density:>1 Spec Gravity:1.042

pH:11

Evaporation Rate & Evaporation R

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG ACIDS

Stability Condition to Avoid:NONE

Hazardous Decomposition Products: ALKALINE VAPORS IN A FIRE

======= Disposal Considerations ============

Waste D

isposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER, IF PERMITTED. FOR LARGE AMOUNTS, CONTRACT WITH A LICENSED CHEMICAL DI SPOSAL AGENCY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informat ion to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.