

Product ID:CITRIKLEEN MSDS Date:01/08/1993 FSC:7930 NIIN:01-350-7035 **MSDS Number: BZLNQ** === Responsible Party === **Company Name: PENETONE CORP** Address:74 HUDSON AVE City:TENAFLY State:NJ ZIP:07670 Country:US Info Phone Num:201-567-3000 Emergency Phone Num:201-567-3000,800-424-9300(CHEMTREC) Preparer's Name: CHARLES GO OD CAGE:56881 === Contractor Identification === Company Name: PENETONE CORP Address:74 HUDSON City:TENAFLY State:NJ ZIP:07670-1017 Country:US Phone:201-567-3000 CAGE:56881 Company Name: PENETONE CORP Address:74 HUDSON AVE Box:City:TENAFLY State:NJ ZIP:07670 Country:US Phone:201-567-3000 CAGE:56883

Ingred Name:DIETHYLENE GLYCOL MONOBUTYL ETHER (SARA III) CAS:112-34-5 RTECS #:KJ9100000 Fraction by Wt: 1-5% Other REC Limits:NONE R ECOMMENDED

Ingred Name:ETHANOLAMINE (SARA III) CAS:141-43-5 RTECS #:KJ5775000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:3 PPM/6 PPM STEL ACGIH TLV:3 PPM/6 PPM STEL

Ingred Name:310 G/L RTECS #:9999999VO Fraction by Wt: NA Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT EST. ACGIH TLV:NOT EST.

LD50 LC50 Mixture:ORAL LD50 (RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: MAY CAUSE IRRITATION. SLIGHT BURNS MAY DEVELOP IF UNTREATED. SKIN: PROLONGED CONTACT MAY CAUSE DRYNESS AND POSSIBLE BURNS. INHALATION: HIGH CONCENTRATIONS MAY RESULT IN HEADACHE, NAUSEA. INGESTI ON: HAS BEEN LINKED TO LIVER/KIDNEY DAMAGE IN ANIMALS. Explanation of Carcinogenicity:NOT A CARCINOGEN PER NTP, IARC, OSHA. Effects of Overexposure:EYES/SKIN: IRRITATION, REDNESS. COUGHING, HEADACHES, D IZZINESS, DROWSINESS, NAUSEA. Medical Cond Aggravated by Exposure:CUTS, ABRASIONS, DERMATITIS, RESPIRATORY AILMENTS.

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL AID IMMEDIATELY. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH MILD SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. CALL DR. IMM

EDIATELY. INGESTION: GIVE MILK OR WATER. CALL DR. IMMEDIATELY.
======================================
 Flash Point Method:PMCC Flash Point:125F,52C Extinguishing Media:FOAM, WATER SPRAY, DRY CHEMICAL. TREAT AS CLASS B OIL FIRE. Fire Fighting Procedures:USE AIR SUPPLIED BREATHING EQUIPMENT. COOL CONTAINERS WITH WATER SPRAY. AVOID BREATHING VAPORS OR FUMES. Unusual Fire/Explosion Hazard:CONTAINERS CAN RUPTURE AND EXPLODE UNDER FIRE CONDITIONS DUE TO V APOR BUILD-UP.
======================================
Spill Release Procedures:ELIMINATE IGNITION SOURCES. VENTILATE AREA. DIKE SPILL. RECOVER FREE LIQUID. USE ABSORBENT AS NEEDED. RINSE AREA WITH WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP AWAY FROM HEAT/OPEN FLAME/IGNITION SOURCES. AVOID P
ROLONGED/REPEATED BREATHING CONCENTRATED VAPORS. Other Precautions:KEEP OUT OF REACH OF CHILDREN. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. DON'T CUT OR WELD EMPTY DRUMS; THEY MAY CONTAIN BUILD-UP OF EXPLOSIVE VAPORS.
======================================
Respiratory Protection:NONE NEEDED UNDER NORMAL USE CONDITIONS. USE ORGANIC VAPOR MASK IN ENCLOSED OR CONFINED AREAS. Ventilation:NATURAL VENILATION IS NORMALLY SUFFICIENT. FOR ENCLOSED AREAS, PE
DESTAL FANS OR MECHANICAL VENTILATION. Protective Gloves:SOLVENT RESISTANT OR NEOPRENE. Eye Protection:SPLASH PROOF GOGGLES Other Protective Equipment:RUBBER APRON AND GAUNTLETS AS NEEDED. PROVIDE AN EYE WASH STATION AND SAFETY SHOWER.
Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health NK
Physical/Chemical Properties

Boiling Pt:B.P. Text:2

12F,100C Vapor Pres:18 MMHG Vapor Density:=WATER Spec Gravity:.976 pH:10.3 Evaporation Rate & amp; Reference:0.08 (ACETONE=1) Solubility in Water:FORMS EMULSION Appearance and Odor:CLEAR, LIGHT-YELLOW LIQUID. CITRUS ODOR. Percent Volatiles by Volume:70

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Stability Condition to Avoid:PRODUCT IS STABLE. Hazardous Decomposition Products:CARBON MONOXIDE AND DIOXIDES, NITROG EN

OXIDES, SMOKE AND SOOT IF BURNED.

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaim

s all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.