View NSN Online: https://aerobasegroup.co.il/nsn/7930-01-398-0951

3M -- 3M BRAND CARPET STAIN REMOVER, HEAVY-DUTY 61-

MSDS Safety Information

FSC: 7930

NIIN: 01-398-0951 MSDS Date: 04/12/1993 MSDS Num: BZLSP

Product ID: 3M BRAND CARPET STAIN REMOVER, HEAVY-DUTY 61-5000-0317-5

MFN: 01

Responsible Party Cage: 0F0U5 Name: 3M

Address: 3M CENTER

City: ST. PAUL MN 55144-1000

Info Phone Number: 612-733-1110

Emergency Phone Number: 612-733-1110

Review Ind: Y Published: Y

Contractor Summary

Cage: 2Y823

Name: MINNESOTA MINING & MFG CO PERSONAL HEALTH CARE MED/SURG MKTS

Address: 3M CTR

City: SAINT PAUL MN 55144-1000 Phone: 612-737-4114/612-737-4380

Cage: 0F0U5

Name: PACEBROOK LTD Address: 15 GOSDITCH ST

City: CIRENCESTER GLOS GL7 2AG NK 0000

0

Country: UK Phone: NONE

Item Description Information

Item Manager: GSA

Item Name: CLEANING COMPOUND, RUG AND UPHOLSTERY SURFACE

Unit of Issue: BX

Quantitative Expression: 0000000012EA

UI Container Qty: 1

Ingredients

Cas: 7732-18-5

RTECS #: ZC0110000

Name: WATER % Wt: 40-7

0

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Cas: 127-18-4

RTECS #: KX3850000

Name: PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA 313) (CERCLA)

% Wt: 7-13

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 25 PPM/STEL 200 ACGIH TLV: 50 PPM/STEL 200

EPA Rpt Qty: 100 LBS DOT Rpt Qty: 100 LBS

Cas: 111-76-2

RTECS #: KJ8575000

Name: 2-BUTOXYETHANOL (SARA 313)

% Wt: 7-13

Other REC Limits: NONE RECOMMEN

DED

OSHA PEL: 25 PPM SKIN ACGIH TLV: 25 PPM SKIN

Cas: 74-98-6

RTECS #: TX2275000 Name: PROPANE

% Wt: 5-10

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 1000 PPM ACGIH TLV: ASPHYXIANT

Cas: 151-21-3

RTECS #: WT1050000

Name: SODIUM LAURYL SULFATE

% Wt: 5-10

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Cas: 26022-09-3

Name: STYRENE MALEIC ANHYDRIDE RESIN AMMONIUM SAL

Т

% Wt: 1-5

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Cas: 75-28-5

RTECS #: TZ4300000 Name: ISOBUTANE

% Wt: 1-5

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

RTECS #: 9999999VO Name: VOC = 315 G/L

% Wt: NA

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT EST. ACGIH TLV: NOT EST.

Health Hazard

s Data

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: YES OSHA: NO

Effects of Exposure: MILD EYE IRRIT.MILD SKIN IRRIT ON CHRONIC CONTACT.CNS
DEPRESSION/IRRIT OF UPPER RESP TRACT ON INHAL OVEREXPOS MAY CAUSE CARDIAC
SENSITIZATION (SUDDEN HEART STOPPAGE DUE TO REFLEX AFFECT ON NERVES THAT
CONTROL HEART).USUALLY OCCURS ONLY AFTER INHAL OF CONCENTRATE (ABUSE BY

SNIFFING SOLVENTS/PR OPELLANTS).CHRONIC*

Explanation Of Carcinogenicity: TETRACHLOROETHYLENE IS A POTENTIAL CANCER HAZARD. NTP ANTICIPATED HUMAN CARCINOGEN, IARC POSSIBLE HUMAN CARCINOGEN.

Signs And Symptions Of Overexposure: EYES: REDNESS/SWELLING/PAIN/TEARS. SKIN:

POSSIBLE REDNESS/SWELLING/ITCHING.INHAL:

HEADACHE/DIZZY/DROWSY/INCOORDINATION/SLOW REACTION TIME/SLURRED SPEECH/GIDDINESS/UNCONSCIOUSNESS. UPPER RESP TRACT IRR IT (SORE NOSE/THROAT/COUGHING/SNEESING). INGEST: MAY CAUSE PAIN/VOMITING/ABDOMINAL

TENDERNESS/NAUSEA**

Medical Cond Aggravated By Exposure: * OVEREXPOS MAY CAUSE BLOOD DISORDERS (CHRONIC WEAKNESS/FATIGUE, BONE MARROW DEPRESSION, HEART/KIDNEY/LIVER EFFECTS. **BLOOD IN VOMIT/FECES. ASPIRATION/PNEUMONITIS (COUGHING/TROUBLE BREATHING***

First Aid: EYES: IMMED FLUSH W/LARGE AMOUNT WATER. GET IMMED MED AID. SKIN: FLUSH W/LARGE AMOUNT WATER. IF IRRIT PERSISTS GET MED AID. INHALATION: IF SYMPTOMS OCCUR GET TO FRESH AIR. IF SYMPTOMS CONTINUE CALL DR . INGESTION: CALL DR I

MMEDIATELY. ONLY INDUCE VOMITING ON INSTRUCTION BY DR. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

Handling and Disposal

Spill Release Procedures: REFER TO OTHER SECTIONS FOR PHYSICAL/HEALTH HAZARD/RESP PROTECTION/VENTILATION/PERSONAL PROTEC EQUIPMENT. CALL 612-733-1110 OR 612-733-6100 FOR SPILL ASSISTANCE. VENTILATE AREA. COLLECT SPILLED MAT'L CLEAN UP RESIDUE W/WATER

. PLACE IN US DOT ****

Neutralizing Agent: NK **** CONTAINER & amp; SEAL.

Waste Disposal Methods: FLUSH SPENT SOLUTIONS/AMTS &It;5 GL TO WASTE WATER TREATMENT SYSTEM. IF FOAMING, REDUCE DISCHARGE. INCINERATE IN PERMITTED HAZ WASTE INCINERATOR W/COMBUSTIBLE MAT'L. DON'T PUNCTURE/BURN CANS IN HOUSEHOLD INCINERATOR. FACILITY MUST BE CAPABLE*****

Handling And Storage Precautions: STORE <120F. AEROSOL CAN CONTAINS FLAMMABLE GAS UNDER PRESSURE. KEEP AWAY FROM CHILDREN/HEAT/SPARKS/OPEN FL

AME/IGNIT SOURCES. DON'T PIERCE/BURN CNTNR

Other Precautions: *****HANDLING AEROSOL CANS. DISPOSE EMPTY CANS IN SANITARY LANDFILL.

Fire and Explosion Hazard Information

Flash Point Text: NA Lower Limits: NOT EST. Upper Limits: NOT EST.

Extinguishing Media: WATER SPRAY, CO2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: WATER MAY NOT EFFECTIVELY EXTINGUISH FIRE, BUT IT

SHOULD BE US

ED TO KEEP FIRE-EXPOSED CONTAINERS/SURFACES COOL & amp; PREVENT EXPLOSIVE RUPTURE.

Unusual Fire/Explosion Hazard: CLOSED CONTAINERS EXPOSED TO HEAT FROM FIRE MAY BUILD PRESSURE AND EXPLODE.

Control Measures

Respiratory Protection: AVOID PROLONGED INHALATION OF SPRAY OR MIST.

Ventilation: USE IN A WELL-VENTILATED AREA.

Protective Gloves: YES
Eye Protection: YES
Other Protective Equi

CAN BE FATAL. DO NOT INGEST. _____ Physical/Chemical Properties _____ B.P. Text: 212F,100C Decomp Text: NOT EST. Vapor Pres: NOT EST. Vapor Density: NOT EST. Spec Gravity: 0.995 PH: 9.9 Evaporation Rate & Evaporation R Solubility in Water: COMPLETE Appearance and Odor: AEROSOL LIQUID, CLEAR, MILD ODOR Percent Volatiles by Volume: 90.0 -----Reactivity Data _____ Stability Indicator: YES Stability Condition To Avoid: HEAT Hazardous Decomposition Products: CO, CO2. Hazardous Polymerization Indicator: NO ______ Toxicological Information ______ _____ -----**Ecological Information** ______ **MSDS** Transport Information _____ _____ Regulatory Information _____ _____ Other Information ______

Supplemental Safety and Health: ***WHEEZING/COUGHING UP BLOOD/PNEUMONIA WHICH

pment: AVOID SKIN/EYE CONTACT.

========

Transportation Information

Responsible Party Cage: 0F0U5

Trans ID NO: 134247

Product ID: 3M BRAND CARPET STAIN REMOVER, HEAVY-DUTY 61-5000-0317-5

MSDS Prepared Date: 04/12/1993

Review Date: 05/15/1996

MFN: 1

Multiple KIT Number: 0

Review IND: Y Unit Of Issue: BX Container QTY: 1

Additional Data: AEROSOL CANS

Detail D

OT Information

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

============

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: 3M BRAND CARPET STAIN

REMOVER, HEAVY-DUTY 61-5000-0317-5

Cage: 0F0U5

Company Name: PACEBROOK LTD

Street: 15 GOSDITCH ST

City: CIRENCESTER GLOS GL7 2AG NK

Zipcode: 00000 Country: UK

Health Emergency Phone: 612-733-1110

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998 Origination Code: G

Hazard And Precautions: MILD EYE IRRIT.MILD SKIN IRRIT ON CHRONIC CONTACT.CNS
DEPRESSION/IRRIT OF UPPER RESP TRACT ON INHAL OVEREXPOS MAY CAUSE CARDIAC

SENSITIZATION (SUDDEN HEART STOPPAGE DUE TO REFLEX AFFECT ON NERVES THAT

CONTROL HEART).USUALLY OCCURS ONLY AFTER INHAL OF CONCENTRATE (ABUSE BY SNIFFING SOLVENTS/PROPELLANTS).CHRONIC* EYES:

REDNESS/SWELLING/PAIN/TEARS. SKIN: POSSIBLE REDNESS/SWELLING/ITCHING.INHAL: HEADACHE/DIZZY/DROWSY/INCOORDINATION/SLOW REACTION TIME/SLURRED SPEECH/GIDDINESS/UNCONSCIOUSNESS. UPPER RESP TRACT IRRIT (SORE NOSE/THROAT/COUGHING/SNEESING). INGEST: MAY CAUSE PAIN/VOMITING/ABDOMIN AL TENDERNESS/NAUSEA**

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United State

s of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.