View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-341-7811

Product ID:F41-6202-700;NP6000/7000/8000 SERIES BLACK TONER

MSDS Date:12/01/1995

FSC:6850

NIIN:01-341-7811

MSDS Number: BZNWB === Responsible Party ===

Company Name: CANON U.S.A., INC.

Address: ONE CANON PLAZA

City:LAKE SUCCESS

State:NY ZIP:11042 Country:US Info Phone Num:

516-328-5600

Emergency Phone Num:516-328-5600 800-424-9300(CHEMTREC)

Preparer's Name: QUAL MGMT DEPT.

CAGE:08YZ7

=== Contractor Identification ===
Company Name: CANON USA INC

Address: ONE CANON PLZ Box: City: NEW HYDE PARK

State:NY ZIP:11042 Country:US

Phone:516-328-5000; 5600

CAGE:08YZ7

======= Composition/Information on Ingredients ========

Ingred Name: IRON OXIDE

CAS:1317-61-9

Fraction by Wt: 35-40%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:10 MG/M3 ACGIH TLV:5 MG/M3

Ingred Name:PO

Fraction by Wt: 55-65% Other REC Limits:NONE RECOMMENDED
======================================
LD50 LC50 Mixture:ACGIH TLV FOR NUISSANCE DUST IS 10MG/M3 Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHAL:LOW HAZARD. THIS ITEM IS A NUISSANCE DUST.EYES:MAY CAUSE TRANSCIENT IRRITATION.SKIN:LOW HAZARD EXPECTED.INGEST:LOW INGESTION HAZARD.  Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA. Effects of Overexposure:MECHANICAL IRRITATION. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.EYES:FLUSH WITH WATER FOR 15 MINUTES.GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.INHA L:REMOVE  TO FRESH AI R.GIVE OXYGEN OR ARTIFICIAL RESPIRATIONIF NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS,GIVE 1-2 GLASSES OF WATER.
======================================
Flash Point:NONE Extinguishing Media:WATER SPRAY,DRY CHEMICAL,CARBON DIOXIDE. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:THE FINELY DISPURSED DUST FRO M THIS PRODUCT IS A FIRE OR EXPLOSION HAZARD IN THE PRESENCE OF SOURCES OF IGNITION.
========= Accidental Release Measures ==========
Spill Release Procedures: VENTILATE AREA. USE PROPER PROTECTIVE AND RESPIRATORY EQUIPMENT. SWEEP; DO NOT CREATE DUST; PLACE IN A DRY CONTAINER FOR DISPOSAL. CLEAN SPILL AREA WITH WATER. DO NOT USE A VACUUM CLEANER; POSSIBLE EXPLOSION HAZARD. Neutralizing Agent: NOT APPLICABLE.
========= Handling and Storage ======

LYESTER RESIN

========== Handling and Storage Precautions: STORE IN A COOL, DRY, WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.AVOID DUSTING AND IGNITION SOURCES.AVOID INCOMPATIBLE MATERIALS. Other Precautions: FOLLOW LABEL DIRECTIONS. AVOID BREATHING DUST. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT NEEDED IN NORMAL SERVICE. Ventilation: USE GENERAL DILUTION VENTILATION, 4-6 ROOM VOLUMES PER HOUR. Protective Gloves: IMPERVIOUS GLOVES FOR PROLONGED CONTACT Eye Protection: DUST-PROOF GOGGLES, AS NEEDED. Other Protective Equipment: PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING. Supplemental Safety and Health NONE ======== Physical/Chemical Properties =========== HCC:N1 Melt/Freeze Pt:M.P/F.P Text:212F-302F Vapor Pres:NEGLIGIBLE Spec Gravity: 1.4-1.6 Evaporation Rate & Evaporation R So **lubility in Water:NEGLIGIBLE** Appearance and Odor:FINE BLACK POWDER, SLIGHT PLASTIC ODOR. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE.

======= Disposal Considerations ============

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOC

## AL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their p articular situation.