View NSN Online: https://aerobasegroup.co.il/nsn/6750-01-319-6474

EASTMAN KODAK COMPANY -- 102 3208 DURAFLO RT DEVELOPER REPLENISHER (WORKING SOLUTION) -- 6750-01-319-6474 Product ID:102 3208 DURAFLO RT DEVELOPER REPLENISHER (WORKING SOLUTION) MSDS Date:12/08/1993 FSC:6750 NIIN:01-319-6474 MSDS Number: BZQZB === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:1465 0 Country:US Info Phone Num:716-477-3194 MSDS :800- 242-2424 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

CAGE:5K871

ZIP:14650-3129 Country:US

Country:US

CAGE:19139

State:NY

Address:800 LEE RD Box:City:ROCHESTER

Phone:800-828-6203

Phone:716-722-5151/(800) 242-2424

== Composition/Information on Ingredients ==========

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 80 - 85% Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Ingred Name:SODIUM BISULFITE (SASA III) (CERCLA) CAS:7631-90-5 RTECS #:VZ2000000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3; 9495 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:POTASSIUM SULFITE CAS:10117-38-1 RTECS #:WT3530000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM CARBONATE CAS:584-08-7 RTECS #:TS7750000 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:GLUTARALDEHYDE BIS(SODIUM BISULFITE) CAS:7420-89-5 Fraction by Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA) CAS:1310-58-3 RTECS #:TT2100000 Fraction b y Wt: 1 - 5% Other REC Limits:NONE RECOMMENDED OSHA PEL:C 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9495 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:HYDROQUINONE (SARA 302/313) (CERCLA) CAS:123-31-9 RTECS #:MX3500000 Fraction by Wt: 212F,>100C Vapor Pres:18 @ 68F Vapor Density:O.6 Spec Gravity:1.12 pH:9.6 Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID, ODORLESS Percent Volatiles by Volume:80- 85

Stability Indi cator/Materials to Avoid:YES STRONG ACIDS Stability Condition to Avoid:NONE Hazardous Decomposition Products:SULFUR DIOXIDE

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER IF PERMITTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Depart ment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.