

ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION -- AUTOMATIC DRAIN RELIEF --  
7930-01-079-6968

===== Product Identification =====

Product ID:AUTOMATIC DRAIN RELIEF

MSDS Date:05/01/1991

FSC:7930

NIIN:01-079-6968

MSDS Number: BZSWR

=== Responsible Party ===

Company Name:ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION

Address:370 WABASHA STREET

City:ST. PAUL

State:MN

ZIP:55102-1307

Country:US

Info Phone

Num:612-293-2233

Emergency Phone Num:800-328-0026

CAGE:DO852

=== Contractor Identification ===

Company Name:ECOLAB INC., INSTITUTIONAL PRODUCTS DIVISION

Address:370 WABASHA STREET

City:ST. PAUL

State:MN

ZIP:55102-1307

Country:US

Phone:612-293-2233

CAGE:DO852

Company Name:ECOLAB PROFESSIONAL PRODUCTS DIVISION OF ECOLAB INC.

Address:ECOLAB CENTER

Box:City:ST PAUL

State:MN

ZIP:55102

Country:US

Phone:800-352-5326

CAGE:85884

===== Composition/Information on Ingredients =====

Ingre

d Name:ISOPROPYL ALCOHOL (SARA 313)  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 2.5%  
Other REC Limits:980 MG/M3;STEL 1225  
OSHA PEL:980 MG/M3  
ACGIH TLV:NOT EST.

Ingred Name:PRODUCT CONTAINS BACTERIAL ENZYME COMPLEX, CERTIFIED  
SALMONELLA NEGATIVE.  
Fraction by Wt: NA  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT RELEVANT  
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenic  
ity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EFFECTS OF OVEREXPOSURE TO  
CONCENTRATE: SKIN/EYES: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE  
STOMACH DISTRESS, NAUSEA, VOMITING.

===== First Aid Measures =====

First Aid:EYES: FLUSH IMMEDIATELY W/COOL RUNNING WATER. REMOVE  
CONTACTS. CONTINUE FLUSHING 15 MINUTES. SKIN: FLUSH W/PLENTY COOL  
RUNNING WATER. WASH THOROUGHLY W/SOAP & WATER. INGESTION: RINSE  
MOUTH; THEN DRINK 1-2  
GLASSES WATER. DON'T INDUCE VOMITING. NEVER  
GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IF  
IRRITATION/DISCOMFORT PERSIST, CALL DR.

===== Fire Fighting Measures =====

Flash Point:130F,54C  
Fire Fighting Procedures:PRODUCT DOES NOT SUPPORT COMBUSTION  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:RINSE SMALL AMOUNTS TO SANITARY SEWER. DRAIN  
W/PLENTY OF WATER. MOP U

P SPILLS, RINSE AREA THOROUGHLY W/WATER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE IN DIRECT SUNLIGHT OR AT TEMPERATURES ABOVE 100F TO MAINTAIN PRODUCT ACTIVITY.

===== Exposure Controls/Personal Protection =====

Protective Gloves:RUBBER. PROTECT CUFF/GAUNTLET PREFERED.

Eye Protection:USE CHEMICAL SPLASH GOGGLES\*

Other Protective Equipment:\*FOR CONTINUED OR SEVERE EXPOSURE, WEAR FACE SHIELD OVER

GOGGLES.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1.0

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, TAN LIQUID, ISOPROPANOL ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Stability Condition to Avoid:DO NOT MIX W/ANYTHING BUT WATER.

Disclaimer (provided with this information by the compiling agencies):  
T

his information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.