View NSN Online: https://aerobasegroup.co.il/nsn/7930-01-381-5882

ALFA KLEEN -- ALFAKLEEN AK-011 TILE & CHROME -- 7930-01-381-5882

Product ID:ALFAKLEEN AK-011 TILE & CHROME MSDS Date:07/28/1993 FSC:7930 NIIN:01-381-5882 **MSDS Number: BZTGC** === Responsible Party === **Company Name: ALFA KLEEN** Address:2691 SATURN City:BREA State:CA ZIP:92621-6703 Country:US Info Phone Num:714-524-2530 Emergency Phone Num:800-424-9300 Preparer's Na me:SYLVIA EVANGELISTA CAGE:62639 === Contractor Identification === Company Name: ALFA KLEEN CHEMICAL LABORATORIES INC Address:840 CAPITOLIO WAY Box:City:SAN LUIS OBISPO State:CA ZIP:93401 Country:US Phone:805-541-3465 CAGE:62639

Ingred Name:EMULSIFIED PHOSPHORIC ACID (SARA 313) (CERCLA) CAS:7664-38-2 RTECS #:TB6300000 Fraction by Wt: 8.0% Other REC Limits:NONE RECOMMENDED EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:

OCTYLPHENOXYPOLYETHOXYETHANOL NONIONIC SURFACTANT (SARA 313) CAS:9016-45-9 RTECS #:MD0900000 Fraction by Wt: 5.0% Other REC Limits:NONE RECOMMENDED Ingred Name:NONYLPHENOL ETHOXYLATE (SARA 313) CAS:9016-45-9 RTECS #:MD0900000 Fraction by Wt: 5.0% Other REC Limits:NONE RECOMMENDED Ingred Name: INERT INGREDIENTS Fraction by Wt: 82.0% Other REC Limits:NONE RECOMMENDED **OSHA PEL:NOT RELEVANT** ACGIH TLV:NOT RELEVANT Routes of E ntry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: VERY SLIGHT BURNING SENSATION TO SENSITIVE SKIN.

First Aid:EYES: FLUSH W/PLENTY OF WATER & CALL DR. INGESTION: DRINK LARGE AMOUNTS OF MILK OR WATER W/BICARBONATE SODA.

Flash Point:NONE Upper Limits:>200F Extinguishing Me dia:FLUSH W/WATER. Fire Fighting Procedures:USE WATER SPRAY. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:WASH W/WATER. Neutralizing Agent:WATER

Handling and Storage Precautions: WILL FREEZE. Other Precautions: KEEP OUT OF REACH OF CHILDREN.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE REQUIRE

D. Ventilation:GENERAL ROOM VENTILATION Protective Gloves:NOT REQUIRED Eye Protection:AVOID DIRECT CONTACT W/EYES. Other Protective Equipment:NONE REQUIRED Supplemental Safety and Health NK

Boiling Pt:B.P. Text:>200F,>93C Vapor Pres:17.0 Vapor Density:0.62 Spec Gravity:1.06 pH:5.5 Viscosity:110 CPS Evaporation Rate & amp; Reference:0.7 Solubility in Water:COMPLETE Appearance and Odor:SLIGHTLY VISCOUS Percent Volatiles by Volum e:NONE Corrosion Rate:NONE

Stability Indicator/Materials to Avoid:YES NK Stability Condition to Avoid:DIRECT CONTACT W/EYES Hazardous Decomposition Products:NONE

Waste Disposal Methods:STANDARD SEWAGE TREATMENT METHODS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Departmen t

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.