View NSN Online: https://aerobasegroup.co.il/nsn/9150-00-035-5985 HALOCARBON PRODUCT CORPORATION -- HALOCARBON 6.3 OIL -- 9150-00-035-5985 Product ID:HALOCARBON 6.3 OIL MSDS Date: 10/04/1994 FSC:9150 NIIN:00-035-5985 MSDS Number: CBRVF === Responsible Party === Company Name: HALOCARBON PRODUCT CORPORATION Box:661 City:RIVER EDGE State:NJ ZIP:07661 Country:US Info Phone Num:201-262-8899 Emergency Phone Num:803-278-3504 Preparer 's Name:DR. ARTHUR J ELLIOTT CAGE:07644 === Contractor Identification === Company Name: HALOCARBON PRODUCTS CORPORATION Address:887 KINDERKAMACK RD Box:City:RIVER EDGE State:NJ ZIP:07661 Country:US Phone:201-262-8899 CAGE:07644 ======= Composition/Information on Ingredients ========

Ingred Name: CHLOROTRIFLUOROETHYLENE TELOMER CAS:9002-83-9

RTECS #:KM6555000

Other REC Limits: NONE RECOMMENDED

LD50 LC50 Mixture:NON

E SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:HALOCARBON OIL NOT IRRITATING TO SKIN. ACUTE EFFECTS OF OVEREXPOSURE:FROM ANIMAL STUDIES SIGNS OF FLUORIDE POISONING MAY BE EXPECTED. THESE INCLUDE NAUSEA, SHORTNESS OF BREATH & LOSS OF APPETITE. CHRO NIC EFFECTS OF OVEREXPO:UNKNOWN. Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY
LISTING:NTP/IARC/OSHA/O THER:NO.
Effects of Overexposure:ACUTE:FROM ANIMAL STUDIES SIGNS OF FLUORIDE POISONING MAY BE EXPECTED. THESE INCLUDE NAUSEA, SHORTNESS OF BREATH & LOSS OF APPETITE. CHRONIC:UNKNOWN. Medical Cond Aggravated by Exposure:NONE KNOWN.
======================================
First Aid:INHAL:REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESP IF NEEDED. SEEK MED HELP. SKIN:WASH W/SOAP/WATER. EYE:FLUSH EYE IMMED W/WATER FOR @LEAST 15MINS. SEEK MED HELP. ORAL:TRY TO INDUCD VOMITING. SEEK MED H ELP.
======================================
Flash Point:NONE Autoignition Temp:Autoignition Temp Text:N/D Lower Limits:NA Upper Limits:NA Extinguishing Media:USE AGENT APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS (SCBA) IF THERE IS DANGER OF LEAKAGE. Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION PROUDCTS ARE ACIDIC & TOXIC.
======================================
Spill Release Procedures:SPILLS MAY BE PICKED UP W/ABSORBENT SUCH AS VERMICULITE & HELD IN COVERED CONTAINER FOR DISPOSAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
=========== Handling and Storage =============
Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER. Other Precautions:SIMPLE SKIN PROTECTION SHOULD BE USED TO PREVENT

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions:SIMPLE SKIN PROTECTION SHOULD BE USED TO PREVENT REPEATED EXPOSURE & POSSIBILITY OF SENSITIZATION.SINCE POT FOR HUMAN TOXICITY CANNO

T BE RULED OUT PROPER VENTIALTION & WORK PRACTICES SHOULD BE EMPLOYE D. ===== Exposure Controls/Personal Protection ======== SELF-CONTAINED BREATHING APPARATUS (SCBA).

Respiratory Protection: NONE NORMALLY REQUIRED. FOR LARGE SPILLS WEAR

Ventilation: ADEQUATE GENERAL VENTILATION PLUS LOCAL EXHAUST @ POINTS OF EMISSION.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: SAFETY GLASSES/GOGGLES OR FACE SHIELD.

Other Protective Equipment: NONE NORMALLY REQUIRED.

Work Hygien

ic Practices:PROPER WORK PRACTICES SHOULD BE EMPLOYED.

Supplemental Safety and Health

INCOMP MATL: AMINES, LIQ FLUORINE, LIQ CHLORINE TRIFLUORIDE.

======== Physical/Chemical Properties ============

HCC:V6

Boiling Pt:B.P. Text:>500F,>260C Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:>500F,>260C

Vapor Pres:0.1 @70F

Vapor Density:N/DETERMIN Spec Gravity: 1.7 @ 100F

pH:NP

Viscosity:NP

Evaporation Rate & Deference: NP

Solubility in Water: NEGLIGIBLE.

Appearance and Odor:COL

ORLESS LIQUID W/SLIGHT ETHEREAL ODOR.

Percent Volatiles by Volume:NP

Corrosion Rate:NP

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

ALUMINUM THREADED CONNECTIONS WHERE GALLING/SEIZURE MAY INITIATE RX.REACTS W/METALS LIKE SODIUM & POTASSIUM, (SUPPLEMEN)

Hazardous Decomposition Products: DECOMPOSES ABOVE 260C TO TOXIC COMPOUNDS.

======= Disposal Considerations ============

Waste Disposal Methods:MAY

BE INCINERATED BY LICENSED WASTE DISPOSAL COMPANY. OBSERVE ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.