

FRC-DIVISION OF CINE MAGNETICS INC -- DENT-X EXCEL X-RAY FIXER (SUPPLEMENTAL) --
6525-01-334-8774

===== Product Identification =====

Product ID:DENT-X EXCEL X-RAY FIXER (SUPPLEMENTAL)

MSDS Date:06/01/1992

FSC:6525

NIIN:01-334-8774

Kit Part:Y

MSDS Number: CBSLK

=== Responsible Party ===

Company Name:FRC-DIVISION OF CINE MAGNETICS INC

Address:524 S COLUMBUS AVE

City:MOUNT VERNON

State:NY

ZIP:10550-

4712

Country:US

Info Phone Num:914-667-1002

Emergency Phone Num:800-424-9300(CHEMTREC)

CAGE:NO452

=== Contractor Identification ===

Company Name:CINE MAGNETICS INC FR CHEMICALS DIV

Address:524 S COLUMBUS AVE

Box:City:MOUNT VERNON

State:NY

ZIP:10550-4712

Country:US

CAGE:21297

Company Name:DENT-X CORP (914-592-6100)

Box:UNKNOW

CAGE:4R150

Company Name:FRC-DIVISION OF CINE MAGNETICS INC

Address:524 S COLUMBUS AVE

Box:City:MOUNT VERNON

State:NY

ZIP:10550-4712

Country:US

Phone:914-667-1002

CAGE:NO452

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 60-100%
Other REC Limits:NONE RECOMMENDED

Ingred Name:AMMONIUM THIOSULFATE
CAS:7783-18-8
RTECS #:XN6465000
Fraction by Wt: 7-13%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM SULFITE
CAS:7757-83-7
RTECS #:WE2150000
Fraction by Wt: 3-7%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ACETIC ACID (CERCLA)
CAS:64-19-7
RTECS #:AF1225000
Fraction by Wt: 3-7%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM/15 STEL; 9596
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, VOC=0.15
LBS/GALLON.
RTECS #:9999999VC
Fraction by Wt: NA
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLATILE ORGANIC CONTENT AS LISTED ON MSDS: 0.10 LB/GAL
RTECS #:9999999VC
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

=====
Hazards Identification
=====

=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:IRRIT,BURNING POSSIBLE.HI CONC OF ACETIC ACID VAP CAN CAUSE EXCESS BLINKING,TEAR PRODUCTION,EYE DISCOMFORT.SKIN:IRRIT,BURNING POSSIBLE.INGEST:ACETIC ACID CAN CAUSE BURNING TO MOUTH/THROAT/ESOPHAGUS,ABD PAIN,NAU,VOMIT,SHOCK STATE,COLLAPSE.SODIUM SULFITE MAY CAUSE CIRCULATOR

Y DISTURB/CNS

DMG.INHAL:IF HEATED (SUPPLE)

Explanation of Carcinogenicity:PER MSDS:CARCENOGENICITY:NOEN OF THE CHEMS USED IN PRODUCT ARE LISTED ON NTP/IARC/OSHA LISTINGS OF HUMAN CARCINOGENS.

Effects of Overexposure:EYE:IRRIT,BURN,EXCESS BLINKING,TEAR PRODUCTION,DISCOMFORT. SKIN:IRRIT,BURN.

INGEST:MOUTH/THROAT/ESOPHAGUS BURN,ABD PAIN,NAU,VOMIT,SHOCK STATE,COLLAPSE,CIRCULATORY DISTURBANCES/CNS DMG. INHAL:IRRIT THROAT,IRRIT,COUGH,CHEST PAIN,PAIN/BREATH DIFFICULTY.

Medi

cal Cond Aggravated by Exposure:SULFITES MAY CAUSE ALLERGIC REACTIONS IN SOME ASTHMATICS.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER FOR 15MINS.OBTAIN MED ATTN. SKIN:REMOVE CONTAMIN CLOTH.WASH EXPO AREA THOROUGHLY W/WATER.CONTACT PHYSICIAN. INGEST:IF CONSC GIVE 2 GLASSES OF WATER.DO NOT INDUCE VOMIT.OBTAIN PROMPT MED ATTN. INHAL:REMOVE TO FRESH AIR.IF ADVERSE SYMPTOMS DEVELOP CONTACT PHYSICIAN.

===== F
Fire Fighting Measures =====

Flash Point:NONE

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:ANY APPLICABLE TO THE PRIMARY CAUSE OF FIRE.

Fire Fighting Procedures:EVACUATE PERSONNEL TO SAFE AREA. FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY RELEASE AMMONIA VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:U

USE APPROPRIATE PROTECTIVE EQPMT. DIKE/SOAK UP
W/ABSORBANT MATL. PREVENT LIQ FROM ENTERING SEWERS/WATERWAYS. DISPOSE
OF IN ACCORDANCE WITH FED/STATE/LOC REGS.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN WELL VENTILATED AREA. KEEP CONTAINER
TIGHTLY CAPPED WHEN NOT IN USE. DO NOT STORE FOOD/DRINK/TOBACCO IN
AREAS WHERE CONTAMINATION COULD OCCUR WITH PRODUCT.

Other Precautions: AVOID BREATHING
VAPOR. AVOID CONTACT EYES/SKIN/CLOTHING. DO
NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: FOR POORLY VENTILATED AREAS A NIOSH CARTRIDGE
RESPIRATOR IS RECOMMENDED.

Ventilation: TEN ROOM VOLUMES PER HOUR RECOMMENDED UNDER NORMAL
CONDITIONS.

Protective Gloves: LATEX OR NEOPRENE GLOVES.

Eye Protection: CHEMICAL SPLASH GOGGLES.

Other Protective Equipment: LAB COAT, EYE WASH STATION.

Work Hygienic Practices:

WASH CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY
AFTER HANDLING.

Supplemental Safety and Health

CAT#: 999-2602-001; 999-2602-201. HEALTH HAZARD: HIGHLY IRRITANT AMMONIA VAPOR
IRRITANT THROAT. HIGH ACETIC ACID CONCENTRATION IRRITANT, COUGH, CHEST
PAIN, PAIN/BREATH DIFFICULT. PER TIER: PACKAGE CONSISTS OF DEVELOPER (SEE
PNIND: A) & FIXER.

===== Physical/Chemical Properties =====

HCC: N1

Boiling Point: B.P. Text: 212F, 100C

Melt/Freeze Point: M.P/F.P Text: NP

Decomposition Temp: Decomp Text: NP

Vapor Pressure: N/A

Va

por Density:N/AVAI

Spec Gravity:1.10

pH:4.6

Viscosity:NP

Evaporation Rate & Reference:N/AVAI

Solubility in Water:COMPLETELY.

Appearance and Odor:CLEAR, COLORLESS SOLUTION, VINEGAR ODOR.

Percent Volatiles by Volume:60-100

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID STRONG ACIDS & STRONG ALKALIS.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:SULFUR DIOXIDE AND AMMONIA.

=====

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE TO SEWER REQUIRES APPROVAL OF
PERMITTING AUTHORITY;MAY REQUIRE
PRETREATMENT.TREAT/STORAGE/TRASN/DISPO MUST BE IAW FED/STATE/LOC
REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to
be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.