TROJAN BATTERY CO -- LEAD/ACID STORAGE BATTERY -- 6140-01-337-0210

Product ID:LEAD/ACID STORAGE BATTERY MSDS Date:05/28/1995 FSC:6140 NIIN:01-337-0210 **MSDS Number: CBTHR** === Responsible Party === Company Name: TROJAN BATTERY CO Address:12380 CLARK ST City:SANTA FE SPRINGS State:CA ZIP:90670-3804 Country:US Info Phone Num:213-946-8381/714-521-8215 **Emergency Phone** Num:213-946-8381/800-424-9300(CHEMTREC) Preparer's Name: JOHN BRYSON CAGE:94598 === Contractor Identification === Company Name: CELL ENERGY INC Address:3190-B ORANGE GROVE AVE Box:City:NORTH HIGHLANDS State:CA ZIP:95660-5706 Country:US Phone:916-484-7974 CAGE:1U269 Company Name: TROJAN BATTERY CO Address:12380 CLARK ST Box:City:SANTA FE SPRINGS State:CA ZIP:90670 Country:US Phone: 562-946 8381 / 800-423-6569 CAGE:94598

Ingred Nam

e:SULFURIC ACID (SARA 302/313) (CERCLA) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: 10-38% Other REC Limits:NONE SPECIFIED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3/3 STEL; 9596 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:LEAD (SARA 313) (CERCLA) CAS:7439-92-1 RTECS #:OF7525000 Fraction by Wt: 60-97% Other REC Limits:NONE SPECIFIED OSHA PEL:SEE 1910.1025 ACGIH TLV:0.05MG/M3, A3; 9596 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:ANTIMONY (SARA 313) (CERCLA) CAS:7440-36-0 RTECS #:CC40250 00 Fraction by Wt: 1.5-6% Other REC Limits:NONE SPECIFIED OSHA PEL:0.5 MG/M3 ACGIH TLV:0.5 MG (SB)/M3; 9596 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:ARSENIC (SARA 313) (CERCLA) CAS:7440-38-2 RTECS #:CG0525000 Fraction by Wt: < 1% Other REC Limits:NONE SPECIFIED OSHA PEL:SEE 1910.1018 ACGIH TLV:0.01 MG/M3, A1; 9596 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:TIN CAS:7440-31-5 RTECS #:XP7320000 Fraction by Wt: < 0.3% Other REC Limits:NONE SPECIFIED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/ M3; 9596

Ingred Name:CALCIUM, METAL CAS:7440-70-2 RTECS #:EV8040000 Fraction by Wt: < 0.15% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACID CAN CAUSE IRRITATION OF EYES, NOSE AND THROAT. BREATHING MIST PRODUCES RESPIRATORY DIFFICULTY, С ONTACT WITH SKIN AND EYES CAUSES IRRITATION AND SKIN BURNS. REPEATED CONTACT WITH SULFURIC ACID MAY CAUSE DRYING OF SKIN/DERMATITIS. PROLONGED INHALATION OF A MIST OF SULFURIC ACID CAN CAUSE INFLAMMATION OF RESPIRATORY Explanation of Carcinogenicity: LISTED ON PROPOSITION 65 AND EPA CAG AS CARCINOGEN OR POTENTIAL CARCINOGEN. Effects of Overexposure: EYE IRRITATION, NOSE/THROAT IRRITATION, RESPIRATORY DIFFICULTY, SKIN BURNS, EYE BURNS, DERMATITIS, **RESPIRATORY TRACT INFLAMMA** TION, CHRONIC BRONCHITIS, EROSION OF TEETH ENAMEL. Medical Cond Aggravated by Exposure:SULFURIC ACID MIST CAUSE COUGHING AND WILL BURN EYES AND SKIN. First Aid: EYES/SKIN: FLUSH WITH PLENTY OF WATER. SEE DOCTOR IMMEDIATELY. REMOVE CONTAMINATED CLOTHING AND SHOES. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN/CPR IF NEEDED. SEE DOCTOR. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK OR WATER, FOLLOWED BY 2 OUNCES OF MILK OF MAGNESIA (NO CARBONATES). SEE DOCTOR IMMEDIATELY.

Flash Point:NONE Lower Limits:4.0(HYDROGN) Upper Limits:75(HYDROGEN) Extinguishing Media:USE CARBON DIOXIDE OR DRY CHEMICAL. Fire Fighting Procedures:NONFLAMMABLE. USE STANDARD FIREFIGHTING PROCEDURES FOR SURROUNDING MATERIALS IN THE FIRE. COOL EXTERIOR OF BATTERY TO PREVENT RUPTURE. Unusual Fire/Explosion Hazard:HYDROGEN GAS AND SULFURIC ACID VAP

ORS ARE GENERATED UPON OVERCHARGE. VENTILATE AREA.

Spill Release Procedures: WEAR PROTECTIVE CLOTHING. VENTILATE ENCLOSED AREAS. CONTAIN SPILL. LIMIT SITE ACCESS TO EMERGENCY RESPONDERS. NEUTRALIZE WITH SODIUM BICARBONATE, SODA ASH, LIME OR OTHER NEUTRALIZING AGENT. Neutralizing Agent:SODIUM BICARBONATE, SODA ASH, LIME Handling and Storage Pre cautions: KEEP AWAY FROM FLAMES DURING AND IMMEDIATELY AFTER CHARGING. COMBUSTION OR OVERCHARGING MAY CREATE OR LIBERATE TOXIC AND HAZARDOUS GASES AND LIQUIDS. Other Precautions: STORE BATTERIES IN COOL, DRY, WELL VENTILATED AREA. DO NOT SHORT CIRCUIT BATTERY TERMINALS OR REMOVE VENT CAPS DURING STORAGE OR RECHARGING. Respiratory Protection: SULFURIC ACID MIST -- FULL FACE OR HALF MASK **RESPIRATOR WITH ACID MIS** T FILTER OR SCBA. Ventilation: CHANGE AIR EVERY 15 MINUTES. Protective Gloves: ACID RESISTANT RUBBER OR PLASTIC. Eye Protection: GOGGLES OR FACE SHIELD. Other Protective Equipment: RUBBER APRON AND BOOTS IF CONTACT IS EXPECTED. EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health EXPOSURE TO LEAD UNLIKELY BUT MAY CAUSE LASSITUDE, CONSTIPATION, ANEMIA, NAUSEA, VOMITING, PARALYSIS AND CNS DEPRESSION. GREATEST EXPOSURE CO MES FROM DUST IN THE AIR AND ON HANDS WHEN CLEANING BATTERY POSTS AND IF ANY INTERANAL SOLID MATERIALS ARE EXPOSED IF THE BATTERY IS OPENED OR BROKEN. HCC:C1 Boiling Pt:B.P. Text:235F,113C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:1 Vapor Density:3.4 Spec Gravity:1.250-1.300 pH:< 2 Evaporation Rate & amp; Reference:NOT GIVEN

Solubility in Water:COMPLETE

Appearance and Odor:LEAD-ACID BATTERY WITH SULFURIC ACID E

LECTROLYTE. COLOR OF CONTAINER IS BLACK

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid: AVOID OVERCHARGING AND SMOKING OR SPARKS NEAR BATTERY SURFACE. AVOID SPARKS, OPEN FLAMES.

Hazardous Decomposition Products: AN EXPLOSIVE HYDROGEN/OXYGEN MIXTURE MAY OCCUR DURING CHARGING.

Waste Disposal Methods:RETURN WH OLE SCRAP BATTERIES TO DISTRIBUTOR, MANUFACTURER OR LEAD SMELTER FOR RECYCLING. FOR NEUTRALIZED SPILLS, PLACE RESIDUE INTO CONTAINERS WITH SORBENT MATERIAL, SAN OR EARTH FOR DISPOSAL. CONTACT LOCAL, STATE ENVIRONMENTAL OFFICES FORINFO.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this inf ormation to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.