View NSN Online: https://aerobasegroup.co.il/nsn/6750-01-285-1770

EASTMAN KODAK CO -- 809 0532 FLEXICOLOR STABILIZER AND REPLENISHER LF, CONC --

6750-01-285-1770

============= Product Identification ==================

Product ID:809 0532 FLEXICOLOR STABILIZER AND REPLENISHER LF, CONC

MSDS Date:12/19/1997

FSC:6750

NIIN:01-285-1770

MSDS Number: CCCGV === Responsible Party ===

Company Name: EASTMAN KODAK CO

Address:343 STATE ST City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Info P

hone Num:800-242-2424

Emergency Phone Num:716-722-5151/716-724-4501

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

====== Composition/Informatio

n on Ingredients =======

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 65-70%

Other REC Limits: NONE RECOMMENDED

Ingred Name: HEXAMINE; (HEXAMETHYLENETETRAMINE)

CAS:100-97-0

RTECS #:MN4725000 Fraction by Wt: 20-25%

Other REC Limits: NONE RECOMMENDED

Ingred Name:DIETHANOLAMINE (SARA 313) (CERCLA)

CAS:111-42-2

RTECS #:KL2975000 Fraction by Wt: 5%

Other REC Limits: NONE RECOMMENDED

**OSHA PEL:3 PPM** 

ACGIH TLV:0.46 PPM; 9596

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:POLY(

1-VINYL-2-PYRROLIDINONE)

CAS:9003-39-8

RTECS #:TR8160000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name:PROPYLENE GLYCOL

CAS:57-55-6

RTECS #:TY2000000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name:1,2-BENZISOTHIAZOL-3(2H)-ONE

CAS:2634-33-5

RTECS #:DE4620000

Fraction by Wt: 212F,>100C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Decomp Temp:Decomp Text:NOT GIVEN

Vapor Pres:18 Vapor Density:0.6

Spec Gravity: 1.078

pH:8.4

Viscosity:NP

Evaporation Rate & Dr. Refere

nce:NOT GIVEN
Solubility in Water:COMPLETE
Appearance and Odor:AMBER LIQUID, SLIGHT AMINE ODOR
Percent Volatiles by Volume:65-70%

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, ACIDS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF NITROGEN.

====== Disposal Considerations ==========

## Wast

e Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS. MAY REQUIRE NEUTRALIZATION IF PH < 2.0 OR PH > 12.5. DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this in formation to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.