

VICTOR AUTOMOTIVE PRODUCTS INC -- BATTERY WASHERS -- 5330-01-217-1854

=====
Product Identification
=====

Product ID: BATTERY WASHERS

MSDS Date: 09/25/1989

FSC: 5330

NIIN: 01-217-1854

MSDS Number: CCJBQ

=== Responsible Party ===

Company Name: VICTOR AUTOMOTIVE PRODUCTS INC

Address: 3512 N. KOSTNER

City: CHICAGO

State: IL

ZIP: 60641

Country: US

Info Phone Num: 312-298-8870

Emergency Phone Num: 517-463-1164

C

AGE: 0YE50

=== Contractor Identification ===

Company Name: BALKAMP INC

Address: 2601 S HOLT ROAD

Box: City: INDIANAPOLIS

State: IN

ZIP: 46241

Country: US

Phone: 317-244-7241

CAGE: 70842

Company Name: NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

Address: ONE LINCOLN WAY

Box: City: ST. LOUIS

State: MO

ZIP: 63120-1578

Country: US

Phone: 414-255-5520

CAGE: 050Q3

Company Name: VICTOR AUTOMOTIVE PRODUCTS INC

Address: 501 S WOLF RD

Box: City: DES PLAINES

State: IL

ZIP: 60016

Country: US

Phone: 800-423-4201

CAGE: 0YE50

=====
C

Composition/Information on Ingredients =====

Ingred Name: DISTILLATES, HYDRODESULFURIZED MIDDLE; (MINERAL SEAL OIL)
CAS: 64742-80-9
RTECS #: JN9202000
Other REC Limits: NONE RECOMMENDED

Ingred Name: PARAFFINS
Fraction by Wt: 57.0%
Other REC Limits: NONE RECOMMENDED

Ingred Name: OLEFINS
Fraction by Wt: 1.4%
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 5 MG/M3 (OIL MIST)
ACGIH TLV: 5 MG/M3 (OIL MIST)

Ingred Name: AROMATICS
Fraction by Wt: 15.6%
Other REC Limits: NONE RECOMMENDED

Ingred Name: NAPHTHENE
Fraction by Wt: 26.0%
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 5 MG/M3 (OIL MIST)
ACGIH TLV: 5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation: YES Skin: YES Ingestion: NO
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: INHAL: HEADACHE & STUPOR. SKIN: IRRIT.
EYES: BLURRING, WATERING & IRRIT. INGEST: NAUSEA, VOMITING. DO NOT
INDUCE VOMITING. GET MED ATTN.
Explanation of Carcinogenicity: CARCINOGENICITY: NONE.
Effects of Overexposure: HEADACHE, STUPOR, SKIN IRRIT, BLURRING OF EYES,
WATERING, IRRIT. NAUSEA, VOMITING.
Medical Cond Aggravated by Exposure: NONE KNOWN.

===== First Aid Measures =====

First Aid: INHAL: MOVE TO VAPOR-FREE AREA. SKIN: WASH W/SOAP/WATER.
EYES: FLUSH W/COPIOUS AMTS OF WATER. INGEST: GET MED ATTN. DO NOT
INDUCE VOMIT.

===== Fire Fighting Measures =====

res =====

Flash Point Method:COC

Flash Point:265F,129C

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:0.7

Upper Limits:5.0

Extinguishing Media:COW, FOG, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:AVOID USE OF WATER.

Unusual Fire/Explosion Hazard:WILL REACT W/STRONG OXIDZING AGENTS.

===== Accidental Release Measures =====

Spill Release Procedures:NO SPILLAGE OR RELEASING WILL OCCUR AS THE CHEMICAL IS PART OF THE WASHER.

Neutralizing

Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HIGH TEMPERATURES OR OPEN FLAME.

Other Precautions:PRODUCT IS NOT BIODEGRADABLE & SHOULD NEVER BE DISPOSED OF IN A DRAIN GOING TO SEWER. IT DOES CONTAINC AN OIL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED.

Ventilation:LOC EXHAU:UNLIKELY BUT SHOULD BE USED IF AN EXTREMELY LARGE

AMT OF THE WASTERS ARE PRESENT IN UNPAKAGED STATE.

Work Hygienic Practices:WASH HANDS IF SKIN CONTACT HAS BEEN MADE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:470F,243C

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres: