View NSN Online: https://aerobasegroup.co.il/nsn/7930-01-418-1492

SPARTAN CHEMICAL CO INC -- TNT TUB AND TILE CLEANER -- 7930-01-418-1492

Product ID:TNT TUB AND TILE CLEANER

MSDS Date: 10/03/1994

FSC:7930

NIIN:01-418-1492

MSDS Number: CCLFN === Responsible Party ===

Company Name: SPARTAN CHEMICAL CO INC

Address:110 N WESTWOOD AVE

City:TOLEDO State:OH

ZIP:43607-3340

Country:US

Info Phone Num:419-531-5551 Emergency Phone Num:419

-531-5551

Preparer's Name: THOMAS J. MITCHELL

CAGE:23212

=== Contractor Identification ===

Company Name: SPARTAN CHEMICAL CO INC. IPG INDUSTRIAL PRODUCTS GROUP

Address:110 N WESTWOOD AVE

Box:City:TOLEDO

State:OH ZIP:43607 Country:US

Phone:800-537-8990/419-531-5551

CAGE:23212

======= Composition/Information on Ingredients ========

Ingred Name: 2-BUTOXYETHANOL (SARA 313)

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: 4.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:120 MG/M3

ACGIH TLV:N

OT EST.
Ingred Name:ISOBUTANE-COMPRESSED GAS CAS:75-28-5 RTECS #:TZ4300000 Fraction by Wt: 5.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT EST. ACGIH TLV:NOT EST.
======================================
LD50 LC50 Mixture:NOT ESTABLISHED. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE SKIN & EYE IRRIT. AVOID PROLONGED SKIN CONTACT & INHALATION OF VAPORS OR MISTS. BUTOXYETHANOL IS ABSORBED THROUGH YTHE SKIN, WHICH MAY AFFECT THE
LIVER, KIDNEYS, LYMPH & BLOOD SYSTEMS. INHAL : MAY IRRIT THROAT & RESPIRATORY SYSTEM.
======================================
First Aid:EYE: IN CASE OF CONTACT, IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. REMOVE CONTACT LENSES. SKIN: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES.
======================================
Flash Point Method:TC
C Flash Point:PROPELLANT 54C/130F) CONTAINER MAY VENT, RUPTURE OR BURST.
======== Accidental Release Measures ==========
Spill Release Procedures:DILUTE WITH WATER AND FLUSH INTO SANITARY SEWER SYSTEM.
======================================
Handling and Storage Precautions:CONTENTS UNDER PRESSURE. DO NOT USE NEAR FIRE, SPARKS, FLAME. DO NOT STORE WHERE TEMPERATURES COULD EXCEED 120F. Other Precautions:NONE
======= Expos

======== Physical/Chemical Properties ==========

Boiling Pt:B.P. Text:210 TO 212F Vapor Pres: 18MMHG@75F Spec Gravity:1.01 pH:* Evaporation Rate & Deference:

Supplemental Safety and Health

*12 TO 12.4.