View NSN Online: https://aerobasegroup.co.il/nsn/6750-01-385-4429

DBA CLAYTON CHEMICAL CO. -- 414-16A LITHMATIC DEVELOPER & VARICHEC CORP REPLENISHER PART A -- 6750-01-385-4429 Product ID:414-16A LITHMATIC DEVELOPER & REPLENISHER PART A MSDS Date:09/27/1991 FSC:6750 NIIN:01-385-4429 MSDS Number: CCMCT === Responsible Party === Company Name: VARICHEC CORP DBA CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET **City:LOS ANG** ELES State:CA ZIP:90061 Country:US Info Phone Num:310-538-9530 Emergency Phone Num:310-538-9530/800-424-9300(CHEMTREC) CAGE:KO056 === Contractor Identification === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 Company Name: VARICHEC CORP DBA CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:276-Z **City:LOS ANGELES** State:CA ZIP:90061 Country:US Phone:310-538-9530 CAG

E:KO056

Ingred Name:SODIUM FORMALDEHYDE BISULFITE CAS:870-72-4 RTECS #:PB2200000 Fraction by Wt: 20-25% Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIETHYLENE GLYCOL CAS:112-27-6 RTECS #:YE4550000 Fraction by Wt: 10-15% Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROQUINONE (SARA 302/313) (CERCLA) CAS:123-31-9 RTECS #:MX3500000 Fraction by Wt: 5-8% Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9596 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE:MAY CAUSE IRRIT. SKIN:MAY CAUSE
IRRIT,MAY CAUSE ALLERGIC SKIN REACTION. IHAL:NORMALLY NO PROBLEM BUT INHAL OF MIST COULD CAUSE RESP IRRIT.INGEST:MAY CAUSE IRRIT OF MUCOUS MEMBRANES
OR DIGESTIVE TR ACT. HYDROQUINONE:REP CONTACT CAN CAUSESKIN SENS/ALLERGIC DERM.CHRONIC CAN CAUSE ANEMIA/DISCOLORATION,CORNEAL OPACITY.
Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY LISTING:NTP/IARC/OSHA:NO.
Effects of Overexposure:EYE IRRIT, SKIN IRRIT, ALLERGIC SKIN REACTION.
RESP IRRIT, MUCOUS MEMBRANE/DIGESTIVE TRACT IRRIT. SKIN SENS/ALLERGIC DERM. ANEMIA, DISCOLORATION, CORNEAL OPACITY.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE:IMMED FLUSH W/PLENTY OF RUNNING WATER FOR @LEAST 15MINS.OBTAIN MED ATTN. SKIN:FLUSH AFFECTED AREAS PROMPTLY W/WATER FRO 15MINS.REMOVE CONTAMIN CLOTH.INCASE OF CONT IRRIT CONSULT PHYSICIAN. INHAL:F OR OEVEREXPO REMOVE TO FRESH AIR. INGEST:INDUCE VOMIT.OBTAIN IMMED MED ATTN.

Flash Point:NOT FLAMMABLE Autoignition Temp: Autoignition Temp Text:NP Lower Limits:NONE **Upper Limits:NONE** Extinguishing Media: ANY EXTINGUISHING MEDIA APPLICABLE TO SURROUNDING AREA. Fire Fighting Procedures: EVACUATE PERSONNEL TO SAFE AREA. KEEP PERSONNEL REMOVED & UPWIND OF FIRE.WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: WHEN HEATED TO DECOMPO EMISION OF TOXIC FUMES OF SO2 IS POSSIBLE. Spill Release Procedures: USE APPROPRIATE PPE DURING CLEANUP. DIKE.PREVENT FROM ENTERING SEWERS/WATERWAYS/LOW AREAS.SOAK UP W/SAND, OIL DRY, OTHER ABSORBENT MATLS. SPILL MAY BE NEUTRALIZED WITH POWDERED CITRIC ACID. Neutralizing Agent: POWDERED CITRIC ACID. Handling and Storage Precautions: STORE IN WELL VENTI AREA. KEEP CNTNR TIGHTLY CLSD.DO NOT STORE W/INCOMPATIBLE MATLS.DO NOT STORE/CONSUME FOOD/DRINK/TOBACCO IN AREA WHERE MAY BE CONTAN Other Precautions: SARA TITLE III REPOR TING REQMTS CHEM: HYDROQUINONE. Respiratory Protection: SUFFICIENT ROOM VENTILATION.

Ventilation:SUFFICIENT ROOM VENTILATION. Protective Gloves:GLOVES. Eye Protection:SPLASH PROT, EYEGLASSES W/SIDE SHIELDS. Other Protective Equipment:APRONS. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health

HCC:N1 Boiling Pt:B.P. Text:>21 2F,>100C Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:NP Vapor Pres:WATER Vapor Density:WATER Spec Gravity:1.243 pH:7.20 Viscosity:NP Evaporation Rate & amp; Reference:SAME AS WATER Solubility in Water:100%, COMPLETE. Appearance and Odor:CLEAR AND COLORLESS TO PALE VIOLET, NO ODOR. Percent Volatiles by Volume:WATER Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES STRONG ACIDS, OXIDIZERS. Stability Conditio n to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:SULFUR DIOXIDE, CO2.

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQ/CONTAMIN WATER.DISPO IN APPROVED/PERMITTED TREATMENT SYS.REMOVE NONUSABLE SOLID MATL/CONTAMIN SOIL FOR DISPO APPROVED/PERMITTED LANDFILL.DISCHARGE TO SEWER REQUIRES APPORVAL OF PERMITTING AUTHORITY/MAY REQUIRE PRETREATMENT.

Disclaimer (provided with this informatio

n by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.