View NSN Online: https://aerobasegroup.co.il/nsn/2520-00-077-0506

Product ID:127-1104 NAPA GASKETS MSDS Date:10/20/1989 FSC:2520 NIIN:00-077-0506 **MSDS Number: CCMNN** === Responsible Party === Company Name: CSL SILICONES INC Address:144 WOODLAWN ROAD WEST City:GUELPH, ONTARIO Info Phone Num:519-836-9044 Emergency Phone Num:519-836-9044 CAGE:38735 === Contractor Iden tification === **Company Name: BALKAMP INC** Address:2601 S HOLT ROAD Box:City:INDIANAPOLIS State:IN ZIP:46241 Country:US Phone:317-244-7241 CAGE:70842 Company Name: CSL SILICONES INC Address:144 WOODLAWN ROAD WEST Box:City:GUELPH, ONTARIO Phone:519-836-9044/ -9069 FAX CAGE:38735 Company Name:NAPA, A DIVISION OF LINCOLN AUTOMOTIVE Address:ONE LINCOLN WAY Box:City:ST. LOUIS State:MO ZIP:63120-1578 Country:US Phone:414-255-5520 CAGE:050Q3

======= Composition/Information on Ingredients ========

Ingred Name:POLYDIMETHYLSILOXANE Fraction by Wt: 87.49% Other REC Limits:NONE RECOMMENDED

Ingred Name:HIGH PURITY AMORPHOUS SILICA Fraction by Wt: 7.4% Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKYL TRIACETOXY SILANE Fraction by Wt: 4.1% Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK CAS:1333-86-4 RTECS #:FF5800000 Fraction by Wt: 1.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 9596

Ingred Name:DIBUTYL TIN DIACETATE Fraction by Wt: 0.01% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PULMONARY EDEMA, DERMATITIS. Explanation of Carcinogenicity:PER MSDS:NO KNOWN CARCINOGENS. Effects of Overexposure:COUGHING, CHOKING, HEADACHE, DIZZINESS, DERMATITIS, MUCOURS MEMBRANE IRRITATION.

==

First Aid:INHAL-REMOVE FROM FURTHER EXPOSURE.TREAT PULMONARY EDEMA.CONTACT W/EYES-RINSE W/CLEAN TAP WATER 10-15MINS.CONSULT PHYSICIAN.CONTACT W/SKIN-RINSE W/CLEAN SOAPY WATER, APPLY HANDCREAM.

Flash Point:NA Autoignition Temp:Autoignition Temp Text:NA Lower Limits:NP Upper Limits:NP Extinguishing Media:DRY CHEMICAL, WATERSPRAY, FOAM, CO2.

======

Spill Release Procedures:WIPE OR SCRAPE UP. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE UNDER COOL DRY CONDITIONS.KEEP CONTAINERS CLOSED WHEN NOT IN USE.DO NOT INHAL OR INGEST.

Respiratory Protection: IF VENTILATION NOT ADEQUATE USE MASK W/FILTER

FOR ACETIC ACID VAPOR. Ventilation:LOCAL EXHAUST.PROVIDE GOOD VENTILATION. Protective Gloves:RUBBER OR PLASTIC GLOVES. Eye Protection:GOGGLES. Supplemental Safety and Health

HCC:N1 Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:NP Vapor Pres:NA Vapor Density:NA Spec Gravity:1.04 pH:NP Viscosity:NP Evaporation Rate & amp; Reference:NA Solubility in Water:NIL. Appearance and Odor:SMOOTH BLACK PA STE EVOLVES ACETIC ACID ODOR DURING CURE ONLY. Percent Volatiles by Volume:NP Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEAT, OPEN FLAME, FIRE. Hazardous Decomposition Products:CO, CO2, SIO2.

Waste Disposal Methods:STANDARD METHODS AS APPROVED IN YOUR AREA.

Disclaimer (provided with this information by th

e compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.