

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- G641 SILICONE GREASE COMPOUND --
6850-00-927-9461

===== Product Identification =====

Product ID:G641 SILICONE GREASE COMPOUND

MSDS Date:08/05/1988

FSC:6850

NIIN:00-927-9461

MSDS Number: CCVRY

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

Address:260 HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

In

fo Phone Num:518-237-3330/FAX 518-233-3795

Emergency Phone Num:518-237-3330

Preparer's Name:DA POLSINELLI

CAGE:01139

=== Contractor Identification ===

Company Name:BALKAMP INC

Address:2601 S HOLT ROAD

Box:City:INDIANAPOLIS

State:IN

ZIP:46241

Country:US

Phone:317-244-7241

CAGE:70842

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:NAPA, A DIVISION O

F LINCOLN AUTOMOTIVE
Address:ONE LINCOLN WAY
Box:City:ST. LOUIS
State:MO
ZIP:63120-1578
Country:US
Phone:414-255-5520
CAGE:050Q3

=====
Composition/Information on Ingredients
=====

Ingred Name:HAZARDOUS- NONE KNOWN.
RTECS #:9999999ZZ
Fraction by Wt: NA
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards A
cute and Chronic:INGEST:NONE KNOWN. SKIN:MAY CAUSE MILD
IRRITATION. INHAL:NONE KNOWN. EYE:CAUSES MODERATE IRRITATION.
CHRONIC EFFECTS:NONE KNOWN.
Explanation of Carcinogenicity:PER MSDS:THIS PRODUCT OR 1 OF ITS INGRED
PRESENT 0.1% OR MORE SS NOT LISTED AS CARCI/SUSPECTED CARCI BY
NTP/IARC/OSHA.
Effects of Overexposure:MILD SKIN IRRITATION, MODERATE EYE IRRITATION.
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
First Aid Measures
=====

First Aid:INGEST:DO NOT INDUCE VOMIT.GIVE LARGE QUANT OF WATER TO DRINK
& GET MED ATTN.NEVER GIVE ANYTHING BY MOUTH IF UNCONSC.RINSE MOUTH
W/WATER SEVERAL TIMES.SKIN:WASH W/SOAP/WATER.INHAL:NONE
KNOWN.EYE:IMMED FLUSH W/PLENTY OF WATER FOR @LEAST 15MINS.GET MED
ATTN IF IRRIT PERSIST.NOTE TO PHYSICIAN:NONE KNOWN.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:>500F,>260C
Lower Limits:NA
Upper Limits:NA
Extinguishing Medi

a:ALL STANDARD FIREFIGHTING MEDIA.
Fire Fighting Procedures:NONE KNOWN.
Unusual Fire/Explosion Hazard:SENSITIVITY TO STATIC DISCAHRGE IS NOT EXPECTED.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE/SCRAPE/SOAK UP IN INERT MATL & PUT IN CONTAINER FOR DISPOSAL.WSH WALKING SURFACES W/DETERGENT & WATER TO REDUCE SLIPPING HAZARD.WEAR PROPER PROTEDCTIVE EQPMT AS SPECIFIED IN PROTECTIVE EQPMT SECT ION.
Neutralizing Agent:NONE SPECIFIE
D BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT W/EYES.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE KNOWN.
Ventilation:NONE KNOWN.
Protective Gloves:CLOTH GLOVES.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:EYEWASH STATIONS.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental
Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:>600F,>316C
Melt/Freeze Pt:M.P/F.P Text:NA
Decomp Temp:Decomp Text:NP
Vapor Pres: