

DENTSPLY/YORK DIV (TRUBYTE) -- 688105 LUCITONE 199 POWDER -- 6520-01-297-4368

=====
Product Identification
=====

Product ID:688105 LUCITONE 199 POWDER
MSDS Date:06/03/1994
FSC:6520
NIIN:01-297-4368
MSDS Number: CDCNX
=== Responsible Party ===
Company Name:DENTSPLY/YORK DIV (TRUBYTE)
Address:570 W COLLEGE AVE
Box:872
City:YORK
State:PA
ZIP:17405
Country:US
Info Phone Num:717-845-7511
Emergency P
hone Num:717-845-7511
CAGE:16969
=== Contractor Identification ===
Company Name:DENTSPLY/YORK DIV/TRUBYTE DIV
Address:570 W COLLEGE AVE
Box:872
City:YORK
State:PA
ZIP:17405-0872
Country:US
Phone:717-845-7511
CAGE:16969

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity

:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: IRRITATION
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION

=====
First Aid Measures
=====

First Aid:INHALATION:REMOVE TO FRESH AIR. EYES: FLUSH W/WATER FOR 5
MINS. SKIN: WASH W/SOAP & WATER. INGESTION: RINSE W/WATER. OBTAIN
MEDICAL ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash P
oint:579.2F
Extinguishing Media:WATER CARBON DIOXIDE, DRY CHEMICAL, HALON
Fire Fighting Procedures:AVOID EXTINGUISHING METHODS WHICH MAY GENERATE
DUST CLOUDS. WATER STREAM CAN DISPERSE DUST IN AIR, POSING AN
EXPLOSION HAZARD.
Unusual Fire/Explosion Hazard:POLYMER DUST IS COMBUSTIBLE. EXPLOSIVE
LIMIS OF HTE POLYMER PARTICLES SUSPENDED IN AIR ARE APPROXIMATELY
THOSE OF COAL DUST. WEAR SCBA.

=====
Accidental Release Measures
=====

Spill Release Procedur
es:SWEEP UP TO AVOID SLIPPING HAZARD KEEP
AIRBORNE PARTICULATE AT MINIMUM WHEN CLEANING UP.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE. KEEP
CONTAINER CLOSED TO PREVENT WATER ABSORPTION/CONTAMINATION.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NUISANCE DUST TYPE IF NEEDED
Ventilation:LOCAL EXHAUST
Supplemental Safety and Health

=====
Physi

cal/Chemical Properties =====

Solubility in Water:INSOLUBLE

Appearance and Odor:PINK FREE FLOWING POWDER W/FAINT ODOR IN BULK

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:572F

Hazardous Decomposition Products:METHYLMETHACRYLATE & CO

Conditions to Avoid Polymerization:572F

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
as
sume responsibility for the suitability of this information to their
particular situation.