

NEW PIG CORP -- SKIMMING PIG MATS;MAT212,MAT214,MAT215,MAT224,MAT402,(SUPPL) --
9330-01-308-5153

===== Product Identification =====

Product ID:SKIMMING PIG MATS;MAT212,MAT214,MAT215,MAT224,MAT402,(SUPPL)

MSDS Date:01/01/1995

FSC:9330

NIIN:01-308-5153

MSDS Number: CDJTD

=== Responsible Party ===

Company Name:NEW PIG CORP

Address:1 PORK AVE

City:TIPTON

State:PA

ZIP:16684-0304

Country:US

Info Phone

Num:800-468-4647

Emergency Phone Num:800-468-4647

CAGE:1JA49

=== Contractor Identification ===

Company Name:NEW PIG CORPORATION

Address:ONE PORK AVENUE

Box:City:TIPTON

State:PA

ZIP:16684-0304

Country:US

Phone:800-468-4647

CAGE:1JA49

===== Composition/Information on Ingredients =====

Ingred Name:POLYPROPYLENE

CAS:9003-07-0

RTECS #:TR5000000

Fraction by Wt: 99.7%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ZELEC-ANTI STATIC ADDITIVE

Fraction by Wt: 0.3%

Other REC Limits:NONE

RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:UNKNOWN Skin:UNKNOWN Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

=====
===== Fire Fighting Measures =====

Flash Point:825F,441C
Autoignition Temp:Autoignition Temp Text:825F
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:IN ITS PURCHASED/UNUSED FORM WATER,CHEM GOAM,DRY CHEM
,CO2.IN ITS USED FORM THAT WHICH IS COMPATIBLE TO LIQ ABSORBED.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS &
REFER TO ABSORBED LIQ(S) MSDS(S) FOR SKIMMING PIG MATS DON'T RENDER
LIQ NONFLAMM,NEUTRAL, OR LESS HAZ.
Unusual Fire/Explosion Hazard:REFER TO ABSORBED LIQ(S) MSDS(S) FOR
SKIMMING PG MATS DON'T RENDER LIQS NONFLAMM,NEUTRAL,OR LESS
HAZARDOUS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:IN ITS PURCHASED/UNUSED FORM:SWEEP/VACUUM
PRODUCT.DISPO OF AS NON-HAZ MATL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Other Precautions:NOT APPLICABLE.REFER TO ABSORBED LIQ(S) MSDS(S) FOR
SKIMMING PIG MATS DO NOT RENDER LIQDS NONFLAMM,NEUTRAL OR LESS
HAZARDOUS.

=====
===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health
MAT414,MAT420,MAT442,MAT443.

=====
===== Physical/Chemi

cal Properties =====

HCC:N1

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:320F,160C

Decomp Temp:Decomp Text:NP

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:0.9

pH:NA

Viscosity:NP

Evaporation Rate & Reference:NA

Solubility in Water:INSOLUBLE.

Appearance and Odor:WHITE SHEETS OR ROLLS, NO ODOR.

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXDIZING AGEN

TS MAY DEGRADE PRODUCT.

===== Disposal Considerations =====

Waste Disposal Methods:IN ITS PURCHASED/UNUSED FORM NO SPECIAL
PRECAUTIONS NECESSARY(NOT CLASSIFIED AS HAZ).IN ITS USED FORM DISPO
OF ALL WASTE(BASED ON COMPONENTS OF LIQ ABSORBED)ACCORDING TO
LOCAL, STATE AND FEDERAL REGUL ATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The U

nited States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.