

EASTMAN KODAK COMPANY -- 131 8062 COLOREDGE CYAN TONER -- 6850-01-387-5770

=====  
Product Identification  
=====

Product ID:131 8062 COLOREDGE CYAN TONER  
MSDS Date:01/22/1997  
FSC:6850  
NIIN:01-387-5770  
MSDS Number: CDKRN  
=== Responsible Party ===  
Company Name:EASTMAN KODAK COMPANY  
Address:343 STATE STREET  
City:ROCHESTER  
State:NY  
ZIP:14650  
Country:US  
Info Phone Num:716-477-3194 MSDS :800- 242-2424

E  
mergency Phone Num:716-722-5151  
CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS  
Address:343 STATE ST  
Box:City:ROCHESTER  
State:NY  
ZIP:14650-1115  
Country:US  
Phone:716-722-5151/(800) 242-2424

CAGE:19139  
Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES  
Address:800 LEE RD  
Box:City:ROCHESTER  
State:NY  
ZIP:14650-3129  
Country:US  
Phone:800-828-6203  
CAGE:5K871

=====  
Composition/Information on Ingredients  
=====

Ing

red Name:POLYESTER POLYMER  
Fraction by Wt: 95-99%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:PTHALOCYANINE DYE ()  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYMERS  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN  
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EXPECTED T  
O BE A LOW INHALATION HAZARD  
FOR RECOMMENDED HANDLING. MAY CAUSE TRANSIENT EYE IRRITATION. LOW  
SKIN CONTACT HAZARD FOR RECOMMENDED HANDLING. EXPECTED TO BE A LOW  
INGESTION HAZARD.  
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.  
Effects of Overexposure:EYE IRRITATION.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL  
ATTENTION IF SYMPTOMS PERSIST. EYES: WASH OUT IMMEDIATELY WITH  
WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: WASH WITH  
SOAP AND WATER . GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.  
INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.  
NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash P

oint:COMBUSTIBLESOLID

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures:USE WATER SPRAY TO KEEP FIRE-EXPOSED  
CONTAINERS COOL.

Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE  
DUST-AIR MIXTURES. ELEVATED TEMPERATURES CAN CAUSE DECOMPOSITION.

===== Accidental Release Measures =====

Spill Release Procedures:DO NOT USE A VACUUM CLEANER TO CLEAN UP  
SPILLS OF  
POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE  
OR EXPLOSION. AVOID GENERATION OF DUST. SWEEP MATERIAL ONTO PAPER  
AND PLACE IN A FIBER CART ON.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID BREATHING DUST. USE WITH  
ADEQUATE VENTILATION. KEEP CONTAINER CLOSED. KEEP FROM CONTACT WITH  
OXIDIZING MATERIALS. MINIMIZE DUST GENERATION.

Other Precautions:MINIMIZE DUS

T ACCUMULATION. REFER TO NFPA PAMPHLET  
NO. 654, "PREVENTION OF FIRE AND DUST EXPLOSIONS IN THECHEMICAL,  
DYE, PHARMACEUTICAL, AND PLASTICS INDUSTRIES." KEEP CONTAINER  
CLOSED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:GOOD GENERAL VENTILATION, TYPICALLY 10 AIR CHANGES PER  
HOUR, SHOULD BE USED. RATES SHOULD MATCH CONDITIONS.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS  
OR GOGGLES

Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO  
PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE  
AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER  
BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT

GIVEN  
Vapor Pres:NEGLIGIBLE  
Vapor Density:NEGLIGIBLE  
Spec Gravity:NOT GIVEN  
Evaporation Rate & Reference:NOT GIVEN  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:CYAN SOLID POWDER, SLIGHT ODOR  
Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:AVOID TEMPERATURES ABOVE 482F.  
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE

=====  
===== Disposal Considerations =====

Waste Disposal Methods:CAN BE INCINERATED WHEN IN COMPLIANCE WITH LOCAL REGULATIONS. CONTRACT WITH A LICENSED CHEMICAL DISPOSAL AGENCY. DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.