

DUPONT E I DE NEMOURS & CO, INC, POLYMER PRODUCTS -- VERTREL XF -- 6850-01-435-5659

=====
Product Identification
=====

Product ID:VERTREL XF

MSDS Date:08/04/1995

FSC:6850

NIIN:01-435-5659

MSDS Number: CDKTV

=== Responsible Party ===

Company Name:DUPONT E I DE NEMOURS & CO, INC, POLYMER PRODUCTS

Address:1007 N MARKET ST

City:WILMINGTON

State:DE

ZIP:19898

Country:US

Info Phone Num:800-441-9442/30

2-999-4946

Emergency Phone Num:800-441-3637/800-424-9300(CHEMTREC)

CAGE:9V583

=== Contractor Identification ===

Company Name:DUPONT E I DE NEMOURS AND CO INC, POLYMER PRODUCT-TEFLON
CO.

Address:1007 MARKET ST

Box:City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:800-523-0372/346-4748

CAGE:9V583

=====
Composition/Information on Ingredients
=====

Ingred Name:1,1,1,2,3,4,4,5,5,5-DECAFLUOROPENTANE

CAS:138495-42-8

Fraction by Wt: 99%

Other REC Limits:AEL 200 PPM (MFR)

====

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, CNS,

RESPIRATORY & GI TRACTS. ACUTE- MAY CAUSE EYE IRRITATION & PAIN.

PROLONGED/REPEATED SKIN CONTACT MAY CAUSE DEFATTING. INHALATION MAY CAUSE SUFFOCATION, CNS STIMULATION FOLLOWED BY DEPRESSION. HARMFUL

IF INGESTED. MAY CAUSE VOMITING. ASPIRATION HAZARD. CHRONIC- MAY CAUSE ITCHING OR RASHES.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SKIN RASH AND ITCHING, IRRITATION, DIZZINESS, NERVOUSNESS, TREMORS, HEADACHE, DEPRESSION, CONFUSION, INSOMNIA, WEAKNESS, PAIN, DIARRHEA, NAUSEA, VOMITING, BLURRED VISION

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN

DISORDERS, EYE PROBLEMS OR IMPAIRED CNS OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO

THE EFFECTS OF THIS PRODUCT.

=====
===== First Aid Measures =====
=====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK 2 GLASSES OF WATER. SEEK IMMEDIATE MEDICAL ATTENTION. IF SPONTANEOUS VOMITING OCCURS, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF VOMITUS INTO LUNGS.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:TOC

Flash Point:NONE

Lower Limits:NOT RELEVANT

Upper Limits:NOT RELEVANT

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSUR

E MODE.

Unusual Fire/Explosion Hazard:TOXIC MATERIALS MAY BE FORMED. CONTAINERS MAY RUPTURE.

===== Accidental Release Measures =====

Spill Release Procedures:PREVENT SKIN AND EYE CONTACT. VENTILATE AREA. REMOVE OPEN FLAMES AND HOT SURFACES. SOAK UP SPILL WITH SAWDUST, OIL DRY OR OTHER ABSORBENT MATERIAL. COLLECT AND PLACE IN A SUITABLE CONTAINER FOR DISPOS AL. WASH SPILL SITE WITH WATER.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, WELL-VENTILATED AREA AWAY FROM OPEN FLAMES AND INCOMPATIBLE MATERIALS. KEEP CONTAINER TIGHTLY CLOSED. AVOID TEMPERATURES ABOVE 125F/52C

Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN. AVOID BREATHING VAPORS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. DO NOT DISPE NSE FROM ITS CONTAINER BY POURING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF WORKING IN A CONFINED AREA OR FIGHTING FIRE, USE NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED AIR RESPIRATOR WITH FULL FACEPIECE, OPERATED IN POSITIVE PRESSURE MODE.

Ventilation:LOCAL EXHAUST IS RECOMMENDED FOR CONFINED AREAS. GENERAL MECHANICAL VENTILATION IS ADEQUATE FOR NORMAL USE.

Protective Gloves:RUBBER OR LATEX

Eye Protection:SAFETY GLASSES WITH SIDE SHIELD/GOGGLES

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT EAT/DRINK WHILE WORKING WITH THIS PRODUCT.

Supplemental Safety and Health

NOTE TO PHYSICIAN:ACTIVATED CHARCOAL SLURRY, 50 GRAMS IN 400 ML WATER, MAY BE USED. ADMINSTER 5 ML/KG OR 350 ML FOR AN AVERAGE ADULT. CATECHOLAMINE DRUGS SHOULD BE USED WITH SPECIAL CAUTION. EMESIS/GASTRIC LAVAGE SHOULD

NOT BE USED UNLESS JUSTIFIED. ANTIBIOTICS
SHOULD BE RESERVED FOR DOCUMENTED BACTERIAL PNEUMONIA.

===== Physical/Chemical Properties =====

HCC:N1
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:B.P. Text:131F,55C
Vapor Pres:226 @ 77F
Spec Gravity:1.58
Solubility in Water:INSOLUBLE
Appearance and Odor:CLEAR COLORLESS LIQUID
Percent Volatiles by Volume:99

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ALK
ALI OR ALKALINE EARTH METALS, POWDERED ALUMINUM, ZINC, BERYLLIUM,
ETC.
Stability Condition to Avoid:OPEN FLAME, HIGH HEAT, GLOWING METAL
SURFACES
Hazardous Decomposition Products:MAY FORM CARBON MONOXIDE, CARBON
DIOXIDE, HYDROFLUORIC ACID, AND POSSIBLY CARBONYL FLUORIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE
AND FEDERAL REGULATIONS. RECLAIM BY DISTILLATION.

Disclaimer (provided
with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.