View NSN Online: https://aerobasegroup.co.il/nsn/6525-01-098-5799

EASTMAN KODAK COMPANY -- 863 8553 RP X-OMAT LO FIXER & REPLENISHER, WORK SOLUTION -- 6525-01-098-5799

Product ID:863 8553 RP X-OMAT LO FIXER & REPLENISHER, WORK SOLUTION MSDS Date:08/09/1995 FSC:6525 NIIN:01-098-5799 Kit Part:Y **MSDS Number: CDLVQ** === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET **City:ROCHESTER** State:NY ZIP:1 4650 Country:US Info Phone Num:716-477-3194 MSDS :800- 242-2424 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139

Ingred Name:AMMONIUM THIOSULFATE CAS:7783-18-8 RTECS #:XN6465000 Fraction by Wt: 10-15% Other REC Limits:NON

E RECOMMENDED

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 80-85% Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM THIOSULFATE CAS:7772-98-7 RTECS #:XN6476000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name: ACETIC ACID (CERCLA) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 100C Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Decomp Text:NP Vapor Pres:24 Vapor Density:0.6 Spec Gravity:1.092 pH:SUPPLE Viscosity:NP Evaporation Rate & amp; Reference:NP Solubi lity in Water:COMPLETE Appearance and Odor:LIQUID, COLOR/ODOR NOT AVAILABLE. Percent Volatiles by Volume:80-85 Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES STRONG ACIDS,BASES,SODIUM HYPOCHLORITE(BLEACH),STRONG OXIDIZING AGENTS.CONTACT W/BASE LIBERATES FLAMM MATL. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NITROGEN OXIDES (NOX), SUFLUR DIOXIDE, AMMONIA,

CHLORAMINE. HAZ COMBUST PROD:NONE (NON-COMBUSTIBLE).

Waste Disposal Methods:DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO NATIONAL/STATE/LOCAL LAWS. FLUSH TO SEWER W/LG AMTS OF WATER. CHEM(S) SUBJ TO REPORTING REQMTS OF SEC 313 TITLE III SARA/40CFR372:NONE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. Th

e United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.