View NSN Online: https://aerobasegroup.co.il/nsn/6810-00-247-0601

--

Product ID:C79 500 CALCIUM CHLORIDE DIHYDRATE MSDS Date:03/04/1996 FSC:6810 NIIN:00-247-0601 MSDS Number: CDQLH === Responsible Party === Company Name: FISHER SCIENTIFIC, CHEMICAL DIV. Address:1 REAGENT LANE **City:FAIR LAWN** State:NJ ZIP:07410 Country:US Info Phone Num:201-796-7100 OR 201-796-7523 Emergency Phone Num:201-796-7100/800-424-9300(CHEMTREC) CAGE:1B464 === Contractor Identification === Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV Address:1 REAGENT LANE Box:City:FAIRLAWN State:NJ ZIP:07410-2802 Country:US Phone:201-796-7100 CAGE:1B464

Ingred Name:CALCIUM CHLORIDE, DIHYDRATE CAS:10035-04-8 RTECS #:EV9810000 Fraction by Wt: 74-78% Other REC Limits:NONE RECOMMENDED

===============

LD50 LC50 Mixture:LD50:NOT AVAILABLE. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:WARNING!MAY CAUSE CNS DEPRESS,KIDNEY DMG, CARDIAC DISTRUB.. HARMFUL IF INGEST. CONTACT W/SKIN CAUSES IRRIT, POSSIBLE BURNS ESPECIALLY IF WET/MOIST.MAY CAUSE SEVERE EYE IRRIT, POSSIBLE INJURY, RESP TRACT IRR IT. EYE: SEVERE IRRIT, BURNS.SKIN: IRRIT, BURNS ESP ECIALLY IF WET/MOIST.INGEST:SEVERE GI TRACT IRRIT, CARDIAC DISTURB(SUPPLE) Explanation of Carcinogenicity:PER MSDS:NOT LISTED BY ACGIH, IARC, NIOSH, NTP, OSHA. Effects of Overexposure: CNS DEPRESSION, KIDNEY DMG, CARDIAC DISTURBANCES, HARMFUL IF INGEST, SKIN IRRIT/BURNS, SEVERE EYE IRRIT, INJURY, RESPIRATORY TRACT IRRIT, SEVERE GI TRACT IRRIT, NAU, VOMIT, BURNS, SEIZURES, RAPID RESPIRATION, SLOW HEARTBEAT, DEATH, WEVERE UPPER RESP TRACTIRRIT, PAIN, BURNS, INFLAMMATION. Medical Cond Aggravate d by Exposure: NONE SPECIFIED BY MANUFACTURER.

TARGET ORGANS:HEART.

First Aid:EYE:IMMED FLUSH W/PLENTY OF WTER FOR @LEAST 15MINS,LIFT EYELIDS.GET MED AID IMMED.SKIN:GET MED AID IMMED.IMMED FLUSH W/PLENTY OF SOAP/WATER FOR @LEAST 15MINS WHILE REMOVING CONTAMIN CLOTH/SHOES.INGEST :DON'T INDUCE VOMIT.IF CONSC/ALERT GIVE2-4CUPFULS OF MILK/WATER.NEVER GIVE ANYTHING BY MOUTH IF UNCONSC.GET MED AID IMMED.INHAL :GET MED AID IMMED.REMOVE TO FRESH AIR IMMED.NOT BREATH GIVE ART(SUPPLE)

Autoignition Temp:Autoignition Temp Text:NA Lower Limits:N/AVAI

Upper Limits:N/AVAI

Extinguishing Media:DON'T USE WATER DIRECTLY ONFIRE.USE DRY CHEM,CARBON DIOXIDE,OR ALCOHOL-RESISTANT FOAM.

Fire Fighting Procedures:WEAR APPROPR PROT CLOTH TO PREVENT CONTACT W/SKIN/EYES.WEAR SCBA TO PREVENT CONTACT W/THERMAL DECOMPO PRODUCTS.

Unusual Fire

/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures: USE PPE. VACUUM/SWEEP UP MATL & PLACE INTO SUITABLE DISPOSAL CONTAINER. AVOID GENERATING DUSTY CONDITIONS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: USE W/ADEQU VENTI. MINIMIZE DUST GENERATION/ACCUMUL.DON'T GET ON SKIN/EYES.DON'T INGEST/I NHAL.STORE IN COOL DRY WELL VENTI AREA AWAY FROM INCOMP SUBST. Other Precautions:NONE SPECIFIED BY MANUFACTURER. Respiratory Protection: FOLLOW OSHA RESP REGS FOUND IN 29CFR1010.134.ALWAYS USE NIOSH-APPROVED RESPIRATOR WHEN NECESSARY. Ventilation: LOCAL EXHAU VENTI MAY BE NECESSARY TO CONTROL ANY AIR CONTAMIN TO WITHINN THEIR TLV DURING USE OF PRODUCT. Protective Gloves:WEAR IMPERVIOUS GLOVES. Eye Protection: APPROP P ROT EYEGLASSES, CHEM SAF GOGG Other Protective Equipment: EYE PROT: PRE 29CFR1910.133. WEAR APPROPRIATE PROT CLOTH TO MIN CONTACT W/SKIN. Work Hygienic Practices: WASH THOROUGHLY AFT HNDLG. WASH CLOTHS BEF REUSE. Supplemental Safety and Health PH:4.5-8.5 FOR 5% SOLN. INCOMP:WHEN ADDED TO FURAN-2-PEROXYCARBOLIC ACID: EXO TX W/WATER. HEALTH: INHAL: SEVERE UPPER RESP TRACT IRRIT. 1STAID:RESP;DIFFI BREATH GIVE OXY.DR:TREAT SYMPTO/SUPP. ======== Physical/Chemical Properties ====== _____ HCC:T6 Boiling Pt:B.P. Text:2912F,1600C Melt/Freeze Pt:M.P/F.P Text:500F,260C Decomp Temp:Decomp Text:N/AVAI Vapor Pres:N/AVAI Vapor Density:N/AVAI Spec Gravity:1.85 pH:SUPPLE Viscosity:N/AVAI Evaporation Rate & amp; Reference: N/AVAI Solubility in Water:SOLUBLE. Appearance and Odor:SOLID, WHITE SOLID, ODORLESS. Percent Volatiles by Volume:NP Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES CONTACT W/WA

TER;BORIC OXIDE+CALCIUM OXIDE;BROMINE TRIFLUORIDE;ZN;CATLYZES EXO POLYMZ OF VINYL ETHER;EXPL @RM TEMP (SUPP) Stability Condition to Avoid:AVOID DUST GENERATION/ACCUMULATION. Hazardous Decomposition Products:CHLORINE.

Waste Disposal Methods:DISPOS OF IN MANNER CONSISTENT W/LOCAL, STATE AND FEDERAL REGULATIONS.NOT SARA/RCRA CHEMS.NOT LISTED AS MATL BANNED FOR LAND DISPO ACCORDING TO RCRA.

Disclaimer (provided w

ith this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.