View NSN Online: https://aerobasegroup.com/nsn/8010-01-206-4712

DEVOE COATINGS COMPANY -- DEVFLEX 601 595A22563 BEACH SAND P/N 601S6963

8010-01-206-4712

Product ID:DEVFLEX 601 595A22563 BEACH SAND P/N 601S6963

MSDS Date: 10/08/1996

FSC:8010

NIIN:01-206-4712

MSDS Number: CDVRK === Responsible Party ===

Company Name: DEVOE COATINGS COMPANY

Address:4000 DUPONT CIRCLE

Box:7600

City:LOUISVILLE

State:KY ZIP:40207 Country:US

Info

Phone Num:502-897-9861

Emergency Phone Num:800-424-9300 (CHEMTREC)

Preparer's Name:LOUIS F HOLZKNECHT

CAGE:1HK86

=== Contractor Identification ===

Company Name: DEVOE COATINGS CO

Address:4000 DUPONT CIRCLE

Box:7600

City:LOUISVILLE

State:KY

ZIP:40207-4802 Country:US

Phone:502-897-9861

CAGE:1HK86

======= Composition/Information on Ingredients ========

Ingred Name: ACRYLIC RESIN

Fraction by Wt: 5.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: ANTIMONY TRIOXIDE (SARA III)

CAS:1309-64

-4 RTECS #:CC5650000 Fraction by Wt: 5.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.5 MG/M3 ACGIH TLV:0.5 MG/M3 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: CHLOROHYDROCARBON POLYMER

CAS:9002-86-2

RTECS #:KV0350000 Fraction by Wt: 5.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:10 MG/M3 TDUST

Ingred Name:DIPROPYLENE GLYCOL MONO METHYL ETHER (VAPOR PRESSURE 15 MINUTES. CONSULT A PHYSICIAN FOR MEDICAL

TREATMENT. SKIN: REMOVE WITH SOAP AND WATER. REMOVE SOILED CLOTHING. INGEST

: DRINK 1 OR 2 GLASSES OF WATER. DONT INDUCE VOMIT. CALL DR. TREAT SYMPTOMATICALLY.

=========== Fire Fighting Measures ==========================

Flash Point:NONE Lower Limits:1.1

Extinguishing Media:IN CASE OF FIRE USE CO2, DRY CHEMICAL, FOAM, OR OTHER NFPA APPROVED METHOD FOR TREATING A CLASS B FIRE.

Fire Fighting Procedures: FULL PROTECTIVE EQUIPMENT INCLUDING SCBA.
WATER SPRAY MAY BE INEFFECTIVE, USE TO COOL FIRE EXPOSED CNTNR (FOG NOZZLES PREFERABLE)

Unusual Fire/Ex

plosion Hazard:CLOSED CNTNR MAY EXPLODE W/HEAT. DURING EMERGENCY CONDITIONS, DECOMPOSITION PRODUCTS ARE HEALTH HAZARD. SYMPTOMS ARENT IMMED APPARENT. GET MED AID.

======== Accidental Release Measures ===========

Spill Release Procedures:WASH WITH WATER. CONTAIN SPILLED MATERIAL AND REMOVE WITH INERT ABSORBENT. STORE IN CLOSED CONTAINER UNTIL PROPERLY DISPOSED OF.

============ Handling and Storage ===========================

Handling and Storage Precau

tions:STORE BELOW 110F AND KEEP FROM FREEZING. KEEP CONTAINER CLOSED WHEN NOT IN USE. DO NOT REUSE EMPTY CONTAINERS. Other Precautions: DO NOT TRANSFER CONTENTS TO BOTTLES OR OTHER UNLABELLED CONTAINERS. KEEP OUT OF REACH OF CHILDREN. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NO VAPOR/SPRAY/DUST BREATHING. FOR OUTDOOR OR SANDING/GRINDING: MECHANICAL FILTER RESPIRATOR. IN RESTRICTED VENT AREAS: CHEMICAL/MECHANICAL FILTERS, (PAR TICULATE/VAPORS). IN CONFINED AREAS: AIR SUPPLI ED RESPIRATOR/HOOD. USE NIOSH/MSHA EQUIP Ventilation: GENERAL DILUTION OR LOCAL EXHAUST VENT TO KEEP BELOW LIMITS. Protective Gloves: RECOMMENDED Eye Protection: SPLASH GUARD W/SIDESHIELD. Other Protective Equipment: NONE REQUIRED Work Hygienic Practices: REMOVE AND WASH SOILED CLOTHING BEFORE REUSE. WASH HANDS BEFORE EATING, SMOKING OR USING WASHROOM. Supplemental Safety and Health NK ====== Physical/Chemical Properties ===== ========== HCC:N1 Boiling Pt:B.P. Text:212 TO 356F Vapor Density:>AIR Spec Gravity: 1.2 - 1.3 VOC Pounds/Gallon:236 pH:5-8 Solubility in Water: APPRECIABLE Appearance and Odor:BEACH SAND VISCOUS LIQUID, MILD ODOR Percent Volatiles by Volume:59.73 ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES NK Hazardous Decomposition Products:CO, CO2, OXIDES OF NITROGEN, CHLORINE

OR HCL, OXIDES & CHLORIDES OF ANTIMONY.

\_\_\_\_\_

Waste Disposal Methods: IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. INCINERATE ONLY IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS.

=========== Other Information =====================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expre

ssly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.