View NSN Online: https://aerobasegroup.com/nsn/6140-01-214-0353

## CONCORDE BATTERY CORP -- CB24-380E BATTERY, DRY -- 6140-01-214-0353

============= Product Identification =============

Product ID:CB24-380E BATTERY, DRY

MSDS Date:10/19/1994

FSC:6140

NIIN:01-214-0353

Kit Part:Y

MSDS Number: CDVSG === Responsible Party ===

Company Name: CONCORDE BATTERY CORP

Address: 2009 SAN BERNARDINO RD

City:WEST COVINA

State:CA

ZIP:91790-1006

Country:US

Info Phone Num:818-962-4006/FAX 818-338-3

549

Emergency Phone Num:800-255-3924/818-813-1234

CAGE:63017

=== Contractor Identification ===

Company Name: ADVANCED POWER PRODUCTS

Address:7702 S GREENLEAF AVE

Box:City:WHITTIER

State:CA ZIP:90602 Country:US

Phone:562-696-7334

CAGE:1CNZ7

Company Name: CONCORDE BATTERY CORP

Address: 2009 SAN BERNARDINO RD

Box:City:WEST COVINA

State:CA

ZIP:91790-1006 Country:US

Phone:800-255-3924/818-813-1234

CAGE:63017

====== Composition/Information on Ingredients ========

Ingred Name:LEAD OXIDE, (


RED LEAD OXIDE) CAS:1314-41-6 RTECS #: OG5425000 Fraction by Wt: 60% Other REC Limits: NONE RECOMMENDED OSHA PEL:SEE 1910.1025 ACGIH TLV:0.15 MG/M3 Ingred Name:LEAD (SARA 313) (CERCLA) CAS:7439-92-1 RTECS #:OF7525000 Fraction by Wt: 38% Other REC Limits: NONE RECOMMENDED OSHA PEL:SEE 1910.1025 ACGIH TLV:0.05MG/M3, A3: 9596 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB ========== Hazards Identification =============== LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhal ation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PRODUCT IS NON-TOXIC. Explanation of Carcinogenicity: NONE SPECIFIED BY MANUFACTURER. Effects of Overexposure: NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:NONE SPECIFIED BY MANUFACTURER. ======= Flash Point: NON-FLAMMABLE Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL. Fire Fighting Procedures: IN CASE OF FIRE, WEAR SELF-CONTAINED BREATHING

APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

========= Accidental Release Measures ================

Spill Release Procedures: THIS PRODUCT IS A DRY BATTERY & IS CONSIDERED NON-SPILLABLE.IT IS TO BE PACKAGED ACCORDING TO 49 CFR PARAGRAPH 178.205 SPE



Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all

liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.