View NSN Online: https://aerobasegroup.com/nsn/6810-00-222-9655

CAROLINA BIOGOLICAL SUPPLY CO -- NITRIC ACID,87-7562 -- 6810-00-222-9655

Product ID:NITRIC ACID,87-7562 MSDS Date:11/21/1996 FSC:6810 NIIN:00-222-9655 **MSDS Number: CDYDT** === Responsible Party === Company Name: CAROLINA BIOGOLICAL SUPPLY CO Address:2700 YORK RD **City:BURLINGTON** State:NC ZIP:27215-3387 Country:US Info Phone Num:910-584-0381 **Emergency Phone Num:910-5** 84-0381 Chemtrec Ind/Phone:(800)424-9300 CAGE:59896 === Contractor Identification === Company Name: CAROLINA BIOLOGICAL SUPPLY CO Address:2700 YORK RD Box:City:BURLINGTON State:NC ZIP:27215-3387 Country:US Phone:800-227-1150/910-584-0381 CAGE:59896 Ingred Name:NITRIC ACID (SARA 302/313) (CERCLA) CAS:7697-37-2 RTECS #:QU5775000 Fraction by Wt: 69 - 71% Other REC Limits:NONE RECOMMENDED

OSHA PEL:2 PPM ACGIH TLV:2 PPM/4 STEL; 959

LD50 LC50 Mixture: TLV 2 PPM. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYES, SKIN, TEETH, **RESPIRATORY & GI TRACTS. ACUTE- CORROSIVE. INHALE: CAN CAUSE** BREATHING DIFFICULTY, PULMONARY EDEMA WHICH MAY BE FATAL. EYE/SKIN:SEVERE BURNS. MAY CAUSE PERMANENT EYE DA M AGE. ORAL: IMMEDIATE PAIN & BURNS OF MOUTH, THROAT, ESOPHAGUS & GI TRACT. MAY BE FATAL. CHRONIC- EROSION OF TEETH. Explanation of Carcinogenicity:NONE Effects of Overexposure: IRRITATION, BURNS, COUGHING, DIFFICULT BREATHING, CHEST PAIN, ABDOMINAL PAIN, NAUSEA, VOMITING, DENTAL EROSION, CHOCKING, SKIN REDNESS OR YELLOW-BROWN STAIN, EYE DAMAGE, DEATH Medical Cond Aggravated by Exposure: DAMAGED SKIN, EYE DISORDERS, LUNG/RESPIRATORY SYSTEM DISEASES ========= Fi

First Aid:GET MEDICAL ATTENTION IMMEDIATELY. EYES/SKIN:IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR. PROVIDE OXYGEN/CPR IF NEEDED. ORAL:IF CONSCIOUS, INDU CE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=======

Flash Point:NONE
Lower Limits:NOT RELEVANT
Upper Limits:NOT RELEVANT
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, ALCOHOL FOAM. USE WATER SPRAY TO DILUTE ACID AND ABSORB OXIDES OF NITROGEN.
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.
Unusual Fire/Explosion Hazard:STRONG OXIDIZER. CONTACT WITH COMBUSTIBLES, FLAMMABLES/POWDERED MET ALS CAN CAUSE FIRE OR EXPLOSION. REACTS WITH MOST METALS FORMING HYDROGEN WHICH CAN EXPLODE.

Spill Release Procedures:WEAR PROPER PROTECTIVE EQUIPMENT. VENTILATE AREA. REMOVE IGNITION SOURCES (H2 MAY BE PRESENT). DO NOT RELEASE INTO SOIL, SEWER. PICK UP WITH AN ABSORBENT SUCH AS SAND/VERMICULITE. TRANSFER TO SUITABLE CONTAINER FOR REUSE, RECYCLING OR DISPOSAL. Neutralizing Agent:SODA ASH, LIME, SODIUM BICARBONATE

Handling and Storage Precautions:STORE IN COOL, WELL-VENTILATED, CORROSION-PROOF AREA, AWAY FROM SUNLIGHT, HEAT, COMBUSTIBLES & INCOMPATIBLES. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:DANGER! CORROSIVE. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. AVOID BREATHING VAPORS. USE UNDER THE HOOD WITH ADEQUATE VENTILATION. PROTECT CONTAINERS AGAINST PHYSICAL DAMAGE. WASH THOROUGHLY AFTER H ANDLI

NG. EMPTY CONTAINER RETAINS RESIDUE

Respiratory Protection: USE NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH (NIOSH) APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE MODE WHEN PERMISSIBLE EXPOSURE LIMITS ARE EXCEEDED.

Ventilation: PROVIDE GENERAL VENTILATION OR LOCAL EXHAUST TO MEET OSHA PERMISSIBLE EXPOSURE LIMITS (OSHA PEL).

Protective Gloves: PVC, NEOPRENE, BUTYL

Eye Protection:

SAFETY GLASSES WITH SIDE SHIELD/GOGGLES

Other Protective Equipment: RUBBER SPLASH APRON, RUBBER BOOTS, EYEWASH FOUNTAIN, SAFETY SHOWER

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING, DRINKING/SMOKING.

Supplemental Safety and Health

NOTE TO PHYSICIAN:WASH AFFECTED SKIN AREAS WITH A 5% SOLUTION OF SODIUM BICARBONATE. IF INGESTED, THE RISK VERSUS THE BENEFIT OF THE PASSAGE OF A NASO-GASTRIC TUBE IS DEBAT

ABLE. ACTIVATED CHARCOAL IS OF NO VALUE. DO NOT GIVE THE EXPOSED PERSON BICARBONATE TO NEUTRALIZE THE MATERIAL.

HCC:C4 NRC/State Lic Num:NOT RELEVANT Boiling Pt:=122.2C, 252.F Melt/Freeze Pt:=-33.7C, -29.F Vapor Pres:62 @ 68F Vapor Density:2.5 Spec Gravity:1.41 pH:ACIDIC Solubility in Water:MISCIBLE Appearance and Odor:CLEAR, COLORLESS LIQUID; SUFFOCATING/ACRID ODOR

======== Stability and Reactivity Data

Stability Indicator/Materials to Avoid:YES
BASES, ALCOHOLS, CYANIDES, COMBUSTIBLES, ORGANIC MATERIALS, METALLIC POWDERS, CARBIDES, WATER
Stability Condition to Avoid:HEAT
Hazardous Decomposition Products:OXIDES OF NITROGEN INCLUDING NITROUS OXIDE (N2O), NITRIC OXIDE (NO), NITROGEN DIOXIDE (NO2); NITRIC ACID MIST OR VAPORS

Waste Disposal Methods:OBSERVE FEDERAL, STATE AND LOCAL ENVIRONMENTAL R

EGULATORS FOR PROPER DISPOSAL. CONSIDER RECYCLING. KEEP COMBUSTIBLES AWAY FROM SPILLED MATERIAL. REPORTABLE QUANTITY (RQ) IS 1000 POUNDS. EPA WASTE NUMB ER: D002

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person u

tilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.