View NSN Online: https://aerobasegroup.co.il/nsn/6830-00-935-9896

DU PONT E I DE NEMOURS AND CO INC -- CHLORODIFLUOROMETHANE,FREON/HCFC-22,CC 0335 -- 6830-00-935-9896

Product ID:CHLORODIFLUOROMETHANE, FREON/HCFC-22, CC 0335 MSDS Date:10/05/1996 FSC:6830 NIIN:00-935-9896 MSDS Number: CDYGH === Responsible Party === Company Name: DU PONT E I DE NEMOURS AND CO INC Address: DU PONT CHEMICALS FLUORCHEMICALS City:WILMINGTON State:DE Ζ IP:19898 Country:US Info Phone Num:800-441-7515/ 302-774-6822 Emergency Phone Num:800-441-3637/800-424-9300 (CHEMTREC CAGE:2S827 === Contractor Identification === Company Name: CONTRACTED OPERATIONS LOUISVILLE PACKAGING Address:7753 NATIONAL TURNPIKE **Box:UNKNOW** City:LOUISVILLE State:KY ZIP:40214 Country:US Phone:502-363-8000/2663 CAGE:089V0 Company Name: DU PONT FLUOROPRODUCTS Address:1007 MARKET STREET Box:City:WILMINGTON State:DE ZIP:19898 Country:US Phone:1-800-441-7515 CAGE:2S827

=================

= Composition/Information on Ingredients ==========

Ingred Name: CHLORODIFLUOROMETHANE (SARA 313) (CERCLA)/METHANE, CHLORODIFLUORO- (HCFC 22) CAS:75-45-6 RTECS #:PA6390000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9596 Ozone Depleting Chemical:2 LD50 LC50 Mixture:TLV 1,000 PPM. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: CNS, EYE, SKIN, LUNG. ACUTE- HARMFUL IF INHALED. MAY CAUSE HEART IRREGULARITIES, UNCONSCIOUSNESS OR DEATH. INTENTIONAL MISUSE IS FATAL. VAPOR REDUCES OXYGEN & IS HEAVIER THAN AIR. EYE/SK IN CONTACT WITH LIQUID CAN CAUSE FROSTBITE. VAPORS CAN CAUSE EYE IRRITATION. INGESTION IS UNLIKELY. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure: TEMPORARY NERVOUS SYSTEM DEPRESSION WITH ANAEST HETIC EFFECTS SUCH AS DIZZINESS, HEADACHE, CONFUSION, INCOORDINATION, LOSS OF CONSCIOUSNESS, IRREGULAR PULSE, PALPITATIONS, INADEQUATE CIRCULATION, FROST BILTE, IRRITATION, **BLURRED VISION, TEARING** Medical Cond Aggravated by Exposure: INDIVIDUALS WITH PREEXISTING DISEASES OF THE CENTRAL NERVOUS OR CARDIOVASCULAR SYSTEM MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURE. First Aid:GET MED

ICAL ATTENTION IF NEEDED. EYE/SKIN:IMMEDIATELY FLUSH WITH PLENTY OF WATER. INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:INGESTION IS NOT CONSIDERED A POTENTIAL ROUTE OF EXPO SURE. NOTE TO PHYSICIAN:CATECHOLAMINE DRUGS SHOULD BE USED WITH SPECIAL CAUTION ONLY IN SITUATIONS OF EMERGENCY LIFE SUPPORT.

Flash Point:NONE Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT Extinguishing Media:

- WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CYLINDERS.
- Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. MOVE CYLINDERS FROM FIRE AREA IF POSSIBLE WITHOUT INCREASED PERSONAL RISK.

Unusual Fire/Explosion Hazard:THIS PRODUCT MAY IGNITE WHEN MIXED WITH AIR AT CONCENTRATIONS OF 65 VOLUME % AIR. CYLINDERS MAY RUPTURE. DECOMPOSITION PRODUCTS ARE TOXIC AND CORR OSIVE.

Spill Release Procedures: VENTILATE AREA, ESPECIALLY LOW PLACES WHERE VAPORS MIGHT COLLECT. REMOVE OPEN FLAMES. USE SELF-CONTAINED BREATHING APPARATUS FOR LARGE SPILLS OR RELEASES. Neutralizing Agent: NOT RELEVANT

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA, AWAY FROM FLAMES & INCOMPATIBLE MATERIALS. DO NOT HE AT ABOVE

125F.

Other Precautions: AVOID BREATHING VAPORS. AVOID EYE OR SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING OR DRINKING. USE WITH ADEQUATE VENTILATION. NEVER USE IN CONFINED OR CLOSED SPACES WITHOUT PROPER PROTECTIVE E QUIPMENTS.

Respiratory Protection:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE MODE OR SUPPLIED-AIR RESPIRATOR WITH FULL FACEPIECE A ND OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE PRESSURE MODE IF A LARGE RELEASE OCCURS. Ventilation:NORMAL VENTILATION IS SUFFICIENT. LOCAL EXHAUST WHEN LARGE AMOUNTS ARE RELEASED, MECHANICAL VENTILATION IN LOW PLACES Protective Gloves:LINED BUTYL GLOVES Eye Protection:CHEMICAL SPLASH GOGGLES/FACE SHIELD Other Protective Equipment:EYEBATH, SAFETY SHOWER, PROTECTIVE CLOTHING Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONT HCC:G3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:-41F,-41C Vapor Pres:8567 @ 77F Vapor Density:3.03 @ 77F Spec Gravity:1.194 (LIQUID) Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:0.30 BY WT @ 25C/77F Appearance and Odor:CLEAR, COLORLESS LIQUEFIED GAS - SLIGHT ETHEREAL ODOR Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES

- ALKALI OR ALKALINE EARTH METALS, POWDERED ALUMINUM, ZINC, BERYLLIUM, ETC.
- Stability Condition to Avoid:FLAME, GLOWING METAL SURFACES, HIGH TEMPERATURES
- Hazardous Decomposition Products:MAY FORM HYDROGEN FLUORIDE, HYDROGEN CHLORIDE AND TRACES OF CARBONYL HALIDES.

Waste Disposal Methods:RECLAIM BY DISTILLATION. CONSULT LOCAL, STATE AND FE DERAL AUTHORITIES.

DERAL AUTHORITIES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.