

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- RTV630B SILLICONE RUBBER COMPOUND --  
8030-01-024-6995

===== Product Identification =====

Product ID:RTV630B SILLICONE RUBBER COMPOUND

MSDS Date:09/01/1995

FSC:8030

NIIN:01-024-6995

Kit Part:Y

MSDS Number: CDYGP

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

Address:260 HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:

12188

Country:US

Info Phone Num:518-237-3330/FAX 518-233-3795

Emergency Phone Num:518-237-3330

Preparer's Name:CE HANNIGAN

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

===== Composition/Information on Ingredients =====

Ingred Name:BENZENE (SARA 313) (CERCLA)

CAS:71-43-2

RTECS #:CY1400000

Fract

ion by Wt: 4%PPM  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:SEE 1910.1028  
ACGIH TLV:10 PPM; A2; 9596  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingred Name:TOLUENE (SARA 313) (CERCLA)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 212F,>100C

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA.

Fire Fighting Procedures:NONE KNOWN.

Unusual Fire/Explosion Hazard:PRODUCT GENERATES FLAMM GAS ON CONTACT  
W/ACIDS,BASES,OXIDIZING MATLS.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROPER PROTECTIVE EPMT AS SPECIFIED IN  
MSDS.WIPE/SCRAPE/SOAK UP IN INERT MATL & PUT IN CNTNR INTENDED FOR  
FLAMM MATLS FOR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:RECOMMENDED STORAGE IN ORIGINAL CNTNR  
>30C/85F.USE ONLY IN WELL VENTI AREA.DONT REUSE THIS  
CNTNR.CAUTION.AVOID EYE CONTACT.PARTIAL SOL  
UBLE IN TOLUENE.

Other Precautions:RELIEVE ANY INTERNAL PRESSURE SHEN RECEIVED & @LEAST  
WEEKLY THEREAFT BY SLOWLY LOOSENING BUNG.RETIGHTEN BUNG IMMED.KEEP  
CNTNR CLSD WHEN NOT IN USE TO PREVENT CONTACT  
W/ACIDIC,BASIC,OXIDIZING MATLS,&METALLIC CATALYSTS LIKE TIN  
SOAPS(SUPPLEM)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE KNOWN.

Ventilation:USE ONLY IN WELL VENTILATED AREA.

Protective Gloves:CLOTH GLOVES

Eye Protection:SAFETY GLA

SSES

Other Protective Equipment:EYEWASH STATIONS.

Work Hygienic Practices:GOOD HYG PRAC SHOULD BE OBSERVED.WORK CLOTH SHOULD BE WASH SEPERATELY @END OF EA WORK DAY.DISPO CLOTH DISCARDED W/MATL.

Supplemental Safety and Health

OTHER PRECAUT:& NOBLE METALS(PT,RH,ETC). 2-PART KIT,PNIND:E FOR PART A.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres:NA

Vapor Density:NA

Spec

Gravity:1.02

VOC Pounds/Gallon:151

pH:NA

Viscosity:NP

Evaporation Rate & Reference: