

COURTAULDS AEROSPACE, INC. -- PR-1436G SPRAYABLE, ACCELERATOR -- 8030-00-008-7203
===== Product Identification =====

Product ID:PR-1436G SPRAYABLE, ACCELERATOR

MSDS Date:11/18/1994

FSC:8030

NIIN:00-008-7203

Kit Part:Y

MSDS Number: CFCZK

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC.

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone N

um:818-240-2060

Emergency Phone Num:800-228-5635/800-424-9300(CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM DICHROMATE (SARA 313) (CERCLA)

CAS:10588-01-9

RTECS #:HX7700000

Fraction by Wt: 10.0%

Other REC Limits:NONE RECO

MMENDED
OSHA PEL:0.1 MG/M3 STEL
ACGIH TLV:0.05 MG/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:DIMETHYL ACETAMIDE (VP = 2 MMHG)
CAS:127-19-5
RTECS #:AB7700000
Fraction by Wt: 25.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM

Ingred Name:CALCIUM DICHROMATE (SARA 313)
CAS:14307-33-6
RTECS #:HX7630000
Fraction by Wt: 20.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG/M3 STEL
ACGIH TLV:0.05 MG/M3

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Other REC Limit
s:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:
BURNING/TEARING/REDDENING/TRANSIENT CORNEAL INJURY. SKIN: RAPIDLY
ABSORBED: HARMFUL. PENETRATING ULCERS TO SKIN/MUCOUS MEMBRANES OF
NOSE/PERFORATION CARTILAGINOUS NASAL SEPTUM. INHAL: LIVER/KIDN EY
DAMAGE.

=====
===== First Aid Measu
res =====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. CONSULT A
PHYSICIAN. SKIN: WASH WITH SOAP & WATER. IF SYMPTOMS PERSIST,
CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS
ARE PRESENT, CONSULT A PHYSICIAN. INGESTION: CONSULTA PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:>200F,>93C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting

Procedures:USE COMPLETE PERSONAL PROTECTION.

===== Accidental Release Measures =====

Spill Release Procedures:DIKE & COVER THE SPILL WITH A NON-OXIDIZABLE ABSORBENT & SCOOP INTO CONTAINER. SPRINKLE SODIUM THIOSULFATE ON RESIDUE. WORK INTO RESIDUE. SCOOP INTO DISPOSAL CONTAINER. CLEAN UP WITH WATER. CERCLA RQ FOR SODIUM DICHROMATE IS 10 LBS.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID INGESTION. DUE TO TOXICITY BY SKIN ABSORPTION, AVOID ALL SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN APPLYING IN ANY CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF HAZARDOUS INGREDIENTS IN EXCESS OF TLV, USE AN ORGANIC VAPOR CARTRIDGE OR AIR SUPPLIED RESPIRATOR.

Ventilation:GENERAL VENTILATION.

Protective Gloves:NITRILE, BUTYL, RUBBER, POLYETHYLENE.

Eye Protection:CHEMICAL GOGGLES, FULL-FACE SHIELD.

Other Protective Equipment:

NITRILE, BUTYL, RUBBER, OR POLYETHYLENE APRON/COVERALLS.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR SMOKING.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212 TO 331F

Vapor Density:>AIR

Spec Gravity:1.30

Evaporation Rate & Reference:UNAVAILABLE

Appearance and Odor:BROWNISH YELLOW LIQUID

Percent Volatiles by Volume:86.7

===== Stability and Reactivity

Data =====

Stability Indicator/Materials to Avoid: YES

EASILY OXIDIZABLE MATERIALS.

Hazardous Decomposition Products: OXIDES OF CARBON AND NITROGEN; CHROMIUM COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods: D007 EPA HAZARDOUS WASTE. DISPOSE OF IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements

of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.