

STA-CLEAN PRODUCTS INC -- STA-CLEAN RCP -- 6850-00-139-5319

===== Product Identification =====

Product ID:STA-CLEAN RCP

MSDS Date:02/01/1999

FSC:6850

NIIN:00-139-5319

MSDS Number: CFKQF

=== Responsible Party ===

Company Name:STA-CLEAN PRODUCTS INC

Address:2229 COY AVE

City:BAKERSFIELD (FORMALLY IN DOWNEY, CA)

State:CA

ZIP:93307

Country:US

Info Phone Num:805-835-8652

Emergency Phone Num:661-836

-8652

Resp. Party Other MSDS Num.:#STA330R VERSION 002

Preparer's Name:NOT PROVIDED

Chemtec Ind/Phone:(800)424-9300

CAGE:21172

=== Contractor Identification ===

Company Name:STA-CLEAN PRODUCTS INC

Address:2229 COY AVENUE

Box:City:BAKERSFIELD

State:CA

ZIP:93307

Phone:(805) 836-8652

Contract Num:SP0450-00-M-SG54

CAGE:21172

Company Name:STA-CLEAN PRODUCTS INC

Address:2229 COY AVENUE

Box:City:BAKERSFIELD

State:CA

ZIP:93307

Phone:(805) 836-8652

Contract Num:SP0450-99-M-NH60

CAGE:21172

=====

Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC PETROLEUM DISTILLATE

CAS:64742-52-5

= Wt:80.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: OF MIST CAN CAUSE IRRITAT

ION OF NASAL AND RESPIRATORY PASSAGES. EYE CONTACT: MAY CAUSE MINOR EYE IRRITATION. SKIN: MAY CAUSE MINOR IRRITATION. INGESTION: CAN CAUSE GASTROINTESTINAL IRRITAT ION, NAUSEA, VOMITING, AND DIARRHEA. ASPIRATION OF MATERIAL INTO THE LUNGS CAN CAUSE CHEMICAL PNEUMONITIS WHICH MAY BE FATAL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: OF MIST CAN CAUSE IRRITATION OF NASAL AND RESPIRATORY PASSAGES. EYE CONTACT: MAY CAUSE MINOR EYE IRRITATION. SKIN:

MAY CAUSE MINOR IRRITATION. INGESTION: CAN CAUSE GASTROINTESTINAL IRRITAT ION, NAUSEA, VOMITING, AND DIARRHEA.

Medical Cond Aggravated by Exposure:NOT PROVIDED

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. CONSULT A PHYSICIAN. EYE CONTACT: IMMEDIATELY RINSE WITH CLEAN WATER FOR 15 MINUTES. SEEK MEDICAL ATTENTION IF PAIN, BLINKING, TEARS OR REDNESS PERSISTS.

SKIN CONTACT: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE

VOMITING. KEEP PERSON WARM AND QUIET, AND GET MEDICAL ATTENTION. ASPIRATION OF MATERIAL INTO THE LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITI S WHICH CAN BE FATAL.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=168.3C, 335.F

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:NOT AVAILABL

Upper Limits:NOT AVAILABL

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:WATER OR

FOAM MAY CAUSE FROTHING WHICH CAN BE VIOLENT ESPECIALLY IF SPRAYED INTO CONTAINERS OF HOT, BURNING LIQUID. WATER MAY BE USED TO KEEP FIRE-EXPOSED CONTAINERS COOL UNTIL FIRE IS OUT. WEAR SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACE PIECE OPERATED IN THE POSITIVE PRESSURE DEMAND MODE WHEN FIGHTING FIRES.

Unusual Fire/Explosion Hazard: NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY). PRODUCT, EVEN RESIDUE CAN IGNITE EXPLOSIVELY.

=====

= Accidental Release Measures =====

Spill Release Procedures: SMALL SPILL: ABSORB ON VERMICULITE, FLOOR ABSORBENT OR OTHER ABSORBENT MATERIAL. LARGE SPILL: STOP SPILL AT SOURCE, DIKE, AND PUMP INTO SUITABLE CONTAINERS. REMAINING LIQUID MAY BE TAKEN UP ON SAND, CLAY, EARTH, FLOOR ABSORBENT/OTHER ABSORBENT MATERIAL AND SHOVELED INTO CONTAINERS. PREVENT RUN-OFF TO SEWERS, STREAMS/ OTHER BODIES OF WATER. IF RUN-OFF OCCURS, NOTIFY PROPER AUTHORITIES AS REQUIRE

D.  
Neutralizing Agent: NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions: AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM  
Other Precautions: NOT PROVIDED

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE UNDER NORMAL USE.  
Ventilation: GENERAL ROOM VENTILATION.  
Protective Gloves: WEAR RESISTANT GLOVES, SUCH AS NITRILE RUBBER, POLYETHYLENE.  
Eye Protection: GOGGLES AND/OR FACE SHIELD MUST BE WORN IF SPLASHING OR SPRAYING LIQUID.  
Other Protective Equipment: WEAR LONG SLEEVED SHIRT, TROUSERS, SAFETY SHOES.  
Work Hygienic Practices: PRACTICE GOOD PERSONAL HYGIENE. WASH HANDS AND OTHER EXPOSED AREAS WITH MILD SOAP AND WATER.  
Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC: V5  
NRC/State Lic Num: NOT RELEVANT  
Boiling Pt: >100.C, 212

.F

Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Density:>10.0

Spec Gravity:0.924

pH:NOT RELEVANT

Viscosity:NOT PROVIDED

Evaporation Rate & Reference: