View NSN Online: https://aerobasegroup.co.il/nsn/6830-01-392-0991

Product ID:SUVA HP 81 (R 402 B) MSDS Date:12/06/1997 FSC:6830 NIIN:01-392-0991 MSDS Number: CFKVB === Responsible Party === Company Name: DU PONT E I DE NEMOURS AND CO INC Address: DU PONT CHEMICALS FLUORCHEMICALS City:WILMINGTON State:DE ZIP:19898 Country:US Info Phone Num:800-441-944 2 Emergency Phone Num:800-441-3637 Resp. Party Other MSDS Num.:DU005603 Chemtrec Ind/Phone:(800)424-9300 CAGE:2S827 === Contractor Identification === Company Name: DU PONT FLUOROPRODUCTS Address:1007 MARKET STREET Box:City:WILMINGTON State:DE ZIP:19898 Country:US Phone:1-800-441-7515 Contract Num:SP0450-99-M-JT25 CAGE:2S827

Ingred Name:ETHANE,PENTAFLUORO- (HFC-125)/PENTAFLUOROETHANE CAS:354-33-6 = Wt:38. Other REC Limits:NONE

RECOMMENDED

Ingred Name:METHANE,CHLORODIFLUORO- (HCFC-22)/CHLORODIFLUOROMETHANE (SARA 313) (CERCLA) CAS:75-45-6 RTECS #:PA6390000 = Wt:60. Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9596 Ozone Depleting Chemical:2 Ingred Name:PROPANE

CAS:74-98-6 RTECS #:TX2275000 = Wt:2. Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:ASPHYXIANT; 9596

LD50 LC50 Mixture:TLV 1,000 PPM/3540 MG/M3, 8H TWA(HCFC-22) Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:CNS, CVS. ACUTE- HARMFUL IF INHALED. MAY CAUSE HEART IRREGULARITIES, UNCONSCIOUSNESS OR DEATH. INTENTIONAL MISUSE IS FATAL. VAPOR REDUCES OXYGEN & IS HEAVIER THAN AIR. EYE/SKIN CONTACT W ITH LIQUID CAN CAUSE FROSTBITE. VAPORS CAN CAUSE EYE IRRITATION. INGESTION IS UNLIKELY. CHRONIC- UNKNOWN. Explanation of C arcinogenicity:NONE OF THE COMPONENTS PRESENT IN THIS

MATERIAL AT CONCENTRATIONS GREATER THAN 0.1% ARE LISTED BY IARC, NTP, OSHA OR ACGIH AS A CARCINOGEN.

Effects of Overexposure: TEMPORARY NERVOUS SYSTEM DEPRESSION WITH ANAESTHETIC EFFECTS SUCH AS DIZZINESS, HEADACHE, CONFUSION, INCOORDINATION, LOSS OF CONSCIOUSNESS, IRREGULAR PULSE, PALPITATIONS, INADEQUATE CIRCULATION, FROST BITE, IRRITATION, BLURRED VISION, TEARING.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH

PREEXISTING DISEASES OF THE CENTRAL NERVOUS OR CARDIOVASCULAR SYSTEM MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURE.

First Aid:EYE:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF NEEDED. SKIN: MMEDIATELY FLUSH WITH PLENTY OF LUKEWARM WATER. GET MEDICAL ATTENTION IF FROSTBITE OCCURS. I NHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/ARTIFICIAL

RESPIRATION IF NEEDED. INGESTION: NOT CONSIDERED A POTENTIAL ROUTE OF EXPOSURE. NOTE TO PHYSICIAN:CATECHOLAMINE DRUGS, SUCH AS ADRENILINE, SHOUL D BE USED WITH SPECIAL CAUTION ONLY IN SITUATIONS OF EMERGENCY LIFE SUPPORT.

Flash Point: WILL NOT BURN

Extinguishing Media:AS APPROPRIATE FOR COMBUSTIBLES IN AREA. Fire Fighting Procedures:KEEP CYLINDERS COOL WITH WATER SPRAY OR FOG. SELF-CONTAINED BREATHING APPA

RATUS (SCBA) IS REQUIRED IF CYLINDERS

RUPTURE AND CONTENTS ARE RELEASED UNDER FIRE CONDITIONS. WATER RUNOFF SHOULD BE CONTAI NED AND NEUTRALIZED PRIOR TO RELEASE. Unusual Fire/Explosion Hazard:CYLINDERS MAY RUPTURE UNDER FIRE CONDITIONS. PRODUCT SHOULD NOT BE USED OR ALLOWED TO EXIST WITH HIGH CONCENTRATIONS OF AIR ABOVE ATMOSPHERIC PRESSURE.

Spill Release Procedures: VENTILATE AREA, ESPECIALLY LOW PLACES WHERE

VAPORS MIGHT COLLECT. REMOVE OPEN FLAMES. USE SELF-CONTAINED BREATHING APPARATUS FOR LARGE SPILLS OR RELEASES. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN A COOL, DRY AREA. DO NOT HEAT ABOVE 125F (52C).

Other Precautions: AVOID BREATHING VAPORS. AVOID EYE OR SKIN CONTACT WITH LIQUID. WASH THOROUGHLY AFTER HANDLING. USE WITH ADEQUATE VENTILATION TO KEEP EMPLOY EE EXPOSURE BELOW THE RECOMMENDED LIMITS.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: UNDER NORMAL MANUFACTURING CONDITIONS, NO RESPIRATORY PROTECTION IS REQUIRED WHEN USING THIS PRODUCT. SELF-CONTAINED BREATHING APPARATUS (SCBA) IS REQUIRED IF A LARGE RELEASE OCCURS.

Ventilation:USE WITH SUFFICIENT VENTILATION TO KEEP EMPLOYEE EXPOSURE BELOW THE RECOMMENDED LIMITS. LOCAL EXHAUST FOR LARGE RELEASES. MECHANICAL FOR ENCLOSED SPA

CES.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:REFRIGERANT CONCENTRATION MONITORS MAY BE NECESSARY TO DETERMINE VAPOR CONCENTRATIONS IN WORK AREAS PRIOR TO USE OF TORCHES OR OTHER OPEN FLAMES, OR IF EMPLOYEES ARE ENTERING ENCLOSED AREAS.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

=

HCC:G3 Boiling Pt:=-47.2C, -53.F Vapor Pres:9257 MM HG @ 77F Vapor Density:>1 Spec Gravity:1.14 @ 77F LIQ. Evaporation Rate & amp; Reference:>1 (CCL4=1) Solubility in Water:NOT DETERMINED Appearance and Odor:CLEAR, COLORLESS LIQUEFIED GAS - SLIGHT ETHEREAL ODOR.

Percent Volatiles by Volume:100 %

Stability Indicator/Materials to Avoid:YES ALKALI OR ALKALINE EARTH METALS, POWDERED ALUMINUM, ZINC, BERYLLIUM, ETC. Stabil ity Condition to Avoid:MATERIAL IS STABLE. HOWEVER, AVOID OPEN FLAMES AND HIGH TEMPERATURES.

Hazardous Decomposition Products:DECOMPOSITION PRODUCTS ARE HAZARDOUS. "SUVA" HP 81 CAN BE DECOMPOSED BY HIGH TEMPERATURES (OPEN FLAMES, GLOWING METAL SURFACES, ETC.) FORMING HYDROCHLORIC AND HYDROFLUORIC ACIDS AND IRRITATING.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

Toxicological Information:ANIMAL DATA: THE

BLEND IS UNTESTED.

PENTAFLUOROETHANE: INHALATION 4 HR ALC: >709,000 PPM IN RATS. LOAEL: 100,000 PPM. NOAEL: 50,000 PPM. NO ANMAL DATA AVAILABLE TO DEFINE CARCINOGENIC, DEVELOPMENTAL OR REPRODUCTIVE HAZARDS. CHLORODIFLUOROMETHANE: INHALATION 4 HR LC50: 220,000 PPM IN RATS. COMPOUND IS A SKIN IRRITANT AND SLIGHT EYE IRRITANT. COMPOUNDDID EXHIBIT SOME CHRONIC EFFECTS: SMALL BUT ST ATISICALLY SIGNIFIGANT INCREASE IN LATE-OCCURING TUMORS IN SALIVARY GLANDS OFMALE RATS;

MUTAGENIC TO SOME STRAINS OF BACTERIA BUT NOT TO MAMMALIAN CELL CULTURE. SOME DEVELOPMENTAL TOXICITY AT HIGH CO NCENTRATIONS.

Ecological:AQUATIC TOXICITY: HCFC-22: 48 HR EC50 (DAPHNIA MAGNA): 433 MG/L.

Waste Disposal Methods:RECLAIM BY DISTILLATION OR REMOVE TO A PERMITTED WASTE DISPOSAL FACILITY. COMPLY WITH FEDERAL, STATE AND LOCAL R

EGULATIONS.

Transport Information:LIQUIFIED GAS, N.O.S. (CHLORODIFLUOROMETHANE AND PENTAFLUOROETHANE). HAZARD CLASS: 2.2. UN NO: 3163. DOT/IMO LABEL: NONFLAMMABLE GAS. SHIPPING CONTAINERS: TANK CARS, CYLINDERS, TON TANKS.

SARA Title III Information:SECTIONS 311/312: ACUTE: YES; CHRONIC: NO; FIRE: NO; REACTIVITY: NO; PRESSURE: YES. SARA TOXI C CHEMICAL LIST: NO. SARA EXTREMELY HAZARDOUS SUBSTANCE LIST: NO. Federal Regulatory Information:CERCLA HAZARDOUS SUBSTANCE LIST: NO. TSCA INVENTORY STATUS: REPORTED/INCLUDED. State Regulatory Information:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.