

COURTAULDS AEROSPACE INC -- PR-1425 B-2, 1425 B 16, ACCELERATOR -- 8030-01-129-1141
===== Product Identification =====

Product ID:PR-1425 B-2, 1425 B 16, ACCELERATOR

MSDS Date:09/12/1996

FSC:8030

NIIN:01-129-1141

Kit Part:Y

MSDS Number: CFXBM

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info P

hone Num:818-240-2060

Emergency Phone Num:800-228-5635/800-424-9300(CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:DIMETHYL ACETAMIDE (VP = 2)

CAS:127-19-5

RTECS #:AB7700000

Fraction by Wt: 30.0%

Other REC Limits:NONE RECOMMENDE

D
OSHA PEL:10 PPM
ACGIH TLV:10 PPM

Ingred Name:CALCIUM DICHROMATE
CAS:14307-33-6
RTECS #:HX7630000
Fraction by Wt: 20.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG/M3 STEL
ACGIH TLV:0.05 MG/M3

Ingred Name:TALC
CAS:14807-96-6
RTECS #:WW2710000
Fraction by Wt: 10.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M3

Ingred Name:SILICA DERIVATIVES (NON HAZARDOUS)
CAS:67762-90-7
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER (NON HAZARDOUS)
CAS:7732-18-5
RTECS #:ZC0
110000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

Ingred Name:HYDRATED ALUMINUM SILICATE (NON HAZARDOUS)
CAS:1335-30-4
Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGNESIUM ALUMINUM SILICATE (NON HAZARDOUS)
CAS:8031-18-3
Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 200F,>93C
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER.
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR

====

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP INTO CONTAINER. CLEAN UP RESIDUE W/SUITABLE SOLVENT.

===== Handling and Storage =====

Handling and Storage Precautions:DONT STORE >120F. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR.

Ventilation:GENERAL VENTILATION.

Protective Gloves:SOLVENT RESISTANT.

Eye Protection:SAFETY GLASSES.

Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Vapor Density:>AIR

Spec Gravity:1.345

Evaporation Rate & Reference:UNAVAILABLE

Appearance and Odor:BLACK PASTE

Percent Volatiles by Volume:1.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products

:CARBON MONOXIDE, CARBON DIOXIDE,

SULFUR DIOXIDE, TRACES OF HYDROGEN SULFIDE.

===== Disposal Considerations =====

Waste Disposal Methods:IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to b

e accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.