View NSN Online: https://aerobasegroup.com/nsn/6750-00-412-5326

ULANO CORP -- HI-FI DEVELOPER PT A -- 6750-00-412-5326

============= Product Identification ==============

Product ID:HI-FI DEVELOPER PT A

MSDS Date:04/01/1994

FSC:6750

NIIN:00-412-5326

Kit Part:Y

MSDS Number: CGDSP
=== Responsible Party ===
Company Name:ULANO CORP
Address:255 BUTLER ST

Oit = DDOOKLAAL

City:BROOKLYN

State:NY ZIP:11217 Country:US

Info Phone Num:718-622-5200

Emergency Phone Num:718-622-5200

CAGE:FO984 === Contract

or Identification ===

Company Name: ULANO CORP Address: 255 BUTLER STREET

City:BROOKLYN

State:NY ZIP:11217

Phone: (718) 622-5200

CAGE:FO984

Company Name: ULANO CORPORATION

Address:255 BUTLER ST Box:City:BROOKLYN

State:NY ZIP:11217 Country:US

Phone:718-622-5200

CAGE:53176

====== Composition/Information on Ingredients ========

Ingred Name: NON-HAZARDOUS INGREDIENTS

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: VOLATILE ORGANIC COMPOUND: NONE.

RTECS #:9999999VO

OSHA PEL:N/K ACGIH TLV:N/K

======================================
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: EFFECTS OF OVEREXPOSURE: AS MILD ORGANIC ACIDS, MAY CAUSE SYMPTOMS OF RESPIRATORY IRRITATION. CHRONIC: NONE LISTED BY MANUFACTURER. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:SEE HEALTH HAZARDS. Medic
al Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:INGEST:CALL MD IMMEDIATELY . INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) . SKIN CONT: FLUSH WITH WATER. EYE CONT: FLUSH IMMEDIATELY WITH PHYSIOLOGICAL SALINE OR WATER FOR AT LEAST 15 MINUTES. GET MEDICAL CARE FOR EYES.
======================================
Extinguishing Media:WATER. Fire Fighting Procedures:NOT APPLICABLE. USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NOT APPLICABLE. IGNITION POINT: >1832F,>1000C.
========== Accidental Release Measures ============
Spill Release Procedures:FLUSH WITH WATER OR SWEEP AND SHOVEL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:NONE. Other Precautions:NONE.
=====

===== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE. NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN. Ventilation:LOCAL EXHAUST. Protective Gloves: IMPERVIOUS GLOVES. Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES. Other Protective Equipment: ANSI APPRVD EYE WASH & DELUGE SHOWER . NIOSH APPROVED NUISANCE MASK. Work Hygienic Practices: NONE. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER. ======= Physical/Ch emical Properties ========= Melt/Freeze Pt:M.P/F.P Text:307F,153C Spec Gravity:1.542 (H*2O=1) Solubility in Water:% BY WGT 60 Appearance and Odor: WHITE ODORLESS GRANULAR, FINE GRANULAR OR POWDER. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES USUAL INCOMPATIBILITIES OF ORGANIC ACIDS. Stability Condition to Avoid: NOT APPLICABLE. Hazardous Decomposition Products: NOT ESTABLISHED.

====== Disposal Considerati ons ==========

Waste Disposal Methods:CAN BE FLUSHED AWAY WITH WATER OR DISPOSED IN NORMAL SOLIDS DISPOSAL SYSTEMS. DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability

for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.